



CorePro LEDbulb



CorePro LEDbulb ND 8-60W A60 B22 827 UK

LEDbulbs are compatible with existing fixtures with an E27 holder and are designed for retrofit replacement of incandescent bulbs.

Product data

General information	
Cap base	B22 [B22]
EU RoHS compliant	Yes
Nominal lifetime (nom.)	15000 h
Switching cycle	50,000X
Technical type	8-60W
Light technical	
Colour Code	827 [CCT of 2,700 K]
Beam Angle (Nom)	200 °
Luminous flux (nom.)	806 lm
Colour designation	Warm white (WW)
Correlated Colour Temperature (Nom)	2700 K
Luminous efficacy (rated) (nom.)	100.00 lm/W
Colour consistency	<6
Colour rendering index (nom.)	80
LLMF at end of nominal lifetime (nom.)	70 %
Operating and electrical	
Input frequency	50 to 60 Hz
Power (Rated) (Nom)	8 W
Lamp current (nom.)	75 mA
Wattage equivalent	60 W
Starting time (nom.)	0.5 s
Warm-up time to 60% light (nom.)	0.5 s

Power factor (nom.)	0.5
Voltage (Nom)	220-240 V
Temperature	
T-Case maximum (nom.)	85 °C
Controls and dimming	
Dimmable	No
Mechanical and housing	
Lamp Finish	Frosted
Bulb shape	A60 [A 60mm]
Approval and application	
Energy Efficiency Class	F
Energy consumption kWh/1,000 hours	8 kWh
	397622
Product data	
Full product code	871869657763901
Order product name	CorePro LEDbulb ND 8-60W A60 B22 827 UK
EAN/UPC – product	8718696577639
Order code	57763901
SAP numerator – quantity per pack	1
Numerator – packs per outer box	10

CorePro LEDbulb

SAP material	929001233997
Copy Net Weight (Piece)	0.076 kg



Dimensional drawing




Product	D	C
CorePro LEDbulb ND 8-60W A60 B22 827 UK	60 mm	110 mm

CorePro LEDbulb ND 8-60W A60 B22 827 UK

Photometric data



CorePro LEDbulb ND 8-60W A60




SDPO_LED Bulb_0021-Spectral Power distribution


CorePro LEDbulb ND 8-60W A60

CorePro LEDbulb

Lifetime



LEDbulb 40W E27 830 FR A60



LEDbulb 40W E27 830 FR A60

