

## Accessories plugs/connectors - Closure cap for CEE plugs



| Product description    |               |
|------------------------|---------------|
| BALS-Prd.-Nr           | 834           |
| EAN                    | 4024941008341 |
| product category (PG)  | Closure cap   |
| current (A)            | 125A          |
| number of poles (P99)  | 3p, 4p, 5p    |
| number of poles (P)    | 3p, 4p, 5p    |
| protection degree (SA) | IP67          |
| colour code 1 (KF1)    | gray RAL 7035 |


| Product description        |           |
|----------------------------|-----------|
| Height                     | 117mm     |
| Width                      | 108mm     |
| Depth                      | 80mm      |
| material of enclosure (GM) | Polyamide |

| Additional technical information |            |
|----------------------------------|------------|
|                                  | With strap |

| Logistics data |                  |
|----------------|------------------|
| Weight/pcs     | 0.125 kg / Piece |
| Packaging      | Bag              |
| Content amount | 1 ST             |
| EAN            | 4024941008341    |
| Length         | 80 mm            |
| Width          | 108 mm           |
| Height         | 117 mm           |
| Weight         | 0.126 kg         |
| Volume         | 1,010.88 ccm     |
| Packaging      | Carton           |
| Content amount | 40 ST            |
| EAN            | 4024941953122    |
| Length         | 590 mm           |

**Logistics data**

|        |            |
|--------|------------|
| Width  | 380 mm     |
| Height | 230 mm     |
| Weight | 5.755 kg   |
| Volume | 45,066 ccm |



| Ampere<br>Polzahl | 16<br>3 | 16<br>4 | 16<br>5 | 32<br>3/4 | 32<br>5 | 63<br>3/4/5 | 125<br>3/4/5 |
|-------------------|---------|---------|---------|-----------|---------|-------------|--------------|
| a                 | 53,0    | 59,5    | 67,0    | 70,0      | 76,5    | 83,5        | 95,5         |
| b ø               | 49,5    | 55,7    | 63,0    | 64,0      | 70,5    | 76,5        | 89,0         |
| c                 | 41,5    | 41,5    | 41,5    | 51,5      | 51,5    | 72,5        | 80,0         |
| d                 | 133,0   | 133,0   | 133,0   | 133,0     | 133,0   | 155,0       | 155,0        |
| e                 | 34,5    | 38,0    | 42,0    | 44,0      | 48,0    | 52,0        | 57,5         |
| f ø               | 6,4     | 6,4     | 6,4     | 6,4       | 6,4     | 6,4         | 6,4          |
| g ø               | 12,0    | 12,0    | 12,0    | 12,0      | 12,0    | 12,0        | 12,0         |
| h                 | 5,0     | 5,0     | 5,0     | 5,0       | 5,0     | 5,0         | 5,0          |
|                   |         |         |         |           |         |             |              |
|                   |         |         |         |           |         |             |              |
|                   |         |         |         |           |         |             |              |