



Product data sheet

Power tools for trade & industry

Cordless Combi

GSB 18V-60 C



Best power-to-size ratio in Bosch's 18 V category - with brushless motor and impact drilling function

The most important data

Torque (soft/hard/max.)	31/60/- Nm
No-load speed (1st gear / 2nd gear)	0 – 600 / 0 – 1,900 rpm
Max. screw diameter	10 mm

Part Number 0 601 9G2 170

[> More product information](#)

Technical data

Technical data

Torque (soft/hard/max.)	31/60/- Nm
No-load speed (1st gear / 2nd gear)	0 – 600 / 0 – 1,900 rpm
Battery type	Lithium-ion
Max. impact rate	28,500 bpm
Chuck capacity, min./max.	1.5 / 13 mm
Battery voltage	18 V
Weight excl. battery	1.2 kg
Torque settings	20+2
Charging time (80%/100%) approx.	30/45 min [5.0 Ah]

'Total vibration values (Drilling in metal)'

Vibration emission value ah	2.5 m/s ²
Uncertainty K	1.5 m/s ²

'Total vibration values (Impact drilling in masonry)'

Vibration emission value ah	10 m/s ²
Uncertainty K	1.5 m/s ²

Drilling diameter

Max. drilling diameter in wood	38 mm
Max. drilling diameter in steel	13 mm
Max. drilling diameter in masonry	13 mm

Screw diameter

Max. screw diameter	10 mm
---------------------	-------

Noise/vibration information

Drilling in metal

Vibration emission value ah	2.5 m/s ²
Uncertainty K	1.5 m/s ²

Impact drilling in masonry

Vibration emission value ah	10 m/s ²
Uncertainty K	1.5 m/s ²

**BOSCH**

Invented for life

Product data sheet

Power tools for trade & industry

Advantages:

- Ideal combination of power and size due to 60 Nm of hard torque and a 174-mm head length
- KickBack Control for increased user protection, safer work, and perfect tool control; precision clutch for convenience
- Bluetooth Connectivity option to connect directly to a smartphone for additional tool control

