



Color: ■ gray

Locking system WINSTA® MIDI

With the locking system from the WINSTA® MIDI product line, straightforward electrical installation is ensured. With WAGO, you get enjoy the advantages of a large selection of accessories for the WINSTA® product line. Our WINSTA® MIDI product line achieves total flexibility for the electrical installation. Through its Push-in CAGE CLAMP® spring pressure connection technology, it ensures error-free, time-saving installation and offers customization and flexibility for meeting all installation requirements.

Push-in CAGE CLAMP® spring pressure connection technology – pluggable installation instead of laborious screw connections!

The WINSTA® Pluggable Connection System is ideally tailored to the strict requirements of building installation. It makes electrical installation pluggable, and consequently faster, even more reliable, and error-free. Use of this pre-assembled system reduces time spent on assembly and errors during installation at the construction site. Choose quality and durability – with protection against mismatching from WAGO makes the installation of electrical components significantly easier.

- for automation controllers
- fast, secure installation

Connection data		
Connection 1		
Actuation type	Operating tool	
Mechanical data		
Variable coding	No	
Suitable	for flying leads; tool operated	
Plug-in connection		
Mismatching protection	No	



Material data	
Note (material data)	<a href="https://www.wago.com/us/material-specifications">Information on material specifications can be found here</a>
Color	gray
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.015 MJ
Weight	0.5 g

Environmental requirements	
Processing temperature	-5 ... +40 °C
Continuous operating temperature	-35 ... +85 °C
Note on continuous operating temperature	Insulating parts for temperatures ≤ 105 °C

Commercial data	
Product Group	20 (Winsta)
eCl@ss 10.0	27-44-06-92
eCl@ss 9.0	27-44-06-92
ETIM 8.0	EC002863
ETIM 7.0	EC002863
PU (SPU)	100 (25) pcs
Packaging type	Box
Country of origin	DE
GTIN	4050821601364
Customs tariff number	85389099990

Environmental Product Compliance	
RoHS Compliance Status	Compliant,No Exemption

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 770-140

↓

Documentation			
Bid Text			
770-140	19.02.2019	xml 2.58 KB	↓
770-140	11.03.2015	doc 21.50 KB	↓



CAD/CAE-Data	
CAD data	CAE data
2D/3D Models 770-140	ZUKEN Portal 770-140
	