
Code: 997915-00

IK	Ag /	CE



		GENERAL INFORMATION
Article	333 - Connection for diam. 60 pole	
Code	997915-00	
		DIMENSIONS AND WEIGHT
Length (mm)	173 mm	
Height (mm)	164 mm	
Diameter (Ø) (mm)	60 mm	
Weight (Kg)	1.16 kg	

333 Attacco palo diam.60





Please contact the Consulting and Design Centre for any technical information. The reported luminous flux is the flux emitted by the light source with a tolerance of ± 10% compared to the indicated value. The total wattage absorbed by the system will not exceed 10% of the reported value. Technical lighting data may be subject to changes and improvements due to the fast evolution of the technology. Wednesday, December 6, 2023


Code: 997915-00





Please contact the Consulting and Design Centre for any technical information. The reported luminous flux is the flux emitted by the light source with a tolerance of ± 10% compared to the indicated value. The total wattage absorbed by the system will not exceed 10% of the reported value. Technical lighting data may be subject to changes and improvements due to the fast evolution of the technology. Wednesday, December 6, 2023

Code: 997915-00



	MATERIALS AND COLOURS	
Housing	in die-cast aluminium. For installation on 60-diameter pole in the two-lamp version.	
Pole connection	0	
Colour	Graphite	
	STANDARDS AND COMPLIANCE	
Markings and tests	CE	
	WARRANTY	
After sales warranty	0 yr	

DOWNLOAD

DESIGNS



TechnicalDrawing 333.dxf



Please contact the Consulting and Design Centre for any technical information. The reported luminous flux is the flux emitted by the light source with a tolerance of ± 10% compared to the indicated value. The total wattage absorbed by the system will not exceed 10% of the reported value. Technical lighting data may be subject to changes and improvements due to the fast evolution of the technology. Wednesday, December 6, 2023

Code: 997915-00





Please contact the Consulting and Design Centre for any technical information. The reported luminous flux is the flux emitted by the light source with a tolerance of ± 10% compared to the indicated value. The total wattage absorbed by the system will not exceed 10% of the reported value. Technical lighting data may be subject to changes and improvements due to the fast evolution of the technology. Wednesday, December 6, 2023

Code: 997915-00





1887 Rodio HE - asymmetric



1891 Rodio HE - symmetric wide beam



Please contact the Consulting and Design Centre for any technical information. The reported luminous flux is the flux emitted by the light source with a tolerance of ± 10% compared to the indicated value. The total wattage absorbed by the system will not exceed 10% of the reported value. Technical lighting data may be subject to changes and improvements due to the fast evolution of the technology. Wednesday, December 6, 2023