Eaton KTK-R-9

Catalog Number: KTK-R-9

Eaton Bussmann series class CC fuse, fast-acting, dual-element current limiting fuse, 9 Amp rejection style fuse, interrupting rating of 200kA @ 600Vac

General specifications



Eaton Bussmann series KTK-R fuse

UPC

051712420723

Product Length/Depth

0.001 in

Product Width

0.001 in

Warranty

Not Applicable

Certifications

UL Listed
CSA Certified

Catalog Number

KTK-R-9

EAN

5027590445733

Product Height

0.001 in

Product Weight

0.15 lb

Compliances

CE Marked

RoHS Compliant



default Taxonomy Attribute Label

Type

Current-limiting fast-acting fuse

Special features

Rejection style

Application

Industrial controls panels and machinery, street lighting, general lighting, capacitors and distribution

Amperage Rating

9 A

Number of elements

Dual

Class

Class CC

Interrupt rating

200 kAIC

Fuse indicator

Non-indicating

Connection

Ferrule end x ferrule end

Ferrule

Response time

See time current curve

Material

Melamine tube

Packaging type

Standard

Quantity

10

Voltage rating

600 V

Resources

Catalogs

Bussmann Full Line Catalog

Class CC Catalog Chapter

Bussmann series complete full line catalog no. 1007

Bussmann series full line catalog 1007, section 01- low voltage branch circuit fuses

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - KTK-R-9

Technical data sheets

KTK-R Spec Sheet

KTK-R-9~CLASS CC FAST ACTING FUSE



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.

