Eaton KTK-R-3

Catalog Number: KTK-R-3

Eaton Bussmann series class CC fuse, fast-acting, dual-element current limiting fuse, 3 Amp rejection style fuse, interrupting rating of 200kA @ 600Vac

General specifications

Product Name

Eaton Bussmann series KTK-R fuse

UPC 051712420624

Product Length/Depth 0.001 in

Product Width 0.001 in

Warranty Not Applicable

Certifications

UL Listed CSA Certified Catalog Number KTK-R-3

EAN 5027590445634

Product Height 0.001 in

Product Weight 0.15 lb

Compliances RoHS Compliant CE Marked



defaultTaxonomyAttributeLabel

Туре

Current-limiting fast-acting fuse

Special features

Rejection style

Application

Industrial controls panels and machinery, street lighting, general lighting, capacitors and distribution

Amperage Rating

3 A

Number of elements

Dual

Class

Class CC

Interrupt rating

200 kAIC

Fuse indicator

Non-indicating

Connection Ferrule end x ferrule end Ferrule

Response time

See time current curve

Material

Melamine tube

Packaging type

Standard

Quantity

10

Voltage rating

600 V

Resources

Catalogs

Low Voltage Branch Circuit Fuse Chapter Bussmann Full Line Catalog Bussmann series full line catalog 1007, section 01- low voltage branch

circuit fuses

Bussmann series complete full line catalog no. 1007

Multimedia Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - KTK-R-3

Technical data sheets

KTK-R Spec Sheet

KTK-R-3~CLASS CC FAST ACTING FUSE CLASS CC



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2024 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia