

Eaton LPJ-60SP

Catalog Number: LPJ-60SP

Eaton Bussmann series LPJ fuse, 60 A, Dual, Class J, Non-indicating, Ferrule end x ferrule end, Time delay, Current-limiting, 10 sec at 500%, 100 kAIC Vdc, 300 kAIC at 600 V, Standard



General specifications

Product Name	Catalog Number
Eaton Bussmann series LPJ fuse	LPJ-60SP
UPC	Product Length/Depth
051712523363	2.38 in
Product Height	Product Width
1.06 in	1.06 in
Product Weight	Warranty
0.19 lb	Not Applicable
Compliances	
CE Marked	
RoHS Compliant	

defaultTaxonomyAttributeLabel

Type

Low-peak fuse

Special features

Non-indicating, High in-rush current motor protection

Application

Specialized circuits and industrial control

Amperage Rating

60 A

Number of elements

Dual

Class

Class J

Fuse type

Time delay

Current-limiting

Interrupt rating

100 kAIC Vdc

300 kAIC at 600 Vac

Fuse indicator

Non-indicating

Connection

Ferrule end x ferrule end

Response time

10 sec at 500%

Packaging type

Standard

Voltage rating

600 Vac, 300 Vdc

Resources

Catalogs

Bussmann series complete full line catalog no. 1007

LPJ-60SP~LOW-PEAK CLASS J T/D

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - LPJ-60SP

Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)