Eaton KTK-R-30

Catalog Number: KTK-R-30

Eaton Bussmann series class CC fuse, fast-acting, dual-element current limiting fuse, 30 Amp rejection style fuse, interrupting rating of 200kA @ 600Vac

General specifications



Catalog Number

Eaton Bussmann series KTK-R fuse

KTK-R-30

UPC

Product Length/Depth

051712420747

1.5 in

Product Height

Product Width

0.41 in

0.41 in

Product Weight

Warranty

0.18 lb

Not Applicable

Compliances

Certifications
UL Listed

CE Marked

RoHS Compliant

CSA Certified



Powering Business Worldwide



default Taxonomy Attribute Label

Type

Current-limiting fast-acting fuse

Special features

Rejection style

Application

Industrial controls panels and machinery, street lighting, general lighting, capacitors and distribution

Amperage Rating

30 A

Number of elements

Dual

Class

Class CC

Interrupt rating

200 kAIC

Fuse indicator

Non-indicating

Connection

Ferrule end x ferrule end

Ferrule

Response time

See time current curve

Material

Melamine tube

Packaging type

Standard

Quantity

10

Voltage rating

600 V

Resources

Catalogs

Low Voltage Branch Circuit Fuse Chapter

Bussmann Full Line Catalog

Bussmann series full line catalog 1007, section 01- low voltage branch circuit fuses

Bussmann series complete full line catalog no. 1007

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - KTK-R-30

Technical data sheets

KTK-R Spec Sheet

KTK-R-30~CLASS CC FAST ACTING FUSE



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.

