


EU
xComfort CAAE-01/02, CAAE-01/04, CAAE-01/05







	Min. V 1.60	CAAE-01/02
	Min. V 2.40	CAAE-01/05
	Min. V 3.5B	CAAE-01/02


	1,5 mm ²
	6 mm

IP20


	T=-25°C - +70°C
	T=-5°C - +45°C



	~ 60-90%	~ 80-95%	~ 20-60%	~ 0-10%	~ 70-90%



	1,5 mm ²
	6 mm



Declaration of Conformity

We, EATON Industries (Austria) GmbH
3943 Schrems, Eugenia 1
Austria

declare that product (family)

Eaton - Analog actuator, CAAE-...

(the declaration of conformity applies to all
listed types within our actual product catalog)

provided that it is installed, maintained and used in the
application intended for, with respect to the relevant manufacturers
instructions, installation standards and "good engineering practices"

complies with the provisions of Council directive(s):

Low Voltage Directive 2006/95/EC

EMC Directive 2004/108/EC

Radio and Telecommunications Terminal Equipment 99/05/EC

based on compliance with European standard(s):

EN301489-3 V1.4.1, EN300220-2 V2.3.1, EN50491-5-1/10, EN50491-5-2/10,
EN62479/10, EN50428/05 + A1/07 + A2/09



08.10.2012

H. Ursprunger F. Schröder



tested by:
TÜV Austria Services GmbH, Notified Body **CE 0408**
1230 Vienna, Deutschstrasse 10, Austria

Affixing date of CE mark: 2005

Doc.Id.: CAAE-...



L1 N PE



		<p style="text-align: right;">EAT·N</p> <p style="text-align: center;">RF- SYSTEM</p> <p style="text-align: center;">BASIC - MODE - CARD</p>
<p>CTAA-01/01 CTAA-02/01 CBEU-02/01 CBEU-02/02 M1 M2 M3 M4 1x 2x 3x 4x CRCA-00/01 CHSZ-00/01</p> <p>CSAU-01/01 CJAU-01/01 CDAU-01/01</p>		

