# Eaton LP-CC-1

# Catalog Number: LP-CC-1

Eaton Bussmann series LP-CC fuse, Current-limiting time-delay fuse, Rejection style, 1 A, Dual, CC, Non-indicating, Ferrule end x ferrule end, 12 sec at 200%, 200 kAIC at 600 V, 20 kAIC at 300 Vdc, Melamine tube, Standard, 10

### General specifications



Catalog Number

Eaton Bussmann series LP-CC fuse

LP-CC-1

UPC

EAN

051712180436

5027590446914

Product Length/Depth

Product Height
1.5 in

0.41 in

Product Width

**Product Weight** 

0.41 in

0.15 lb

Warranty

Compliances

Not Applicable

CE Marked

RoHS Compliant





## defaultTaxonomyAttributeLabel

Type

Current-limiting time-delay fuse

Special features

Non-indicating

**Application** 

Specialized circuits and industrial control

**Amperage Rating** 

1 A

Number of elements

Dual

Class

Class CC

Interrupt rating

200 kAIC at 600 Vac 20 kAIC at 300 Vdc

Fuse indicator

Non-indicating

Connection

Ferrule end x ferrule end

Response time

12 sec at 200%

Material

Melamine tube

Packaging type

Standard

Quantity

10

Voltage rating

600 Vac, 300 Vdc

### Resources

#### Catalogs

Bussmann series complete full line catalog no. 1007

Bussmann series full line catalog 1007, section 01- low voltage branch circuit fuses

LP-CC-1~LOW PEAK CC TIME DELAY

#### Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - LP-CC-1

Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.

