
# Eaton LPJ-60SPI

LOW-PEAK

## Catalog Number: LPJ-60SPI

Eaton Bussmann series LPJ fuse, Low-peak fuse, 60 A, Dual, Class J, With indicator, Ferrule end x ferrule end, Time delay, Current-limiting, 10 sec at 500%, 100 kAIC Vdc, 300 kAIC at 600 V, Standard





Eaton Bussmann series LPJ fuse

**UPC** 

051712626408

Product Height

2.36 in

**Product Weight** 

0.18 lb

Compliances

CE Marked

**RoHS Compliant** 

Catalog Number

LPJ-60SPI

Product Length/Depth

1.06 in

Product Width

1.06 in

Warranty

Not Applicable



### defaultTaxonomyAttributeLabel

Туре

Low-peak fuse

Special features

Indicating, High in-rush current motor protection

Application

Specialized circuits and industrial control

Amperage Rating

60 A

Number of elements

Dual

Class

Class J

Fuse type

Time delay

Current-limiting

Interrupt rating

300 kAIC at 600 Vac

100 kAIC Vdc

Fuse indicator

Non-indicating

With Indicator

Connection

Ferrule end x ferrule end

Response time

10 sec at 500%

Packaging type

Standard

Voltage rating

600 Vac, 300 Vdc

#### Resources

#### Catalogs

Low Voltage Branch Circuit Fuse Chapter

Bussmann Full Line Catalog

#### Multimedia

Bussmann series Fuseology



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.

