# Eaton KLM-25

## Catalog Number: KLM-25

Eaton Bussmann series KLM fuse, 25 A, Non-indicating, Ferrule end x ferrule end, 100 kAIC at 600 V, 50 kAIC at 600 Vdc, Melamine tube, Nickel-plated bronze endcap, 600 V, 600 Vdc

## General specifications



Eaton Bussmann series KLM fuse

UPC

051712695251

**Product Height** 

0.001 in

**Product Weight** 

0.18 lb

Compliances

CE Marked

**RoHS** Compliant

Catalog Number

KLM-25

Product Length/Depth

0.001 in

**Product Width** 

0.001 in

Warranty

Not Applicable



## Electrical rating

#### **Amperage Rating**

25 A

#### Interrupt rating

100 kAIC at 600 Vac 50 kAIC at 600 Vdc

#### Voltage rating

600 Vac, 600 Vdc

### Resources

#### Catalogs

Bussmann series complete full line catalog no. 1007

#### Multimedia

Bussmann series Fuseology

#### Specifications and datasheets

Eaton Specification Sheet - KLM-25

#### Technical data sheets

KLM-25~LIMITRON FAST ACTING FUSE

#### Technical service bulletins

Datasheet - FNQ-30

## Physical details

#### Material

Melamine tube

Nickel-plated bronze endcap

#### Packaging type

Standard

## General information

#### Connection

Ferrule end x ferrule end

#### Fuse indicator

Non-indicating

#### Special features

Non-indicating



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.

