

Eaton SL7-AP24-E

Catalog Number: SL7-AP24-E

Acoustic Module, SL7, 70 mm, Continuous tone, 2 modules, External actuation, 92A max., 24 Vac/Vdc, Black, 100 dB, 2800 Hz, Internal potentiometer, 2 assigned inputs, (1), UL type 4, 4X, 13 , IP66



General specifications

Product Name	Catalog Number
Eaton SL7 stacklight acoustic module	SL7-AP24-E
EAN	Product Length/Depth
4015081678297	3.5 in
Product Height	Product Width
3 in	3 in
Product Weight	Warranty
0.25 lb	2 year
Compliances	Certifications
CE Marked	CSA Certified
	UL Listed
	UL 508
	cULus Listed
	CSA Std. C22.2 No. 14-10
	CSA Std. C22.2 No. 94-91
	CSA Class No. NKCR7
	UL Listed file E29184
	IEC Rated

Catalog Notes

0

defaultTaxonomyAttributeLabel

Type

70 mm

Environmental rating

IP66

Accessories

Internal potentiometer

Voltage rating

24 Vac/Vdc

Frequency rating

2800 Hz

Rated operational current

92 A maximum

Decibel

100 dB

Actuator

External actuation

Number of inputs

2 assigned

Quantity

1

Enclosure

UL type 4, 4X, 13

Series

SL7

Color

Black

Model

Continuous tone

Number of modules

2

Resources

Catalogs

Eaton's Volume 7—Logic Control, Operator Interface and Connectivity Solutions

Specifications and datasheets

Eaton Specification Sheet - SL7-AP24-E



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)