# Eaton KTK-R-4

## Catalog Number: KTK-R-4

Eaton Bussmann series class CC fuse, fast-acting, dual-element current limiting fuse, 4 Amp rejection style fuse, interrupting rating of 200kA @ 600Vac

## General specifications



Eaton Bussmann series KTK-R fuse

UPC

051712420631

Product Length/Depth

1.5 in

**Product Width** 

0.41 in

Warranty

Not Applicable

Certifications

**UL** Listed **CSA** Certified Catalog Number

KTK-R-4

**EAN** 

5027590445672

**Product Height** 

0.41 in

**Product Weight** 

0.015 lb

Compliances

**RoHS Compliant** 

**CE Marked** 



## default Taxonomy Attribute Label

Type

Current-limiting fast-acting fuse

Special features

Rejection style

Application

Industrial controls panels and machinery, street lighting, general lighting, capacitors and distribution

Amperage Rating

4 A

Number of elements

Dual

Class

Class CC

Interrupt rating

200 kAIC

Fuse indicator

Non-indicating

Connection

Ferrule end x ferrule end

Ferrule

Response time

See time current curve

Material

Melamine tube

Packaging type

Standard

Quantity

10

Voltage rating

600 V

### Resources

#### Catalogs

Low Voltage Branch Circuit Fuse Chapter

Bussmann Full Line Catalog

Bussmann series complete full line catalog no. 1007

#### **Drawings**

DA-PD-Bus\_Ele\_DS\_1015\_KTK-R

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - KTK-R-4

Technical data sheets

KTK-R Spec Sheet

KTK-R-4~CLASS CC FAST ACTING FUSE CLASS CC



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.

