
# Eaton KTK-R-3/10

# Catalog Number: KTK-R-3/10

Eaton Bussmann series class CC fuse, fast-acting, dual-element current limiting fuse, 3/10 Amp rejection style fuse, interrupting rating of 200kA @ 600Vac





Eaton Bussmann series KTK-R fuse

UPC

051712420556

Product Length/Depth

1.5 in

**Product Width** 

0.41 in

Warranty

Not Applicable

Certifications

UL Listed
CSA Certified

Catalog Number

KTK-R-3/10

EAN

5027590092296

**Product Height** 

0.41 in

**Product Weight** 

0.015 lb

Compliances

**RoHS Compliant** 

CE Marked



## default Taxonomy Attribute Label

Type

Current-limiting fast-acting fuse

Special features

Rejection style

Application

Industrial controls panels and machinery, street lighting, general lighting, capacitors and distribution

Amperage Rating

0.3 A

Number of elements

Dual

Class

Class CC

Interrupt rating

200 kAIC

Fuse indicator

Non-indicating

Connection

Ferrule end x ferrule end

Ferrule

Response time

See time current curve

Material

Melamine tube

Packaging type

Standard

Quantity

10

Voltage rating

600 V

### Resources

#### Catalogs

Low Voltage Branch Circuit Fuse Chapter

Bussmann Full Line Catalog

Bussmann series complete full line catalog no. 1007

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - KTK-R-3/10

Technical data sheets

KTK-R Spec Sheet

KTK-R-3/10~KTK-R-3-10~CLASS CC FAST ACTING FUSE CLASS CC



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.

