Eaton LPJ-400SP

Catalog Number: LPJ-400SP

Eaton Bussmann series LPJ fuse, 400 A, Dual, Class J, Non-indicating, Bolted blade end x bolted blade end, Time delay, Current-limiting, 10 sec at 500%, 100 kAIC Vdc, 300 kAIC at 600 V, Standard





Eaton Bussmann series LPJ fuse

UPC

051712522847

Product Height

2 ir

Product Weight

1.5 lb

Compliances

CE Marked

RoHS Compliant

Catalog Number

LPJ-400SP

Product Length/Depth

7.13 in

Product Width

2 in

Warranty

Not Applicable



defaultTaxonomyAttributeLabel

Type

Low-peak fuse

Special features

Non-indicating, High in-rush current motor protection

Application

Specialized circuits and industrial control

Amperage Rating

400 A

Number of elements

Dual

Class

Class J

Fuse type

Time delay

Current-limiting

Interrupt rating

300 kAIC at 600 Vac

100 kAIC Vdc

Fuse indicator

Non-indicating

Connection

Bolted blade end x bolted blade end

Response time

10 sec at 500%

Packaging type

Standard

Voltage rating

600 Vac, 300 Vdc

Resources

Catalogs

LPJ-400SP~LOW PEAK CLASS J T/D

Bussmann series complete full line catalog no. 1007

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - LPJ-400SP

Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.

