# Eaton LPJ-600SP

## Catalog Number: LPJ-600SP

Eaton Bussmann series LPJ fuse, 600 A, Dual, Class J, Non-indicating, Bolted blade end x bolted blade end, Time delay, Current-limiting, 10 sec at 500%, 300 kAIC at 600 V, 100 kAIC Vdc, Standard





Eaton Bussmann series LPJ fuse

**UPC** 

051712522878

Product Height

2.5 in

**Product Weight** 

2.65 lb

Compliances

CE Marked

**RoHS Compliant** 

Catalog Number

LPJ-600SP

Product Length/Depth

8 in

Product Width

2.5 in

Warranty

Not Applicable



### defaultTaxonomyAttributeLabel

Type

Low-peak fuse

Special features

Indicating, High in-rush current motor protection

Application

Specialized circuits and industrial control

**Amperage Rating** 

600 A

Number of elements

Dual

Class

Class J

Fuse type

Time delay

Current-limiting

Interrupt rating

300 kAIC at 600 Vac

100 kAIC Vdc

Fuse indicator

Non-indicating

Connection

Bolted blade end x bolted blade end

Response time

10 sec at 500%

Packaging type

Standard

Voltage rating

600 Vac, 300 Vdc

#### Resources

#### Catalogs

LPJ-600SP~LOW-PEAK CLASS J T/D

Bussmann series complete full line catalog no. 1007

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - LPJ-600SP

Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.

