

Product End of Life Instructions

SP5000, 15 XGA, Analog-Multi, DC

Pro-face SP5000




Pro-face
by Schneider Electric

 **Potential disassembly risks**

The Circularity profile provides information about preparation for re-use and treatment. It identifies the relevant EEE components and materials as well as their location. Safety instructions for product dismantling and depollution are provided into the User manual or maintenance guide

 **End of Life Instructions**



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Electronic Board (Communication) > 10cm²	80	PCBA
To be depolluted	2	LCD (surface > 100cm²) and all those back-lighted with gas discharge lamps	870	LCD Screen
To be depolluted	3	Cable	120	
Other			3430	



Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Pro-face
Product function	The main purpose of the PFXSP5700TPD is to make available Graphic Operator Interface.
Product reference	PFXSP5700TPD
Additional similar product references	PFXSP5700TPDF0C PFXSP5700TPDF1 PFXSP5700TPDF5C PFXSP5700TPDFZ12 PFXSP5500TPD PFXSP5500TPDF0C PFXSP5500TPDF5C PFXSP5600TPD PFXSP5600TPDF1 PFXSP5600TPDRB4TY1 PFXSP5600TPDB4F0C PFXSP5600TPDF0C PFXSP5600TPDF5C PFXSP5600TPDF6 PFXSP5660TPD PFXSP5660TPDF0C PFXSP5600TPDFZ36 PFXSP5660TPDFW PFXSP5700TPDF1C PFXSP5700TPDF2 PFXSP5700TPDF6C PFXSP5700TPDFZ53 PFXSP5600TPDLC PFXSP5600TPDRB4TY2 PFXSP5700TPDF1CA PFXSP5600TPDF5 PFXSP5600TAD PFXSP5500TPDF0CA PFXSP5500TPDF5A PFXSP5500TPDFZ59 PFXSP5600TADF0C
Total representative product mass	4500 g
Representative product dimensions	296mm x 397mm x 67mm
Accessories	No
Date of information release	05-2024



Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.	
Recyclability potential	22%	Recyclability rate has been calculated based on REEECYLAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the “ECO’ DEEE recyclability and recoverability calculation method” was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS

Country Customer Care Center
<http://www.se.com/contact>

35, rue Joseph Monier
 CS 30323

F- 92500 Rueil Malmaison Cedex

RCS Nanterre 954 503 439
 Capital social 928 298 512 €

www.se.com

Published by Schneider Electric

ENVEOLI1311022_V3

© 2024 - Schneider Electric – All rights reserved

05-2024