


Product End of Life Instructions

PS6000, Display module (Middle size)

Multi touch screen, PS6000






Potential disassembly risks

The Circularity profile provides information about preparation for re-use and treatment. It identifies the relevant EEE components and materials as well as their location. Safety instructions for product dismantling and depollution are provided into the User manual or maintenance guide



End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Electronic Board (Communication) > 10cm ²	155	PCBA
To be depolluted	2	LCD (surface > 100cm ²) and all those back-lighted with gas discharge lamps	480	LCD Screen
To be depolluted	3	Cable	60	
Other			1905	



Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Pro-face
Product function	PFXDM6600WC is Multi touch screen, Industrial PC.
Product reference	PFXDM6600WC
Additional similar product references	PFXDM6500TM PFXDM6500TMB PFXDM6500TMBCTO PFXDM6500TMCTO PFXDM6500WC PFXDM6500WCB PFXDM6500WCBCTO PFXDM6500WCCTO PFXDM6600TM PFXDM6600TMB PFXDM6600TMBCTO PFXDM6600TMCTO PFXDM6600WCB PFXDM6600WCBCTO PFXDM6600WCCTO
Total representative product mass	2600 g
Representative product dimensions	230.5mm x 308.5mm x 30mm
Accessories	No
Date of information release	07-2024



Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.	
Recyclability potential	46%	Recyclability rate has been calculated based on REEECYLAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the “ECO’ DEEE recyclability and recoverability calculation method” was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS

Country Customer Care Center
<http://www.se.com/contact>

35, rue Joseph Monier
 CS 30323
 F- 92500 Rueil Malmaison Cedex
 RCS Nanterre 954 503 439
 Capital social 928 298 512 €

www.se.com

ENVEOLI2406015_V1

Published by Schneider Electric

© 2024 - Schneider Electric – All rights reserved

07-2024