
Product End of Life Instructions


Double USB charger type A+C with Power Delivery technology, 21W charging performance

Representative of all 21W USB charger in wiring devices ranges





▲ End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Electronic Board (Communication) > 10cm ²	39,5	

Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Merten
Product function	This product offers a USB-A and USB-C PD PPS charger, it is dedicated for any indoor environment and in-wall power supply. This charger is equipped with advanced charging technology USB-C Power Delivery Programmable Power Supply (PD PPS), enhancing the battery charging performance. It smartly negotiates the fastest power rate that the device can handle, and supports all the latest battery charging technologies. It is also backwards compatible. A front central plate and aesthetic frame is provided as separate commercial reference.
Product reference	MEG4366-0140 + MEG4367-0414 + MEG4010-3603
Additional similar product references	EPH2700521 EPH2700523 EPH2700561 EPH2700562 EPH2700569 EPH2700571 MEG4366- 0140 SDD111405 SDD112405 SDD113405 SDD114405 WDE012U03 WDE013U03 WDE014U03 506D6704 506D0704 506D67041L NU301218 NU301230 NU301244 NU301254 NU501218 NU501218D NU501218F NU501230D NU501230F NU501254 NU501254D NU501254F 506U6704 506U8704 S920401
Total representative product mass	115,02 g
Representative product dimensions	42 x 73 x 73

Additional information				
Legal information	The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.			
Recyclability potential	29%	Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO'DEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).		

Schneider Electric Industries SAS

Country Customer Care Center http://www.se.com/contact

35, rue Joseph Monier CS 30323 F- 92500 Rueil Malmaison Cedex RCS Nanterre 954 503 439 Capital social 928 298 512 €

www.se.com

ENVEOLI2407025_V1

Published by Schneider Electric © 2023 - Schneider Electric – All rights reserved

01-08-24

ENVEOLI2407025_V1 - End of Life Instructions - Double USB charger type A+C with Power Delivery technology, 21W charging performance

ACAUTION

HAZARD OF PARTS WITH SHARP EDGES

Apply appropriate personal protective equipment (PPE) during disassembly.

Failure to follow these instructions can result in injury.

batteries < 42.4 V (ProQ94) Capacitors are not considered a**refer to some examples** s they are assumed as having no risk

A WARNING

HAZARD OF ARC FLASH OR FIRE

- Disconnect battery terminals before disassembly
- Avoid any electrical connection between the terminals

Failure to follow these instructions can result in death or serious injury.

AWARNING

INCORRECT LIFTING AND HANDLING

Take all measures necessary to keep the equipment from swinging, toppling and falling.

Failure to follow these instructions can result in death or serious injury.

Multiple risks (used by Drives.

The information provided in this document assumes that the product is completely deenergized and uninstalled (refer to the instructions provided in the appropriate product manuals).

Dismantling/disassembling the product may entail hazards caused by, for example, sharp edges, chemical aggression or ejected parts.

A WARNING

HAZARD DUE TO INSUFFICIENT PROTECTION

- Implement all safety measures required by the applicable regulations and by the processes used to dismantle/disassemble and dispose of the product.
- Use all necessary personal protective equipment such as gloves and goggles.

Failure to follow these instructions can result in death or serious injury.