



OFF-delay device, 110 V AC/DC, for contactor relays and motor contactors 3RT2

General technical data

product brand name		SIRIUS
product designation		opening delay device for contactor
size of contactor		S00, S0
design of the product		OFF delay device
ambient temperature		
• during storage	°C	-40 ... +80
• during operation	°C	-20 ... +60
touch protection against electrical shock		finger-safe
product component protective wiring		No

Control circuit/ Control

type of voltage of the control supply voltage		AC/DC
control supply voltage frequency		
• 1		
— rated value	Hz	50
• 2 rated value	Hz	60
control supply voltage 1		
• at DC	V	110 ... 127
• at AC		
— at 50 Hz	V	110 ... 127
— at 60 Hz	V	127 ... 110

Installation/ mounting/ dimensions

mounting position		any
fastening method		screw and snap-on mounting onto 35 mm standard mounting rail

Connections/ Terminals

type of electrical connection for auxiliary and control circuit		screw-type terminals
---	--	----------------------

Certificates/ approvals

General Product Approval	EMC	Declaration of Conformity
--------------------------	-----	---------------------------



[Confirmation](#)



Declaration of Conformity	Test Certificates	Marine / Shipping	other
---------------------------	-------------------	-------------------	-------

other

[Confirmation](#)



Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/ic10>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RT2916-2BK01>

Cax online generator


<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RT2916-2BK01>


Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3RT2916-2BK01>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RT2916-2BK01&lang=en





last modified:

1/18/2021 