


Product End of Life Instructions

Logic Controller - Modicon M241






Potential disassembly risks

ELECTROLYTIC CAPACITORS, TO BE DISMANTLED WITH CAUTION



End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Electronic Board (Power) > 10cm ²	total 382	
To be depolluted	1	Other battery	total 382	



Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	The main purpose of the Modicon M241 Logic Controller is to provide a new range compact logic controller with embedded regular and fast I/O and field buses.
Product reference	TM241CE40U
Additional similar product references	TM241CE40U TM241CEC24T TM241CE40T TM241CE24T TM241CEC24R TM241CE40R TM241CE24R TM241C40R TM241C40T TM241C24T TM241CEC24U TM241C24R TM241CE40U TM241C40U TM241C24U TM241CE24U

Total representative product mass	629.3 g
Representative product dimensions	90mm x 190mm x 95mm
Date of information release	11/2017



Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.	
Recyclability potential	16%	Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).

Schneider Electric Industries SAS

Country Customer Care Center
<http://www.schneider-electric.com/contact>

35, rue Joseph Monier
 CS 30323
 F- 92506 Rueil Malmaison Cedex
 RCS Nanterre 954 503 439
 Capital social 896 313 776 €

www.schneider-electric.com

ENVEOL11307080EN_V3

Published by Schneider Electric

© 2017 - Schneider Electric – All rights reserved

11/2017