

START FLEX IP65 STRAIGHT CONNECTOR X 5+2M LEAD
0068027




Features

- IP65 straight connector, unit of 5pcs, compatible with IP65 Low output Start Flex and IP65 Low Output Flex Pro

Product Overview

Product name	START FLEX IP65 STRAIGHT CONNECTOR X 5+2M LEAD
Technology	Accessory
General application	Hospitality, Retail
ETIM Class	EC002706
E-number FI	4276998
Product EAN number	5410288680279
Warranty	5 years

Technical drawings



Data table

GENERAL DATA

START FLEX IP65 STRAIGHT CONNECTOR X 5+2M LEAD 0068027

Product name	START FLEX IP65 STRAIGHT CONNECTOR X 5+2M LEAD
Technology	Accessory
General application	Hospitality, Retail
ETIM Class	EC002706
E-number FI	4276998
Warranty	5 years

ELECTRICAL DATA

Control gear required	No
-----------------------	----

PHYSICAL DATA

Nominal Product Length (mm)	7
Nominal Product Width (mm)	15
Nominal Product Height (mm)	26
Weight (kg)	0.025

PACKAGING

Single packaging type	Plastic
Product EAN number	5410288680279
Packaging single length / height (cm)	10.0
Packaging single width (cm)	8.0
Packaging single depth (cm)	1.5
DUN14 (outer)	15410288680276
Units per outer package	200
Packaging outer length / height (cm)	30.0
Packaging outer width (cm)	30.0
Packaging outer depth (cm)	30.0

SAFETY DATA

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No



START FLEX IP65 STRAIGHT CONNECTOR X 5+2M LEAD
0068027
