



Features


- A semi deep 1000mm length anodised aluminium lighting profile that can be combined with slide (slick socket - easy assemble technology) opal diffuser (0022626) with a maximum LED strip width of 16mm. Additional accessories like end caps, profile holders or mounting brackets need to be ordered separately.

Product Overview

| | |
|---------------------|---|
| Product name | Profile Semi Deep Surface 16 B/U4 1m anodised |
| Technology | Accessory |
| Housing | Aluminium |
| General application | Retail |
| ETIM Class | EC002557 |
| E-number FI | 4278017 |
| Housing colour | Silver |
| Product EAN number | 5410288225883 |
| Warranty | 3 years |

Profile Semi Deep Surface 16 B/U4 1m anodised 0022588

Technical drawings



Data table

GENERAL DATA

| | |
|---------------------|---|
| Product name | Profile Semi Deep Surface 16 B/U4 1m anodised |
| Technology | Accessory |
| Housing | Aluminium |
| General application | Retail |
| ETIM Class | EC002557 |
| E-number FI | 4278017 |
| Warranty | 3 years |

ELECTRICAL DATA

| | |
|-----------------------|----|
| Control gear required | No |
|-----------------------|----|

PHYSICAL DATA

| | |
|-----------------------------|--------|
| Housing colour | Silver |
| Nominal Product Length (mm) | 1000 |
| Nominal Product Width (mm) | 18.8 |

Profile Semi Deep Surface 16 B/U4 1m anodised 0022588

| | |
|-----------------------------|------|
| Nominal Product Height (mm) | 18.6 |
| Weight (kg) | 0.2 |

PACKAGING

| | |
|---------------------------------------|----------------|
| Single packaging type | Carton |
| Product EAN number | 5410288225883 |
| Packaging single length / height (cm) | 100.0 |
| Packaging single width (cm) | 1.6 |
| Packaging single depth (cm) | 2.0 |
| DUN14 (outer) | 05410288225883 |
| Units per outer package | 50 |
| Packaging outer length / height (cm) | 205.0 |
| Packaging outer width (cm) | 16.0 |
| Packaging outer depth (cm) | 16.0 |

SAFETY DATA

| | |
|-------------------------------------|----|
| Special purpose lamp | No |
| Dry applications use only | No |
| Suitable for household illumination | No |