

Features


- A click diffuser made of acrylic thermoplastic (PP). Operating temperature: -15 - 85 [°C]. IK rating: 08. UV resistant. Fire hazard certificate according to IEC 60695-2-11. Compatible with the following profiles: Profile deep wide surface 30 CDE-9/T (0022590), Profile shallow wide surface 30 CDE-9/T (0022591). Transparency level 70%.

Product Overview

| | |
|----------------------------|------------------------|
| Product name | Cover E9 click 1m opal |
| Technology | Accessory |
| Housing | Aluminium |
| General application | Retail |
| ETIM Class | EC002557 |
| E-number FI | 4278041 |
| Housing colour | Silver |
| Product EAN number | 5410288226279 |
| Warranty | 3 years |

Cover E9 click 1m opal
0022627

Technical drawings



Data table

GENERAL DATA

| | |
|---------------------|------------------------|
| Product name | Cover E9 click 1m opal |
| Technology | Accessory |
| Housing | Aluminium |
| General application | Retail |
| ETIM Class | EC002557 |
| E-number FI | 4278041 |
| Warranty | 3 years |

ELECTRICAL DATA

| | |
|-----------------------|----|
| Control gear required | No |
|-----------------------|----|

PHYSICAL DATA

| | |
|-----------------------------|--------|
| Housing colour | Silver |
| Diffuser finish | Opal |
| Nominal Product Length (mm) | 1000 |

Cover E9 click 1m opal 0022627

| | |
|-----------------------------|------|
| Nominal Product Width (mm) | 33.4 |
| Nominal Product Height (mm) | 26.3 |
| Weight (kg) | 0.02 |

PACKAGING

| | |
|---------------------------------------|----------------|
| Single packaging type | Carton |
| Product EAN number | 5410288226279 |
| Packaging single length / height (cm) | 100.0 |
| Packaging single width (cm) | 3.0 |
| Packaging single depth (cm) | 2.0 |
| DUN14 (outer) | 05410288226279 |
| Units per outer package | 20 |
| Packaging outer length / height (cm) | 205.0 |
| Packaging outer width (cm) | 16.0 |
| Packaging outer depth (cm) | 16.0 |

SAFETY DATA

| | |
|-------------------------------------|----|
| Special purpose lamp | No |
| Dry applications use only | No |
| Suitable for household illumination | No |