SIEMENS

Data sheet 5SH4362



NEOZED screw cap Porcelain size D02, 63A with inspection hole

| Model | | | |
|----------------------------------|---------------------------|-----------|--|
| product brand name | SENTRON | | |
| product designation | NEOZED screw cap | | |
| design of the product | With inspection hole | | |
| size of fuse link | D02 | | |
| supply voltage at AC rated value | 400 V | 400 V | |
| Mechanical Design | | | |
| net weight | 18 g | 18 g | |
| material | Porcelain | Porcelain | |
| General Product Approval | Declaration of Conformity | other | |

Confirmation









Confirmation

other Environment

<u>Miscellaneous</u> <u>Environmental Confirmations</u>

Further information

Siemens has decided to exit the Russian market (see here).

https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

https://support.industry.siemens.com/cs/ww/en/view/109813875

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/lowvoltage/catalogs

Industry Mall (Online ordering system)

https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5SH4362

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

https://support.industry.siemens.com/cs/ww/en/ps/5SH4362

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5SH4362

CAx-Online-Generator

http://www.siemens.com/cax

Tender specifications

http://www.siemens.com/specifications



last modified: 12/19/2020 🖸