SIEMENS

Data sheet 3ZY1212-2AB00



Device connector for signal loop-through Width 22.5 mm for electrical connection of SIRIUS devices in industrial standard mounting rail enclosure

product brand name	SIRIUS
product category	Device connector
product designation	Device daisy chain connectors
design of the product	For 3RM1 and 3SK, 24 V DC, 22.5 mm, for implementation of distances between devices according to the installation guidelines
Substance Prohibitance (Date)	03/01/2017
fastening method	Screw and DIN rail mounting
height	117.5 mm
width	22.5 mm
General Product Approval	Declaration of Conformity Marine / Shipping













Marine / Shipping

other





Confirmation

Further information

Siemens has decided to exit the Russian market (see here).

https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

https://support.industry.siemens.com/cs/ww/en/view/109813875

Information- and Downloadcenter (Catalogs, Brochures,...)

https://www.siemens.com/ic10

Industry Mall (Online ordering system)

https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3ZY1212-2AB00

Cax online generator

http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3ZY1212-2AB00


Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

https://support.industry.siemens.com/cs/ww/en/ps/3ZY1212-2AB00 Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3ZY1212-2AB00&lang=en

Characteristic: Derating

https://support.industry.siemens.com/cs/ww/en/ps/3ZY1212-2AB00/manual



last modified: 12/5/2022 🖸