SIEMENS

Data sheet

5UB1403



DELTA profil, titanium white SCHUKO socket outlet 10/16 A 250 V With screwless Connection terminals Cover plate 65x 65 mm

Model	
product brand name	DELTA
product designation	SCHUKO socket outlet
cover version	central plate
design of the special power supply unit	without special current supply
design of the socket according to VDE 0620 for severe conditions	No
design of the phase tap	No
General technical data	
marking of socket outlet	without imprint
mounting type	fixing with claw and screw
surface processing	others
material	thermoplastic
Supply voltage	
operating voltage rated value	250 V
supply voltage frequency rated value	50 Hz
Protection class	
protection class IP	IP20
Main circuit	
operational current rated value	16 A
Appearance	
color	titanium white
color Product details	titanium white
	titanium white
Product details	titanium white No
Product details product component	
Product details product component • ejection equipment	No
Product details product component • ejection equipment • labeling field	No No
Product details product component • ejection equipment • labeling field • increased touch protection	No No No
Product details product component • ejection equipment • labeling field • increased touch protection • residual current device	No No No
Product details product component • ejection equipment • labeling field • increased touch protection • residual current device • miniature fuse	No No No No
Product details product component • ejection equipment • labeling field • increased touch protection • residual current device • miniature fuse • integrated functional lighting	No No No No No
Product details product component • ejection equipment • labeling field • increased touch protection • residual current device • miniature fuse • integrated functional lighting • integrated light source	No No No No No No
Product details product component • ejection equipment • labeling field • increased touch protection • residual current device • miniature fuse • integrated functional lighting • integrated light source • integrated orientation lighting	No No No No No No No
Product details product component • ejection equipment • labeling field • increased touch protection • residual current device • miniature fuse • integrated functional lighting • integrated light source • integrated orientation lighting • hinged lid	No No No No No No No
Product details product component e ejection equipment labeling field increased touch protection residual current device miniature fuse integrated functional lighting integrated light source integrated orientation lighting hinged lid product feature	No No No No No No No No
Product details product component e ejection equipment labeling field increased touch protection residual current device miniature fuse integrated functional lighting integrated light source integrated orientation lighting hinged lid product feature lockable halogen-free transparent	No No No No No No No No
Product details product component e ejection equipment labeling field increased touch protection residual current device miniature fuse integrated functional lighting integrated light source integrated orientation lighting hinged lid product feature lockable halogen-free	No No No No No No No No No No No
Product details product component e ejection equipment labeling field increased touch protection residual current device miniature fuse integrated functional lighting integrated light source integrated orientation lighting hinged lid product feature lockable halogen-free transparent	No No No No No No No No No No No

overvoltage protection	No
Number	
number of units	1
number of sockets switchable	0
Connections	
arrangement of contacts diagonal	No
type of electrical connection	plug terminal
Mechanical Design	
height	70 mm
width	70 mm
depth	45 mm
fastening method	Unterputz
material of the enclosure	plastic
General Product Approval	Declaration of Con- formity other
	Confirmation Miscellaneous EG-Konf.

Environment

Environmental Confirmations

Further information

Siemens has decided to exit the Russian market (see here).

https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

https://support.industry.siemens.com/cs/ww/en/view/109813875

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/lowvoltage/catalogs

Industry Mall (Online ordering system)

https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5UB1403

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

https://support.industry.siemens.com/cs/ww/en/ps/5UB1403

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5UB1403

CAx-Online-Generator

http://www.siemens.com/cax

Tender specifications

http://www.siemens.com/specifications



last modified:

8/13/2023 🖸