












OFF-delay device, 24 V DC, for contactors 3RT2 and auxiliary contactors 3RH2 with AC/DC and DC operation

product brand name	SIRIUS		
design of the product	OFF delay device		
<b>General technical data</b>			
size of contactor	S00, S0		
product component protective wiring	No		
Substance Prohibition (Date)	10/01/2009		
SVHC substance name	Blei - 7439-92-1 2,2',6,6'-Tetrabrom-4,4'-isopropylidendi - 79-94-7		
type of voltage of the control supply voltage	DC		
control supply voltage 1	24 V		
• at DC rated value			
<b>Ambient conditions</b>			
ambient temperature			
• during operation	-20 ... +60 °C		
• during storage	-40 ... +80 °C		
<b>Safety related data</b>			
touch protection against electrical shock	finger-safe		
<b>Installation/ mounting/ dimensions</b>			
mounting position	any		
fastening method	screw and snap-on mounting onto 35 mm DIN rail		
type of electrical connection for auxiliary and control circuit	screw-type terminals		
<b>Approvals Certificates</b>			
General Product Approval	EMC	Declaration of Con- formity	
	<a href="#">Confirmation</a>		
			
			
Declaration of Con- formity	Test Certificates	Marine / Shipping	other
	<a href="#">Type Test Certificates/Test Report</a>		
			<a href="#">Confirmation</a>
other	Environment		

**Further information**

**Siemens has decided to exit the Russian market (see here).**

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

**Siemens is working on the renewal of the current EAC certificates.**

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

**Information on the packaging**

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<https://www.siemens.com/ic10>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RT2916-2BE01>

**Cax online generator**


<http://support.automation.siemens.com/WWW/CAXorder/default.aspx?lang=en&mlfb=3RT2916-2BE01>



**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/3RT2916-2BE01>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_de.aspx?mlfb=3RT2916-2BE01&lang=en](http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RT2916-2BE01&lang=en)





last modified:

8/29/2023 