Data Sheet | Item Number: 206-1125
Wire stripper "Quickstrip Vario"; Standard, 0.03 mm² ... 16 mm²; with wire cutter
https://www.wago.com/206-1125





Color: ☐ green/black











Connection Data	
Strip length	3 … 21 mm / 0.12 … 0.83 inches
Solid conductor	0.03 … 16 mm² / 32 … 5 AWG
Fine-stranded conductor	0.03 … 16 mm² / 32 … 5 AWG
Stranded conductor	0.03 … 16 mm² / 32 … 5 AWG

Mechanical data	
Replaceable blade	Yes
Cutting function	Yes
Automatic conductor cross-section adjustment	Yes
Partial stripping function	Yes

Material data	
Color	green/black
Weight	195 g
Conductor material	For copper / for aluminum

Commercial data	
PU (SPU)	1 pcs
Packaging type	Box
Country of origin	DE
GTIN	4066966861747
Customs tariff number	82032000000

Product Classification	
UNSPSC	27112116
ETIM 9.0	EC002109
ETIM 10.0	EC002109
ECCN	NO US CLASSIFICATION

Continued on next page

Environmental Product Compliance

RoHS Compliance Status	Compliant,No Exemption

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 206-1125

Documentation

Operating Instructions

Bedienungsanleitung 206-1125 Quickstrip Vario 2023	pdf 926.95 KB	
Operating instructions 206-1125 Quickstrip Vario EN	pdf 925.13 KB	

1 Compatible Products

1.1 Optional Accessories

1.1.1 Tool

1.1.1.1 Stripping tool



Item No.: 206-1128
Blade set; Oval blade, 10 mm² … 16 mm²; for 206-1125



Item No.: 206-1126
Blade set; Standard, 0.03 mm² … 16 mm²; for 206-1125



Item No.: 206-1127
Blade set; V-blade, 0.14 mm² … 4 mm²; for 206-1125



Item No.: 206-1131
Spare cut protector; for 206-1125




Item No.: 206-1132
Spare gripping jaws; for 206-1125



Item No.: 206-1129
Spare strip length stop; for 206-1125

Installation Notes



Cutting a conductor.



Teilabzug