Data Sheet | Item Number: 206-1403

Cable knife; for Ø 8 mm … 28 mm / 0.31" … 1.10"; with intelligent bracket change system

https://www.wago.com/206-1403







Connection Data

Appropriate diameter of the sheathed cable	8 … 28 mm / 0.315 … 1.102 inches

Physical data

Width	31 mm / 1.22 inches
Height	37 mm / 1.457 inches
Depth	166 mm / 6.535 inches

Mechanical data

Hook blade	Yes
Hook blade, adjustable	Step adjustment
Replaceable blade	Yes
Cutting function	No
Cutting depth (max.)	3.5 mm
Partial stripping function	No

Material data

Weight	123 g

Commercial data

PU (SPU)	1 pcs
Packaging type	Box
Country of origin	DE
GTIN	4055143835930
Customs tariff number	82119300000

Product Classification

UNSPSC	27111510
ETIM 9.0	EC000155
ETIM 10.0	EC000155
ECCN	NO US CLASSIFICATION

Environmental Product Compliance

RoHS Compliance Status	Compliant,No Exemption

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 206-1403

1 Compatible Products

1.1 Optional Accessories

1.1.1 Tool

1.1.1.1 Cable stripper



Item No.: 206-1413
Cable bracket; for Ø 27 mm … 35 mm / 1.06 " … 1.38"; for 206-1403



Item No.: 206-1414
Cable bracket; for Ø 35 mm … 50 mm / 1.38 " … 1.97"; for 206-1403



Item No.: 206-1411
Cable bracket; for Ø 4 mm … 16 mm / 0.16 " … 0.63"; for 206-1403



Item No.: 206-1415
Cable bracket; for Ø 50 mm … 70 mm / 1.97 " … 2.75"; for 206-1403



Item No.: 206-1412
Cable bracket; for Ø 8 mm … 28 mm / 0.31" … 1.10"; for 206-1403



Item No.: 206-1419
Spare hook blade; for 206-1403



Item No.: 206-1418
Spare inside blade; for 206-1403

Continued on next page

Installation Notes



To replace the cable bracket, use the new bracket as an operating tool and pull it upwards.



The cutting depth of the hook blade can be adjusted with the slider.



The cutting depth of the inner knife can be adjusted with the screw.



Release the fuse before using the hook blade.



Strip large cross sections with the hook blade.