Data Sheet | Item Number: 211-862

Conductor markers for thread-on mounting; for Smart Printer; 7 x 10.5 mm; white

https://www.wago.com/211-862



Color: white

Similar to illustration

Technical data	
Suitable	for wire cross-section 2.5 … 6 mm²
Marking method	Thermal transfer
Marking	plain
Delivery form	Roll
Delivery form configuration	1000 pcs/reel; 3 lines
Printing device	Smart Printer (thermal transfer printer)

Physical data	
Depth	0.22 mm
Marking surface	7 x 26 mm

Mechanical data	
Mounting type	Sliding on conductor
Smear resistance	in conjunction with 258-5005 Ink Ribbon

Material data	
Color	white
Material	Polyester
UV resistance	EN 60068-2-5:2010 Procedure B
Adhesive information	without adhesive
Halogen-free	Yes
Weight	156 g
Fire load	0.01 MJ

Continued on next page

Environmental requirements

Ambient temperature (operation)	-40 … +150 °C
Relative humidity	40 … 50 %

Commercial data

Product Group	2 (Terminal Block Accessories)
PU (SPU)	1 pcs
Packaging type	Box
Country of origin	DE
GTIN	4050821688662
Customs tariff number	39269097900

Product Classification

UNSPSC	55121612
eCl@ss 10.0	27-40-04-01
eCl@ss 9.0	27-40-06-29
ETIM 9.0	EC001530
ETIM 10.0	EC001530
ECCN	NO US CLASSIFICATION

Environmental Product Compliance

RoHS Compliance Status	Compliant,No Exemption

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 211-862


Documentation

Operating Instructions

211-861 Information on printing material	1 28.08.2020	pdf 1244.38 KB	

Installation Notes

Application



Conductor marker for thread-on mounting