

# Data Sheet | Item Number: 222-505

Strain relief plate; for mounting carrier; 221 or 222 Series, can be snapped

https://www.wago.com/222-505



## Physical data

| | |
|---|---|
| Width | 4 mm / 0.157 inches |
| Height | 67 mm / 2.638 inches |
| Depth from upper-edge of DIN-rail | 52 mm / 2.047 inches |
| Depth | 58 mm / 2.283 inches |

## Mechanical data

| | |
|---|---|
| Suitable | for mounting carriers (221 and 222 Series) |

## Material data

| | |
|---|---|
| Note (material data) | Information on material specifications can be found here |
| Fire load | 0.151 MJ |
| Weight | 5.6 g |

## Commercial data

| | |
|---|---|
| Product Group | 7 (Push Wire Conn.) |
| PU (SPU) | 50 (10) pcs |
| Packaging type | Box |
| Country of origin | CN |
| GTIN | 4045454714789 |
| Customs tariff number | 85389099990 |

## Product Classification

| | |
|---|---|
| UNSPSC | 39121702 |
| eCl@ss 10.0 | 27-14-11-92 |
| eCl@ss 9.0 | 27-14-11-92 |
| ETIM 9.0 | EC002848 |
| ETIM 10.0 | EC002848 |
| ECCN | NO US CLASSIFICATION |

## Environmental Product Compliance

| | |
|---|---|
| RoHS Compliance Status | Compliant,No Exemption |

## Downloads

### Environmental Product Compliance

**Compliance Search**

Environmental Product Compliance 222-505

### Documentation

**Bid Text**

| | | | |
|---|---|---|---|
| 222-505 | 19.02.2019 | xml 2.69 KB | |
| 222-505 | 19.05.2017 | doc 23.50 KB | |

### CAD/CAE-Data

**CAD data**

2D/3D Models 222-505

**CAE data**

EPLAN Data Portal 222-505

WSCAD Universe 222-505

ZUKEN Portal 222-505


Continued on next page

## 1 Compatible Products

### 1.1 Optional Accessories

#### 1.1.1 Mounting adapter

##### 1.1.1.1 Mounting accessories




Item No.: 221-500
Mounting carrier; 221 Series - 4 mm²; for DIN-35 rail mounting/screw mounting; orange




Item No.: 222-500
Mounting carrier; 222 Series; for DIN-35 rail mounting/screw mounting; orange

## Installation Notes



Securing a strain relief plate (222-505) to the mounting carrier.



Securing a strain relief plate (222-505) to the mounting carrier.