Data Sheet | Item Number: 249-139

Test plug module; without locking device; modular; for 4-conductor terminal blocks; gray

https://www.wago.com/249-139



Color: gray

Electrical data

Ratings per IEC/EN

Nominal voltage (III/3)	800 V

Ratings per IEC/EN – Notes

Ratings (note)	Maximum test voltage (touch contact): 48 V (test pins are not touch-proof)

Ratings per IEC/EN 2

Ratings (note)	Maximum test current (touch contact): 0.5 A Maximum test current: 6 A (if the test pins are securely connected in the clamping units)

General information

Test voltage	800 V
Test current	0.5 A

Physical data

Width	10 mm / 0.394 inches
Height	12 mm / 0.472 inches
Depth	25.1 mm / 0.988 inches
Module width	10 mm / 0.394 inches

Material data

Note (material data)	Information on material specifications can be found here
Color	gray
Insulation material (main housing)	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.025 MJ
Weight	1.5 g

Commercial data

Product Group	2 (Terminal Block Accessories)
PU (SPU)	100 (25) pcs
Packaging type	Box
Country of origin	DE
GTIN	4045454335960
Customs tariff number	85366990990

Product Classification

UNSPSC	39121421
eCl@ss 10.0	27-14-11-48
eCl@ss 9.0	27-14-11-48
ETIM 9.0	EC002555
ETIM 10.0	EC002555
ECCN	NO US CLASSIFICATION

Environmental Product Compliance

RoHS Compliance Status	Compliant,With Exemption
RoHS Exemption	6(c)
SCIP notification number (Austria)	e344ccd3-3b82-4182-9859-48f9560d68c2
SCIP notification number (Belgium)	9c999cd6-8d7e-4d14-87c5-2eb6e7609924
SCIP notification number (Bulgaria)	46fc2ab1-fe24-4509-b05d-5576e7b253ab
SCIP notification number (Czech Republic)	56f6c7d3-aac1-4411-bbfb-80eee98deb8e
SCIP notification number (Denmark)	94b59f70-9758-481b-9c82-3180ab8287e4
SCIP notification number (Finland)	f55b3944-7bb3-47e6-abd2-b43d34df49c5
SCIP notification number (France)	72afdd39-959e-4557-a6cd-32857601fdd2
SCIP notification number (Germany)	2792d38e-8c76-48e4-8499-3da3213549ca
SCIP notification number (Hungary)	81e05cb6-030b-45b2-b247-24bb97be0ff4
SCIP notification number (Italy)	2e7bd608-6b29-49a5-96d2-d0babf74b76a
SCIP notification number (Netherlands)	aaf89fcb-c3a1-4f95-a13b-b2141cec1228
SCIP notification number (Poland)	c97acaac-316c-4123-b8ac-6805466eefff
SCIP notification number (Romania)	ea9227cc-27a4-4e0f-a5ad-ee52bfee576a
SCIP notification number (Sweden)	63cbe9e4-767b-4430-9402-49d2c4815acb

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 249-139

Continued on next page

Documentation

Bid Text

249-139	19.02.2019	xml 3.14 KB	
249-139	18.08.2017	doc 24.00 KB	

CAD/CAE-Data

CAD data

2D/3D Models 249-139

CAE data

WSCAD Universe
249-139

ZUKEN Portal 249-139

1 Compatible Products

1.1 Optional Accessories

1.1.1 Test and measurement


1.1.1.1 Testing accessories



Item No.: 210-136
Test plug; 2 mm Ø; with 500 mm cable; red

Installation Notes

Installation



Snapping individual modules together to assemble a multi-pole test plug module.