Data Sheet | Item Number: 249-140

Test plug module; without locking device; modular; for 4-conductor terminal blocks; gray

https://www.wago.com/249-140



Color: gray

Electrical data

Ratings per IEC/EN

Nominal voltage (III/3)	800 V

Ratings per IEC/EN – Notes

Ratings (note)	Maximum test voltage (touch contact): 48 V (test pins are not touch-proof)

Ratings per IEC/EN 2

Ratings (note)	Maximum test current (touch contact): 0.5 A Maximum test current: 6 A (if the test pins are securely connected in the clamping units)

General information

Test voltage	800 V
Test current	0.5 A

Physical data

Width	12 mm / 0.472 inches
Height	12 mm / 0.472 inches
Depth	25.1 mm / 0.988 inches
Module width	12 mm / 0.472 inches

Material data

Note (material data)	Information on material specifications can be found here
Color	gray
Insulation material (main housing)	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.028 MJ
Weight	1.6 g

Commercial data

Product Group	2 (Terminal Block Accessories)
PU (SPU)	100 (25) pcs
Packaging type	Box
Country of origin	DE
GTIN	4050821868934
Customs tariff number	85366990990

Product Classification

UNSPSC	39121409
eCl@ss 10.0	27-14-11-48
eCl@ss 9.0	27-14-11-48
ETIM 9.0	EC002555
ETIM 10.0	EC002555
ECCN	NO US CLASSIFICATION

Environmental Product Compliance

RoHS Compliance Status	Compliant,With Exemption
RoHS Exemption	6(c)
SCIP notification number (Austria)	84a5f697-efaf-49c1-9d61-432760906ca3
SCIP notification number (Belgium)	d470fdff-94a1-43af-a6b3-91c5262a6330
SCIP notification number (Bulgaria)	6a5e78f4-af0f-42d9-878f-6f0adc1a1c7a
SCIP notification number (Czech Republic)	3713d9a2-1371-4751-aecc-318ea7d7386d
SCIP notification number (Denmark)	3a8d30b1-70a5-4d04-9ff8-d4bf85786d52
SCIP notification number (Finland)	8a6e9f7f-db1f-4348-9980-26d7dd77c402
SCIP notification number (France)	db293802-6941-4910-8fde-d6ca0dd8f279
SCIP notification number (Germany)	f954783c-7fed-4baf-b400-e249637268e1
SCIP notification number (Hungary)	1c292f1e-b02a-4848-8221-98866cf3e465
SCIP notification number (Italy)	112429a7-d324-459f-8a20-6e00ed4c66bc
SCIP notification number (Netherlands)	3c261ae8-5d81-4276-9ad7-86134523ad51
SCIP notification number (Poland)	60c1cbef-8bfa-451b-8c2b-97274ea20ad0
SCIP notification number (Romania)	2b70f233-a850-4631-ba6d-f28470f93110
SCIP notification number (Sweden)	1bba7304-2ff8-4caa-974b-afed7e8be5d0

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 249-140

Continued on next page

Documentation

Bid Text

249-140	19.02.2019	xml 3.14 KB
249-140	18.08.2017	doc 24.00 KB

CAD/CAE-Data

CAD data

2D/3D Models 249-140

CAE data

WSCAD Universe
249-140

1 Compatible Products

1.1 Optional Accessories

1.1.1 Test and measurement


1.1.1.1 Testing accessories



Item No.: 210-136
Test plug; 2 mm Ø; with 500 mm cable; red

Installation Notes

Installation



Snapping individual modules together to assemble a multi-pole test plug module.