# Data Sheet | Item Number: 262-373

End plate; with snap-in mounting foot; light gray

https://www.wago.com/262-373




Color: light gray

| Physical data | |
|---|---|
| Width | 3 mm / 0.118 inches |
| Height | 23 mm / 0.906 inches |
| Depth | 33.4 mm / 1.315 inches |

| Material data | |
|---|---|
| Note (material data) | Information on material specifications can be found here |
| Color | light gray |
| Material group | I |
| Insulation material (main housing) | Polyamide (PA66) |
| Flammability class per UL94 | V0 |
| Fire load | 0.043 MJ |
| Weight | 1.6 g |

| Environmental requirements | |
|---|---|
| Processing temperature | -35 … +85 °C |
| Continuous operating temperature | -60 … +105 °C |

| Commercial data | |
|---|---|
| Product Group | 9 (Std Chassis Mt Blocks) |
| PU (SPU) | 200 (50) pcs |
| Packaging type | Box |
| Country of origin | CH |
| GTIN | 4017332199476 |
| Customs tariff number | 85389099990 |

## Product Classification

| | |
|---|---|
| UNSPSC | 39121702 |
| eCl@ss 10.0 | 27-14-11-33 |
| eCl@ss 9.0 | 27-14-11-33 |
| ETIM 9.0 | EC000886 |
| ETIM 10.0 | EC000886 |
| ECCN | NO US CLASSIFICATION |

## Environmental Product Compliance

| | |
|---|---|
| RoHS Compliance Status | Compliant,No Exemption |

## Downloads

### Environmental Product Compliance

**Compliance Search**

Environmental Product Compliance 262-373

### Documentation

**Bid Text**

| | | | |
|---|---|---|---|
| 262-373 | 19.02.2019 | xml 2.50 KB | |
| 262-373 | 17.08.2017 | doc 22.50 KB | |

### CAD/CAE-Data

**CAD data**

2D/3D Models 262-373

**CAE data**

EPLAN Data Portal 262-373

WSCAD Universe 262-373

ZUKEN Portal 262-373


Continued on next page

## 1 Compatible Products

### 1.1 Optional Accessories

#### 1.1.1 Installation

##### 1.1.1.1 Mounting accessories



Item No.: 209-120
Mounting foot; can be snapped on terminal blocks with snap-in mounting foot; for mounting on relay-modules; 6.4 mm wide; gray