
Data Sheet | Item Number: 267-140


Conductor support, cover; without ground contact; 5-pole; white

https://www.wago.com/267-140




Color: white

Similar to illustration



Dimensions in mm



Dimensions in mm

Conductor support, 267 Series, white

Conductor support (item number 267-140) provides fault-free electrical installations. Conductors can only be connected to conductor support if their strip length is between 16 and 18 mm . Depending on the conductor type, conductor support is ideal for conductor cross sections ranging from 0.5 mm² to 1 mm².

The contact surface is coated with tin.

- The right solution for every wiring task
- Permanently secure connections

Electrical data

Ratings per	IEC/EN 60664-1		
Overvoltage category	III	III	II
Pollution degree	3	2	2
Nominal voltage	-	500 V	-
Rated impulse withstand voltage	-	4 kV	-
Rated current	-	-	-

Connection Data

Number of connection types	1

Connection 1

Solid conductor	0.5 … 1 mm²
Strip length	16 … 18 mm / 0.63 … 0.71 inches
Pole number	5

Physical data

Width	30 mm / 1.181 inches
Height from the surface	14 mm / 0.551 inches
Depth	32 mm / 1.26 inches

Material data

Note (material data)	Information on material specifications can be found here
Color	white
Material group	I
Insulation material (main housing)	Polyamide (PA66)
Flammability class per UL94	V2
Clamping spring material	Chrome-nickel spring steel (CrNi)
Contact material	Electrolytic copper (E_{Cu})
Contact Plating	Tin
Fire load	0.102 MJ
Weight	3.6 g

Environmental requirements

Processing temperature	-35 … +85 °C
Continuous operating temperature	-60 … +105 °C
Temperature stability	105 °C

Commercial data

Product Group	8 (Misc. Chassis Mount Blocks)
PU (SPU)	500 pcs
Packaging type	Bag
Country of origin	DE
GTIN	4017332145039
Customs tariff number	85369010000

Continued on next page

Product Classification

UNSPSC	39121409
eCl@ss 10.0	27-44-03-14
eCl@ss 9.0	27-44-03-14
ETIM 9.0	EC002560
ETIM 10.0	EC002560
ECCN	NO US CLASSIFICATION

Environmental Product Compliance

RoHS Compliance Status	Compliant,No Exemption

Approvals / Certificates

General approvals

Approval	Standard	Certificate Name
UL Underwriters Laboratories Inc.	UL 1977	UL-US-L45171-12-52204002
VDE VDE Prüf- und Zertifizierungsinstitut	EN 61984	40032309

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 267-140

Documentation

Additional Information

Technical Section	03.04.2019	pdf 2027.26 KB	

CAD/CAE-Data

CAD data

2D/3D Models 267-140

CAE data

EPLAN Data Portal 267-140

ZUKEN Portal 267-140