Data Sheet | Item Number: 282-422

Jumper; insulated; yellow-green

https://www.wago.com/282-422



Color: yellow-green

Similar to illustration

Electrical data

Rated current	41 A

Physical data

Width	8 mm / 0.315 inches
Height	8 mm / 0.315 inches
Depth	24.6 mm / 0.969 inches

Material data

Color	yellow-green
Material group	I
Insulation material (main housing)	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.011 MJ
Weight	2.7 g

Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
PU (SPU)	25 pcs
Packaging type	Bag
Country of origin	DE
GTIN	4066966531466
Customs tariff number	85366990990

Continued on next page

Product Classification

UNSPSC	39121421
eCl@ss 10.0	27-14-11-40
eCl@ss 9.0	27-14-11-40
ETIM 9.0	EC000489
ETIM 10.0	EC000489
ECCN	NO US CLASSIFICATION

Environmental Product Compliance

RoHS Compliance Status	Compliant,No Exemption

Environmental requirements

Processing temperature (min.)	-35 °C
Processing temperature (max.)	85 °C
Processing temperature	-35 … +85 °C
Continuous operating temperature from	-60 °C
Continuous operating temperature up to	105 °C
Continuous operating temperature	-60 … +105 °C

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 282-422

Documentation

Bid Text

282-422	19.02.2019	xml 2.49 KB	
282-422	28.04.2017	doc 23.50 KB	

CAD/CAE-Data

CAD data

2D/3D Models 282-422

CAE data

EPLAN Data Portal 282-422


WSCAD Universe 282-422

ZUKEN Portal 282-422

Continued on next page

Installation Notes

Commoning



Commoning ground conductor terminal blocks with through terminal blocks is possible in one direction only (via rear side of terminal block) using adjacent jumpers. WAGO recommends using yellow–green adjacent jumpers in addition to the required marking of these blocks.