Data Sheet | Item Number: 284-412

Jumper; for conductor entry; 2-way; insulated; gray

https://www.wago.com/284-412



Color: gray

Technical data

Number of spacings	2 -times

Electrical data

Rated current	125 A

Physical data

Width	29.1 mm / 1.146 inches

Material data

Color	gray
Insulation material (main housing)	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.05 MJ
Weight	15.1 g

Commercial data

PU (SPU)	100 (25) pcs
Packaging type	Box
Country of origin	IN
GTIN	4045454074524
Customs tariff number	85366990990

Product Classification

UNSPSC	39121410
eCl@ss 10.0	27-14-11-40
eCl@ss 9.0	27-14-11-40
ETIM 9.0	EC000489
ETIM 10.0	EC000489
ECCN	NO US CLASSIFICATION

Environmental Product Compliance

RoHS Compliance Status	Compliant,No Exemption

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 284-412

Documentation

Bid Text

284-412	19.02.2019	xml 2.58 KB	
284-412	19.09.2017	doc 22.50 KB	

CAD/CAE-Data

CAD data

2D/3D Models 284-412

CAE data


EPLAN Data Portal 284-412

WSCAD Universe 284-412


ZUKEN Portal 284-412

Installation Notes

Commoning



Commoning with comb-style jumper bar.
Individual arrangement: 125 A
Two jumpers combined in one clamping unit: 100 A



Connecting 35 mm² (2 AWG) conductors to commoned terminal blocks.
Screw clamp connection, side-entry wiring