

Data Sheet | Item Number: 709-154

Cover; Type 2; suitable for cover carrier, type 2; 1 m long; transparent

https://www.wago.com/709-154



Color: transparent



Dimensions in mm

Physical data

Width	1000 mm / 39.37 inches
Height	160 mm / 6.299 inches
Depth	56.5 mm / 2.224 inches

Material data

Color	transparent
Fire load	17.76 MJ
Weight	603 g

Commercial data

Product Group	2 (Terminal Block Accessories)
PU (SPU)	10 (1) pcs
Packaging type	Box
Country of origin	DE
GTIN	4017332360647
Customs tariff number	39169010900

Product Classification

UNSPSC	30161701
eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-14-11-92
ETIM 9.0	EC002848
ETIM 10.0	EC002848
ECCN	NO US CLASSIFICATION

Continued on next page

Environmental Product Compliance

RoHS Compliance Status	Compliant,No Exemption

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 709-154

Documentation

Bid Text

709-154	31.08.2017	doc 23.50 KB
709-154	19.02.2019	xml 2.55 KB

CAD/CAE-Data

CAD data

2D/3D Models 709-154

CAE data

EPLAN Data Portal 709-154

WSCAD Universe 709-154

ZUKEN Portal 709-154

1 Compatible Products

1.1 Optional Accessories

1.1.1 Installation

1.1.1.1 Cover carrier



Item No.: 709-168
Cover carrier; Type 2; incl. fixing/retaining screws and knurled nut; suitable for 283 to 285 Series rail-mounted terminal blocks; suitable for 279 to 281 Series double- and triple-deck terminal blocks; suitable for 780 to 785, 775, 776 and 777 Series TOPJOB® rail-mounted terminal blocks; suitable for 280 Series sensor and actuator terminal blocks; suitable for 282 Series disconnect/ test terminal blocks for transformer circuits; gray

1.1.1.2 Mounting accessories



Item No.: 209-196
Spare fixing/retaining screw; for cover



Item No.: 210-549
Spare knurled nut; for cover

1.1.2 Marking

1.1.2.1 Marking strip

Item No.: 709-183
Marking strips; for laser printer; white

Installation Notes

Marking



Inserting a marking strip into the cover.

Security



Cover with lead seals:
Using covers without lead seals,
the thread dome-head can be broken off.