

Data Sheet | Item Number: 758-940/001-000

Radio transmitter; EnOcean easyfit PTM 250; 2-channel lighting control

<https://www.wago.com/758-940/001-000>



The PTM 250 Radio Transmitter is a universal, extremely flat wireless switch insert with a maintenance-free energy generator.

This universal switch insert fits in numerous frame types from various installation material suppliers. The base plate can be glued or screwed into position for easy attachment to glass as well as plaster. Integration into the frame is similar to universal inserts for antenna sockets.

The switch insert is delivered without frame. Frames must be ordered separately from the desired manufacturer!

Notes

Note	Additional technical data can be found in the datasheets assigned as download.
------	--

Technical data

Radio technology	EnOcean 868 MHz, RPS type 2
Transmission range	300 m in open space, 30 m (typ.) within buildings
Antenna	Integrated EnOcean PTM 200 Radio Transmitter

Physical data

Width	71 mm / 2.795 inches
Height	14 mm / 0.551 inches
Depth	71 mm / 2.795 inches

Material data

Weight	49.3 g
--------	--------

Environmental requirements		
Ambient temperature (operation)		-25 ... +65 °C
Relative humidity (without condensation)		95 %

Commercial data		
PU (SPU)		1 pcs
Packaging type		Bag
Country of origin		DE
GTIN		4066966847482
Customs tariff number		85365080000

Product Classification		
UNSPSC		39122221
eCl@ss 10.0		27-14-42-01
eCl@ss 9.0		27-14-42-01
ETIM 9.0		EC001358
ETIM 10.0		EC001358
ECCN		NO US CLASSIFICATION

Environmental Product Compliance		
RoHS Compliance Status		Compliant, No Exemption

Approvals / Certificates

Declarations of conformity and manufacturer's declarations

Approval	Standard	Certificate Name
EU-Declaration of Conformity WAGO GmbH & Co. KG	-	-

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance
758-940/001-000



CAD/CAE-Data

CAE data

WSCAD Universe
758-940/001-000