

## MATERIAL SAFETY DATA SHEET



Product Name: Li-Ion Polymer Battery

Type/Model: ZJ 18650 3.7V 2600mAh 9.62Wh

Revision Date: Jan.03.2023

# Material Safety DataSheet

ReportNo:ZJ20230103MSDS12

Page 2 of 11 Pages

## SECTION1:Identification of the substance/mixture and of the company/undertaking

### 1.1Product Identifier

**Name of Product** :Lithium-ion rechargeable pack battery

### 1.2Other means of identification

**ProductModels**:ZJ18650

**NominalVoltage**:3.7V

**Nominal capacity**:2600mAh

**Nominal Power** : 9.62Wh

**Weight** : 46g

### 1.3Recommended use of the chemical and restriction on use

**Recommended Use**: Rechargeable Li-ion Battery

**Restriction on Use**: No information available

### 1.4Information Of Company:

**Company Name**: Suzhou Power Solutions Co., Ltd.

**Address**: Building 5, Sunwu Road 600, Xukou Town Wuzhong District, Suzhou City, Jiangsu Province, China.

**Zip code**:215164

**Contact person**: Chen Zhiming

Tel:+86-158 6247 3312

**E-mail**: sz\_zhijie@163.com

### 1.5EmergencyTelephone

**+86-158 6247 3312**

## SECTION2.Hazard(s) Identification

### 2.1Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard(29CFR1910.1200).This product is an article which is a sealed battery and as such does not require an SDS per the OSHA hazard communication standards unless ruptured. The hazards indicated are for a ruptured battery.

|                                                   |            |
|---------------------------------------------------|------------|
| Skin corrosion/irritation                         | Category2  |
| Serious eye damage/eye irritation                 | Category2A |
| Carcinogenicity                                   | Category2  |
| Specific target organ toxicity(repeated exposure) | Category1  |

### 2.2 Label elements

**2.2.1SignalWord**                      **Danger**

#### **2.2.2HazardStatements**

This is a battery. In case of rupture:.

Harmful if swallowed

Toxic if swallowed

Harmful in contact with skin

Cause severe skin burn sand eye damage

May cause an allergic or reaction

# Material Safety DataSheet

ReportNo:ZJ20230103MSDS12

Page 3 of 11 Pages

May cause cancer  
Cause damage to organs  
May cause respiratory irritation

## 2.2.3 Symbol



This product is an article which contains a chemical substance. Safety information is given for exposure to the article as solid. Intended use of the product should not result in exposure to the chemical substance, This is a battery. In case of rupture: the above hazards exist.

## 2.3 Precautionary Statements

### 2.3.1 Precautionary Statements –Prevention

Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Use personal protective equipment as required.  
Wash face, hands and any exposed skin thoroughly after handling.  
Contaminated work clothing should not be allowed out of the workplace.  
Keep away from flames and hot surface –no smoking.  
Do not breathe dust/fume/gas/mist/vapors/spray.  
Do not eat, drink or smoke when using this product.  
Wear protective gloves

### 2.3.2 Precautionary Statements –Response

If exposed or connected: Get medical advice/attention. Specific treatment(see supplemental first aid/instruction on this label).

#### Skin

If on skin: wash with plenty of soap and water. Take off contaminated clothing and water  
Before reuse, if skin irritation or rash occurs: get medical advice/attention if feel unwell.

#### Eye

If in eyes: Rinse cautiously with water for several minutes, remove contact lenses, if present  
And easy to do, Continue rinsing. Call a poison center or doctor/physician.

#### Inhalation

If inhalation: if breathing is difficult, remove victim to fresh air and keep at rest in a position  
Comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or  
doctor/physician.

#### Ingestion

If swallowed: rinse mouth, do not induce vomiting ,Call a poison center or doctor/physician if  
Feel unwell.

### 2.3.3 Precautionary Statements –Storage

Store locked up

### 2.3.4 Precautionary Statements –Disposal

Dispose of contents/container to an approved waste disposal plant.

## 2.4 Hazards not otherwise classified (HNOC)

Not applicable

## 2.5 Unknown Toxicity

10% of the mixture consists of ingredient(s) of unknown toxicity.

## 2.6 Other information

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

## 2.7 Interactions with other chemicals

Use of alcoholic beverages may enhance toxic effect.

## SECTION 3. Composition/ Information on Ingredients

| Chemical Name                | CAS No.    | Weight% |
|------------------------------|------------|---------|
| Nickelous oxide              | 1313-99-1  | < 30    |
| Carbon                       | 7440-44-0  | < 30    |
| Polyvinylidene Fluoride      | 24937-79-9 | < 10    |
| Aluminum foil                | 7429-90-5  | 2-10    |
| Copper foil                  | 7440-50-8  | 2-10    |
| Electrolyte                  | --         | < 20    |
| Aluminum and inert materials | --         | 5-10    |

## ET7680 4. First Aid Measures

### 4.1 General Advice

First aid is Applicable only in the case of cell rupture.

#### 4.1.1 Eye contact

If symptoms persist, call a physician. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eyes wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Do not rub affected area.

#### 4.1.2 Skin Contact

Wash off immediately with plenty of water and soap for at least 15 minutes. In the case of skin irritation or allergic reaction see a physician. May cause an allergic skin reaction.

#### 4.1.3 Inhalation of Vented Gas

Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substances; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get medical attention immediately if symptoms occur.

#### 4.1.4 Ingestion

# Material Safety Data Sheet

Report No.: ZJ20230103MSDS12

Page 5 of 11 Pages

Do not induce vomiting. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

## **4.1.5 Self-protection of the first aider**

Ensure that medical personnel are aware of the material(s) involved. Take precaution to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personnel protective equipment as required. Wear personnel protective clothing (see section 8).

## **4.2 Most important symptoms and effects, both acute and delayed**

Burning sensation, Itching. Rashes. Hives, Coughing.

## **4.3 Indication of any immediate medical attention and special treatment needed**

### **Notes to physician**

Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or Esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal Edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. May cause sensitization of susceptible persons. Treat symptomatically.

## **SECTION 5. Fire-Fighting Measures**

### **5.1 Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### **5.2 Unsuitable Extinguishing Media**

CAUTION: Use of water spray when fighting fire may be inefficient.

### **5.3 Specific Hazards Arising from the chemical**

Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes. May cause sensitization by inhalation and skin contact. Product is or contains a sensitizer.

### **Hazardous Combustion products**

CO, CO<sub>2</sub>, Metals oxides, Irritating fumes

### **5.4 Explosion Data**

**Sensitivity to Mechanical Impact : No.**

**Sensitivity to Static Discharge: No.**

### **5.5 Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/IOSH (approved or equivalent) and full protective gear. Move containers from fire area if you can do it without risk.

## **SECTION 6. Accidental Release Measures**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

### **6.2 Environmental Precautions**

# Material Safety Data Sheet

Report No.: ZJ20230103MSDS12

Page 6 of 11 Pages

Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

## **6.3 Methods for containment**

Prevent further leakage or spillage if safe to do so. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

## **6.4 Methods for cleaning up**

Pick up and transfer to properly labeled containers.

## **SECTION 7. Handling and Storage**

### **7.1 Precaution for safe handling**

In case of rupture, use personal protective equipment. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Do not breathe dust/fume/gas/mist/vapors/spray.

### **7.2 Conditions for safe storage, including any incompatibilities**

#### **Storage**

Keep container tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.

#### **Incompatible products**

Strong acids. Strong oxidizing agent.

## **SECTION 8. Exposure Controls/Personal Protection**

### **8.1 Exposure Guidelines**

Not established

### **8.2 Appropriate engineering controls**

#### **Engineering Measures:**

Showers, Eye wash stations, Ventilation systems

### **8.3 Individual protection measures, such as personal protective equipment**

**Respiratory protection:** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**Eye /face protection:** if splashes are likely to occur: Wear safety glasses with side shields (or goggles). None required for consumer use.

**Skin protection:** Wear protective gloves and protective clothing. Long sleeved clothing. Imperious gloves.

**Hygiene Measure:** Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Wash hands before breaks and immediately after handling the product. For environmental protection, remove and wash all contaminated protective equipment before re-use. No information available.

## **SECTION 9. Physical and Chemical Properties**

**Physical State:** Solid

**Color:** Blue

**Odor:** Odorless

**Odor Threshold:** No information available

**pH:** No data available

**Melting/freezing point:** No data available

**Boiling point/boiling range:** No data available

**Flash Point:** No data available

**Evaporation Rate:** No data available

**Flammability (Solid, gas):** No data available

**Flammability Limit in Air:**

**Upper flammability limit:** No data available

**Lower flammability limit:** No data available

**Vapor pressure:** No data available

**Vapor density:** No data available

**Specific Gravity:** No data available

**Solubility:** Insoluble in water

**Partition coefficient: n-octanol/water:** No data available

**Auto ignition temperature:** No data available

**Decomposition temperature:** No data available

**Kinematic viscosity:** No data available

**Dynamic viscosity:** No data available

## **SECTION 10. Stability and Reactivity**

**Reactivity:**

No data available

**Chemical stability:**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions:**

None under normal processing.

**Hazardous Polymerization:**

Hazardous polymerization does not occur.

**Conditions to avoid:**

Do not subject battery to mechanical shock. Keep away from open flames, high temperature.

**Incompatible materials:**

Strong acids, Strong oxidizing agents. Strong bases.

**Hazardous decomposition products:**

Under fire conditions, the electrode materials can form carcinogenic cobalt oxides.

## **SECTION 11. Toxicological Information**

### **11.1 Information on likely routes of exposure**

**Product information:**

Product does not present an acute toxicity hazard based on known or supplied information. In Case of rupture:

**Inhalation:**

Specific test data for the substance or mixture is not available. Corrosive by inhalation (based on components). Inhalation of corrosion fumes/gases may cause coughing, choking, headache, dizziness and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure and increased heart rate. Inhaled corrosion substances can lead to toxic edema of the lungs. Pulmonary edema can be fatal. May cause irritation of respiratory tract.

**Eye Contact:**

Specific test data for the substance or mixture is not available. Cause burns. (based on components). Corrosion to the eyes and may cause severe damage including blindness. Cause serious eye damage. May cause irreversible damage to eyes.

**Skin Contact:**

Specific test data for the substance or mixture is not available. Corrosion (based on components). Cause burns. Toxic in contact with skin. May be absorbed through the skin in harmful amounts.

**Ingestion:**

Specific test data for the substance or mixture is not available. Cause burns. (based on components). Ingestion cause burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. Maybe fatal if swallowed and enters airways. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Maybe harmful if swallowed.

### **11.2 Information on toxicological effects**

**Symptoms:**

Erythema (skin redness). May cause redness and tearing of eyes. Itching. Rashes. Hives. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing. Coughing and/or wheezing.

### **11.3 Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Sensitization:** May cause sensitization of susceptible person, May cause sensitization by skin contact. May cause sensitization by inhalation.

# Material Safety Data Sheet

Report No.: ZJ20230103MSDS12

Page 9 of 11 Pages

**Mutagenic Effects:** No information available.

**Carcinogenicity:** Cobalt and Cobalt compounds are considered to be possible human carcinogen(s)

**ACGIH**(American Conference of Governmental Industrial Hygienists)

A3-Animal Carcinogen

**IARC**(International Agency for research on Cancer)

Group 2B- Possibly Carcinogenic to humans

**NTP**(National Toxicology Program) Reasonably Anticipated- reasonably anticipated to be a Human Carcinogenic.

**OSHA**(Occupational safety and Health Administration of the US Department of Labor)  
X-Present

**Reproductive Toxicity:** No information available.

**STOT- single exposure:** No information available.

**STOT-repeated exposure:** No information available.

**Chronic Toxicity:** Prolonged exposure may cause chronic effects. Repeated contact may cause allergic reactions in very susceptible persons. Contains known or suspected carcinogen. Avoid repeated exposure. May cause adverse effects on the bone marrow and blood-forming system. May cause adverse liver effects.

**Target Organ Effects:** Respiratory system. Eyes. Skin. Gastrointestinal tract (GI). Blood. Central Nervous System (CNS). Kidney. Liver. Lungs. Nasal cavities.

**Aspiration Hazard:** No information available.

## SECTION 12. Ecological Information

**Ecotoxicity :** Water hazard class 1 (Self-assessment): slightly hazardous for water.

**Persistence and Degradability:** No information available

**Bioaccumulation:** No information available

**Other adverse effects:** No information available

## SECTION 13. Disposal Considerations

### 13.1 Waste treatment methods

#### **Disposal methods:**

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements. Should not be released into the environment.

#### **Contaminated Packaging:**

Dispose of in accordance with federal, state and local regulations.

## SECTION 14. Transportation Information

The battery shall be passed the test items of the UNITED NATIONS "Recommendations on the Transport of Dangerous Goods, Manual of Tests and Criteria" section 38.3 and meet the requirements of UNITED NATIONS "Recommendations on the Transport of Dangerous Goods, model Regulations".

The battery shall be protected so as to prevent short circuits. This includes protection against contact with conductive materials within the same packaging that could lead to short circuit.

The packaging shall be adequate to avoid mechanical damage during transport, handling and stacking.

The package must be handled with care and that a flammability hazard exists if the package is damaged.

**With regard to transport, the following regulations are cited and considered:**

-The international Civil Aviation Organization (ICAO) Technical Instructions.

-The international Air transport Association (IATA) Dangerous Goods Regulations.

The battery can be shipped by air in according to PACKING INSTRUCTION 965 Section IB, or PACKING INSTRUCTION 966 ~ 967 Section II of the 2022 IATA Dangerous Goods regulations 63rd Edition.

**UN number:** UN3480 or UN3481;

UN Proper shipping name/Description (technical name): Lithium ion batteries or Lithium ion batteries packed with equipment or Lithium ion batteries contained in equipment;

UN Classification (Transport hazard class): Class 9 (PI965 Section IB) or N/A (PI965 ~ 967 Section II).

**UN packaging group:** N/A

-The international Maritime Dangerous Goods (IMDG) Code.

**UN number:** UN3480 or UN3481;

UN Proper shipping name/Description (technical name): Lithium ion batteries or Lithium ion batteries packed with equipment or Lithium ion batteries contained in equipment;

**UN Classification (Transport hazard class):** N/A

**UN packaging group:** N/A

The battery is not restricted according to IMO IMDG Code (inc Amdt 40-20) Special Provision 188.

The goods are non dangerous goods in accordance with the latest revised version 2020 of the IMO IMDG Code.

## SECTION 15. Regulatory information

**Regulatory information**

**OSHA hazard communication standard (29 CFR 1910.1200)**

**Hazardous**

☒ **Non-hazardous**

## SECTION 16. Other Information

### Preparation and revision:

**Prepared By:** Suzhou Power Solutions Co., Ltd.

**File No.:** ZJ20230103MSDS12

**Issuing Date:** Jan.03.2023

### Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used material used in combination with any other materials or in any process, unless specified in the test.

