

SCANGRIP®

INNOVATION FROM DENMARK

WORK LIGHTS

115
years
1906 - 2021



CAS CORDLESS ALLIANCE SYSTEM



Compatible with
METABO / CAS
battery system
12V - 18V

Cordless Alliance System:

One battery, many solutions



SCANGRIP - CAS work lights

Compatible with METABO / CAS battery system

SCANGRIP - CAS product range



NOVA CAS

06



AREA 10 CAS

10



VEGA LITE CAS

12



TOWER LITE CAS

14



STANDS and
SUSPENSIONS

16



Technical specifications

18

New ground-breaking work light range for **CAS** battery system

// SCANGRIP is proud to present a range of powerful and sturdy work lights with the innovative CAS battery system providing extremely high light output and outstanding flexibility.



Compatible with
METABO /CAS
battery system



- Unlimited availability to light with METABO/CAS battery system and SCANGRIP POWER SUPPLY
- Extremely powerful illumination
- Long operation time

The Cordless Alliance System (CAS) is a cross-manufacturer battery pack system of leading power tool brands and offers a large selection of powerful machines. CAS uses the powerful battery pack system from METABO, offering one battery with numerous solutions.

The new SCANGRIP CAS work light range features the latest COB LED technology, extremely flexible design, and a lot of functionalities providing universal multi-purpose work lights for the demanding professional user. No matter how small or big the task is, SCANGRIP offers a work light that fits any professional's need.



// Maximal freedom

The SCANGRIP CAS range is compatible with all 12V-18V batteries from the METABO/CAS battery system*. As something unique, we also offer SCANGRIP POWER SUPPLY which can be used for direct power providing unlimited availability to light.

With stands and suspensions available, the CAS work lights can be placed anywhere you need efficient lighting offering complete flexibility at the worksite.



Compatible with
METABO / CAS
battery system



Convert your SCANGRIP CAS lamp
to a corded model with the
SCANGRIP POWER SUPPLY



An integrated battery backup
function prevents you from being
without light at any time

(Applies to NOVA 4 CAS, NOVA 10 CAS and AREA 10 CAS)

* TOWER LITE CAS and VEGA LITE CAS are compatible with 18V battery.

NOVA 2 CAS – 2000 lumen handheld floodlight for CAS battery system

ORIGINAL
SCANGRIP



SINCE 1906

// NOVA 2 CAS is a powerful compact all-round work light designed for the professional user and is compatible with METABO/CAS battery system 12V - 18V.

- Slim and compact design
- Extremely powerful illumination up to 2000 lumen
- Long operation time, up to 11 hours at 2000 lumen*
- Light dimmable in 5 steps
- Built-in powerbank



OPTIONAL ACCESSORIES



CAS BATTERY
12V 4.0 Ah
Item no. 03.6120



CAS BATTERY
18V 5.2 Ah
Item no. 03.6121



CAS CHARGER
Item no. 03.6122



SCANGRIP POWER SUPPLY
Item no. 03.6123

*With METABO/CAS 18V 10.0 Ah battery

3
years
warranty

PATENT PROTECTED



// Portable work light

NOVA 2 CAS features the latest high-performance COB LED technology and provides up to 2000 lumen. The built-in light dimmer function makes it possible to adjust the light into five different steps according to the work task. It is also supplied with display for battery capacity and lumen output level.

As a unique feature, NOVA 2 CAS is compatible with 12V - 18V METABO/CAS batteries, and at the same time, the SCANGRIP POWER SUPPLY can be used for direct power.

Due to the flexible stand and built-in hook, NOVA 2 CAS can be placed in different positions to obtain the desired lighting angle.

The housing is made of sturdy die-casted aluminium and resistant to strokes, shocks and vibrations. The durable construction makes NOVA 2 CAS perfect for the demanding, rough working environment.

As an extra feature, it has a built-in powerbank with USB outlet to charge mobile devices.

EU DESIGN
PATENT
4070035



Light dimmable in 5 steps



NOVA 2 CAS

€ 89.90

03.6100

Work light providing up to 2000 lumen

Compatible with
METABO / CAS
battery system
12V - 18V



Change battery - can be used with 12V - 18V batteries



Convert NOVA 2 CAS lamp to a corded model with the SCANGRIP POWER SUPPLY



Hook for flexible positioning

NOVA CAS - High efficiency and powerful COB LED floodlights

// The extremely sturdy NOVA CAS floodlights provide powerful illumination and feature BLUETOOTH light control for increased work efficiency.

- CAS exchangeable battery pack – use both rechargeable with battery or with direct power supply from SCANGRIP POWER SUPPLY
- Long operation time, up to 6 hours at 4000 lumen*
- Extremely durable with high IP (IP65)
- BLUETOOTH light control app

// Built-in powerbank

OPTIONAL ACCESSORIES

 CAS BATTERY
12V 4.0 Ah
Item no. 03.6120

 CAS BATTERY
18V 5.2 Ah
Item no. 03.6121

 CAS CHARGER
Item no. 03.6122

 SCANGRIP POWER SUPPLY
Item no. 03.6123

* With METABO/CAS 18V 10.0 Ah battery

ORIGINAL
SCANGRIP
SINCE 1906



3
years
warranty

PATENT PROTECTED



Change battery



Battery cover for maximum protection



Use SCANGRIP POWER SUPPLY for direct power

EU DESIGN PATENT 5597010

CAS system provides light for the entire work day

// Unlimited availability to light

The extremely powerful NOVA 4 CAS and NOVA 10 CAS provide up to 4000 lumen and 10000 lumen respectively, and are compatible all 12V-18V METABO/CAS batteries. At the same time, the SCANGRIP POWER SUPPLY can be used for direct power.

They are designed with a display for battery capacity and lumen output level, and supplied with a built-in powerbank. The work lights are also supplied with an integrated battery backup function securing you extra operating time to finish the job.

The NOVA CAS work lights are extremely sturdy and waterproof (IP65). Featuring an integrated carrying handle and flexible stand, it is easy to carry the work lights around or mount them on the SCANGRIP TRIPOD. The work lights come with a detachable diffuser that spreads and softens the light avoiding hard shadows.

// BLUETOOTH light control

With the user-friendly BLUETOOTH light control app, you get an extraordinary possibility to turn on/off and control up to four work lights through a mobile device. The built-in dimmer function enables you to adjust the light output into five different levels. This feature saves time from manual operation and increases work efficiency on a daily basis.



BLUETOOTH - Light control app

- Dimmer light output into 5 levels 10 %-100 %
- Switch on/off, check battery
- Group control function, up to 4 lamps
- Assign pin code

Compliant with iPhone 5 or higher / Android 5.0 or higher. Go to iTunes App Store to download the app or download the app from scangrip.com



NOVA 4 CAS
€ 169.90
 03.6101

Compatible with METABO / CAS battery system 12V - 18V

Work light with BLUETOOTH providing up to 4000 lumen

NOVA 10 CAS
€ 269.90
 03.6102

Compatible with METABO / CAS battery system 12V - 18V

Work light with BLUETOOTH providing up to 10000 lumen



Convenient, built-in carrying handle



Diffuser spreads the light and improves working conditions

AREA 10 CAS – 10000 lumen high efficiency 360° work light



// AREA 10 CAS is a compact and portable area work light with many applications. Providing a diffused and uniform light, it is ideal for the professional user who requires powerful and efficient illumination of the entire worksite.



- Diffused, non-blinding light, up to 10000 lumen
- Compatible with all 12V-18V METABO/CAS batteries
- Portable due to compact design and low weight
- Long operation time, up to 6 hours at 4000 lumen*
- High IP65
- BLUETOOTH light control app



| OPTIONAL ACCESSORIES | |
|---|---|
|  | CAS BATTERY 12V 4.0 Ah Item no. 03.6120 |
|  | CAS BATTERY 18V 5.2 Ah Item no. 03.6121 |
|  | CAS CHARGER Item no. 03.6122 |
|  | SCANGRIP POWER SUPPLY Item no. 03.6123 |



3 years warranty

*With METABO/CAS 18V 10.0 Ah battery



// Powerful illumination of the entire worksite

AREA 10 CAS provides a diffused and non-blinding work light with large dispersion. You can change between 360° and 180° illumination according to the work task and adjust the light output into five different levels by the built-in dimmer function. The compact design with a carrying handle makes AREA 10 CAS extremely handy and easy to move around. It is also supplied with a hook for flexible positioning and can be mounted directly on the SCANGRIP TRIPOD.

// High flexibility and long operating time

AREA 10 CAS is compatible with all 12V-18V METABO/CAS batteries, and at the same time, the SCANGRIP POWER SUPPLY can be used for direct power providing unlimited availability to light. AREA 10 CAS also has an internal back-up battery securing 50 extra minutes at 1000 lumen without battery or cable.

// BLUETOOTH light control

With the integrated BLUETOOTH light control it is possible to turn on/off the work light and adjust the light output through a mobile device, saving you time from manual operation and increases work efficiency on a daily basis.



EU DESIGN
PATENT
7180187

Bluetooth®

BLUETOOTH - Light control app

- Dimmer light output into 5 levels 10 %-100 %
- Change between 360° and 180° illumination
- Switch on/off, check battery
- Group control function, up to 4 lamps
- Assign pin code

Compliant with iPhone 5 or higher / Android 5.0 or higher. Go to iTunes App Store to download the app or download the app from scangrip.com



AREA 10 CAS

€ 299.90

03.6103

360° work light with BLUETOOTH providing up to 10000 lumen

Other product versions available - see page 20

Compatible with METABO/CAS battery system 12V - 18V



Exchange CAS battery or use SCANGRIP POWER SUPPLY directly on the lamp



Hook for flexible positioning



Built-in powerbank

VEGA LITE CAS – Powerful and uniform LED floodlight

// The illumination of VEGA LITE CAS provides a diffused and pleasant, non-blinding, uniform work light, with a large dispersion, perfect for any kind of work.

- Diffused, non-blinding light, up to 4000 lumen
- Compatible with METABO/CAS battery system 18V
- Long operation time, up to 5 hours at 4000 lumen*
- Portable due to compact design and low weight
- High IP54
- Made of a highly shock-resistant plastic material



OPTIONAL ACCESSORIES



CAS BATTERY
18V 5.2 Ah
Item no. 03.6121



CAS CHARGER
Item no. 03.6122



SCANGRIP POWER SUPPLY
Item no. 03.6123

* With METABO/CAS 18V 10.0 Ah battery

ORIGINAL
SCANGRIP



SINCE 1906

// Powerful, diffused LED light

VEGA LITE CAS provides up to 4000 lumen and features 2 level light output (50-100%) which makes it possible to adjust the light according to the work task.

EU DESIGN
PATENT
2954123

VEGA LITE CAS is compatible with METABO/CAS battery system 18V and at the same time, the SCANGRIP POWER SUPPLY can be used for direct power securing you light for the entire workday.

// High flexibility and durability

VEGA LITE CAS comes with an integrated carrying handle and a stand for tripod mounting which make it very convenient and easy to position the light where it is needed.

The robust housing of the VEGA LITE CAS is made of a highly shock-resistant plastic material, perfect for a working environment. It is also waterproof (IP54). Since the LEDs do not produce heat, there is no fire hazard when using the floodlight.




VEGA LITE CAS

€ 99.90

03.6104

Floodlight providing
up to 4000 lumen

Compatible with
METABO / CAS
battery system
18V



Use SCANGRIP POWER SUPPLY
for direct power



Change battery

TOWER LITE CAS – 5000 lumen floodlight with integrated tripod

// Featuring two built-in floodlights, TOWER LITE CAS is ideal for the professional user who requires powerful and efficient illumination on the worksite.

- Integrated tripod with two built-in floodlights providing up to 5000 lumen
- Compatible with METABO/CAS battery system 18V
- Long operation time up to 4 hours at 5000 lumen*
- 360° flexible and turnable floodlights
- Compact and easy to carry around when folded

OPTIONAL ACCESSORIES



CAS BATTERY
18V 5.2 Ah
Item no. 03.6121



CAS CHARGER
Item no. 03.6122



SCANGRIP POWER SUPPLY
Item no. 03.6123

*With METABO/CAS 18V 10.0 Ah battery

ORIGINAL
SCANGRIP



SINCE 1906

// High flexibility

Featuring 360° flexible and turnable floodlights, the lights can be positioned in any direction to obtain the desired lighting angle, providing perfect lighting condition for painting and installation work. It is extendable up to 2 meters and features 2 level light output (50-100%) which makes it possible to adjust the light according to the work task.

TOWER LITE CAS is compatible with METABO/CAS battery system 18V or you can choose SCANGRIP POWER SUPPLY for permanent power supply.

// Slim design and lightweight

TOWER LITE CAS is the ideal mobile work light. Featuring a QUICK-FOLD system it is fast to set up the tripod in only a few seconds and fold again when the job is done.

In folded position the TOWER LITE CAS is compact and designed for one-hand transport with the integrated carrying handle. The sturdy, slim design and low weight of only 5.2 kg makes the TOWER LITE CAS tailored to bring around in the back of the car and convenient to carry around from one worksite to the other.



Use SCANGRIP POWER SUPPLY for direct power

TOWER LITE CAS

€ 229.90

03.6105

Floodlight with built-in tripod providing up to 5000 lumen

Compatible with
METABO / CAS
battery system
18V



STANDS and SUSPENSIONS

// Designed for direct mounting of the NOVA 4 and 10 CAS work lights, AREA 10 CAS and VEGA LITE CAS. Made of durable and sturdy powder coated steel for both indoor and outdoor use.

// High stability tripod

The SCANGRIP TRIPOD is indispensable for stationary positioning of the work light for illumination in a specific working area. The SCANGRIP TRIPOD is extendable from only 1.35 m up to 3 m which gives you complete flexibility to position the light in the requested height.

The stable construction of the SCANGRIP TRIPOD makes it safe even when fully extended. It is supplied with anchor points that provide an opportunity for extra stability if the tripod is exposed to strong wind or standing on an uneven surface. To increase safety when in use, the cable of the lamp can be fixed in the safety clips placed on each separate leg.

// Wheel stand for mobile positioning

The SCANGRIP WHEEL STAND makes it easy to move the light to where you need it, and at the same time you avoid uncomfortable and heavy lifting from one workplace to the other. It is upgraded with a new base which is equipped with 5 wheels for improved safety and stability and easy maneuverability. 2 of the wheels are lockable to secure a safe and fixed position.

As an additional feature, it now comes with a flexible bracket that enables you to easily position a second work light to illuminate from below. The extra mounting bracket is adjustable in the height and provides complete flexibility to position the light in the optimum height.



SCANGRIP TRIPOD

€ 99.90

03.5431

Welded steel mounting cap 10 mm thread



SCAFFOLDING BRACKET

€ 29.90

03.5341



For flexible positioning on scaffoldings or any round object ø40-50 mm



WHEEL STAND

€ 129.90

03.5682



DUAL BRACKET

€ 24.90

03.5308



Dual bracket for positioning of two lamps on TRIPOD




MAGNET BRACKET

€ 29.90

03.5390

For flexible positioning of NOVA 4 CAS work light on any magnetic surface




MAGNET BRACKET - Large

€ 49.90

03.5391

For flexible positioning of NOVA 10 CAS work light on any magnetic surface



SCANGRIP DIFFUSER

// SCANGRIP DIFFUSER provides a large dispersion and spreads the light



- Enlightens the entire working area, even into the darkest corner
- Softens the light avoiding hard shadows
- Minimizes reflections and harsh light
- Provides non-blinding work light

SCANGRIP DIFFUSER

€ 9.90

03.5750

Fits NOVA 4 CAS



SCANGRIP DIFFUSER - Large

€ 14.90

03.5751

Fits NOVA 10 CAS



Easy and safe mounting with strong magnets

NOVA 2 CAS



| | |
|-----------------------------------|---|
| Product number | 03.6100 |
| Light source | High efficiency COB LED |
| LED performance, lumen/W | 165 |
| Luminous flux, lumen | 200-2000 |
| Illuminance, lux@0.5 m | 1600-16000 |
| Adjustable light output | 5 levels |
| Beam angle | 110° |
| CRI | Ra > 80 |
| CCT | 6000 K |
| Operating time with max. lumen, h | 2.5@12V 4.0 Ah battery 5.75@18V 5.2 Ah battery |
| Operating time with min. lumen, h | 27@12V 4.0 Ah battery 58@18V 5.2 Ah battery |
| Operating time: backup battery, h | - |
| Battery | Compatible with METABO / CAS battery system 12V, 14.4V, 18V |
| Protection class | IP30 |
| Impact protection | IK07 |
| Impact resistance | 1 m |
| Charger input voltage | - |
| Power consumption | Max 16 W |
| Battery incl. | No |
| Charger incl. | No |
| Power supply incl. | No |
| Temperature | -10° to +40°C |
| Dimensions | 161 x 164 x 78 mm |
| Net weight | 720g |
| Price | € 89.90 |



NOVA 4 CAS



| Incl. SCANGRIP DIFFUSER | | | | |
|-----------------------------------|---|---|---|--|
| Product number | 03.6101 | 03.6130 | 03.6133 | |
| Light source | High efficiency COB LED | High efficiency COB LED | High efficiency COB LED | |
| LED performance, lumen/W | 160 | 160 | 160 | |
| Luminous flux, lumen | 400-4000 | 400-4000 | 400-4000 | |
| Illuminance, lux@0.5 m | 600-6000 | 600-6000 | 600-6000 | |
| Adjustable light output | 5 levels | 5 levels | 5 levels | |
| Beam angle | 110° | 110° | 110° | |
| CRI | Ra > 80 | Ra > 80 | Ra > 80 | |
| CCT | 6000 K | 6000 K | 6000 K | |
| Operating time with max. lumen, h | 1.5@12V 4.0 Ah battery 3@18V 5.2 Ah battery | 1.5@12V 4.0 Ah battery 3@18V 5.2 Ah battery | 1.5@12V 4.0 Ah battery 3@18V 5.2 Ah battery | |
| Operating time with min. lumen, h | 14@12V 4.0 Ah battery 31@18V 5.2 Ah battery | 14@12V 4.0 Ah battery 31@18V 5.2 Ah battery | 14@12V 4.0 Ah battery 31@18V 5.2 Ah battery | |
| Operating time: backup battery, h | 2.5@10% /400 lm | 2.5@10% /400 lm | 2.5@10% /400 lm | |
| Battery | Compatible with METABO / CAS battery system 12V, 14.4V, 18V | Compatible with METABO / CAS battery system 12V, 14.4V, 18V | Compatible with METABO / CAS battery system 12V, 14.4V, 18V | |
| Protection class | IP65 IP54 with battery cover | IP65 IP54 with battery cover | IP65 IP54 with battery cover | |
| Impact protection | IK07 | IK07 | IK07 | |
| Impact resistance | 1 m | 1 m | 1 m | |
| Charger input voltage | - | 100-240V AC 50/60Hz | - | |
| Power consumption | Max 30 W | Max 30 W | Max 30 W | |
| Battery incl. | No | CAS BATTERY 12V 4.0 Ah 03.6120 | No | |
| Charger incl. | No | CAS CHARGER 03.6122 | No | |
| Power supply incl. | No | No | SCANGRIP POWER SUPPLY 03.6123 | |
| Temperature | -10° to +40°C | -10° to +40°C | -10° to +40°C | |
| Dimensions | 263x230x119mm | 263x230x119mm | 263x230x119mm | |
| Net weight | 2.35 kg | 3.37 kg | 3.35 kg | |
| Price | € 169.90 | € 269.90 | € 219.90 | |



NOVA 10 CAS

| Incl. SCANGRIP DIFFUSER | | | |
|-----------------------------------|---|---|---|
| Product number | 03.6102 | 03.6131 | 03.6134 |
| Light source | High efficiency COB LED | High efficiency COB LED | High efficiency COB LED |
| LED performance, lumen/W | 165 | 165 | 165 |
| Luminous flux, lumen | 1000-10000 | 1000-10000 | 1000-10000 |
| Illuminance, lux@0.5 m | 1600-16000 | 1600-16000 | 1600-16000 |
| Adjustable light output | 5 levels | 5 levels | 5 levels |
| Beam angle | 110° | 110° | 110° |
| CRI | Ra > 80 | Ra > 80 | Ra > 80 |
| CCT | 6000 K | 6000 K | 6000 K |
| Operating time with max. lumen, h | 0.5@12V 4.0 Ah battery 1.25@18V 5.2 Ah battery | 0.5@12V 4.0 Ah battery 1.25@18V 5.2 Ah battery | 0.5@12V 4.0 Ah battery 1.25@18V 5.2 Ah battery |
| Operating time with min. lumen, h | 5.5@12V 4.0 Ah battery 12@18V 5.2 Ah battery | 5.5@12V 4.0 Ah battery 12@18V 5.2 Ah battery | 5.5@12V 4.0 Ah battery 12@18V 5.2 Ah battery |
| Operating time: backup battery, h | 1@10% / 1000 lm | 1@10% / 1000 lm | 1@10% / 1000 lm |
| Battery | Compatible with METABO / CAS battery system 12V, 14.4V, 18V | Compatible with METABO / CAS battery system 12V, 14.4V, 18V | Compatible with METABO / CAS battery system 12V, 14.4V, 18V |
| Protection class | IP65 IP54 with battery cover | IP65 IP54 with battery cover | IP65 IP54 with battery cover |
| Impact protection | IK07 | IK07 | IK07 |
| Impact resistance | 1 m | 1 m | 1 m |
| Charger input voltage | - | 100-240V AC 50/60Hz | - |
| Power consumption | Max 75 W | Max 75 W | Max 75 W |
| Battery incl. | No | CAS BATTERY 18V 5.2 Ah 03.6121 | No |
| Charger incl. | No | CAS CHARGER 03.6122 | No |
| Power supply incl. | No | No | SCANGRIP POWER SUPPLY 03.6123 |
| Temperature | -10° to +40°C | -10° to +40°C | -10° to +40°C |
| Dimensions | 304x292x131mm | 304x292x131mm | 304x292x131mm |
| Net weight | 3.72 kg | 5.09 kg | 4.72 kg |
| Price | € 269.90 | € 419.90 | € 319.90 |



AREA 10 CAS



| Product number | 03.6103 | 03.6132 | 03.6135 |
|-----------------------------------|---|---|---|
| Light source | High efficiency COB LED | High efficiency COB LED | High efficiency COB LED |
| LED performance, lumen/W | 189 | 189 | 189 |
| Luminous flux, lumen | 360°: 1000-10000 / 180°: 500-5000 | 360°: 1000-10000 / 180°: 500-5000 | 360°: 1000-10000 / 180°: 500-5000 |
| Illuminance, lux@0.5 m | 300-3000 | 300-3000 | 300-3000 |
| Adjustable light output | 5 levels | 5 levels | 5 levels |
| Beam angle | 360° / 180° | 360° / 180° | 360° / 180° |
| CRI | Ra > 80 | Ra > 80 | Ra > 80 |
| CCT | 6000 K | 6000 K | 6000 K |
| Operating time with max. lumen, h | 0.5@12V 4.0 Ah battery 1@18V 5.2 Ah battery | 0.5@12V 4.0 Ah battery 1@18V 5.2 Ah battery | 0.5@12V 4.0 Ah battery 1@18V 5.2 Ah battery |
| Operating time with min. lumen, h | 10@12V 4.0 Ah battery 22@18V 5.2 Ah battery | 10@12V 4.0 Ah battery 22@18V 5.2 Ah battery | 10@12V 4.0 Ah battery 22@18V 5.2 Ah battery |
| Operating time: backup battery, h | 50min@10% / 1000 lm | 50 min@10% / 1000 lm | 50min@10% / 1000 lm |
| Battery | Compatible with METABO / CAS battery system 12V, 14.4V, 18V | Compatible with METABO / CAS battery system 12V, 14.4V, 18V | Compatible with METABO / CAS battery system 12V, 14.4V, 18V |
| Protection class | IP65 IP54 with battery cover | IP65 IP54 with battery cover | IP65 IP54 with battery cover |
| Impact protection | IK07 | IK07 | IK07 |
| Impact resistance | 1 m | 1 m | 1 m |
| Charger input voltage | - | 100-240V AC 50/60Hz | - |
| Power consumption | Max 84 W | Max 84 W | Max 84 W |
| Battery incl. | No | CAS BATTERY 18V 5.2 Ah 03.6121 | No |
| Charger incl. | No | CAS CHARGER 03.6122 | No |
| Power supply incl. | No | No | SCANGRIP POWER SUPPLY 03.6123 |
| Temperature | -10° to +40°C | -10° to +40°C | -10° to +40°C |
| Dimensions | 395x200x212mm | 395x200x212mm | 395x200x212mm |
| Net weight | 3.7 kg | 5.07 kg | 4.7 kg |
| Price | € 299.90 | € 449.90 | € 349.90 |

VEGA LITE CAS



| | |
|-----------------------------------|---|
| Product number | 03.6104 |
| Light source | 105 LEDs |
| LED performance, lumen/W | 189 |
| Luminous flux, lumen | 2000 / 4000 (step 1 / 2) |
| Illuminance, lux@0.5 m | 3000 / 6000 (step 1 / 2) |
| Adjustable light output | 2 levels |
| Beam angle | 100° |
| CRI | Ra > 80 |
| CCT | 6000 K |
| Operating time with max. lumen, h | 2.25@18V 5.2 Ah battery |
| Operating time with min. lumen, h | 4.5@18V 5.2 Ah battery |
| Operating time: backup battery, h | - |
| Battery | Compatible with METABO / CAS battery system 18V |
| Protection class | IP54 with power supply IP30 with battery |
| Impact protection | IK07 |
| Impact resistance | 1 m |
| Charger input voltage | - |
| Power consumption | Max 40 W |
| Battery incl. | No |
| Charger incl. | No |
| Power supply incl. | No |
| Temperature | -10° to +40°C |
| Dimensions | 280x289x103mm |
| Net weight | 2.02 kg |
| Price | € 99.90 |

TOWER LITE CAS



| | |
|-----------------------------------|---|
| Product number | 03.6105 |
| Light source | 120 LEDs |
| LED performance, lumen/W | 189 |
| Luminous flux, lumen | 2500 / 5000 (step 1 / 2) |
| Illuminance, lux@0.5 m | 4000 / 8000 (step 1 / 2) |
| Adjustable light output | 2 levels |
| Beam angle | 110° |
| CRI | Ra > 80 |
| CCT | 6000 K |
| Operating time with max. lumen, h | 2@18V 5.2 Ah battery |
| Operating time with min. lumen, h | 4.5@18V 5.2 Ah battery |
| Operating time: backup battery, h | - |
| Battery | Compatible with METABO / CAS battery system 18V |
| Protection class | IP30 |
| Impact protection | IK07 |
| Impact resistance | 1 m |
| Charger input voltage | - |
| Power consumption | Max 45 W |
| Battery incl. | No |
| Charger incl. | No |
| Power supply incl. | No |
| Temperature | -10° to +40°C |
| Dimensions | 121x153x892mm |
| Net weight | 5.2 kg |
| Price | € 229.90 |

SCANGRIP CAS Accessories



| | CAS BATTERY 12V LiHD 4.0Ah | CAS BATTERY 18V Li-POWER 5.2Ah | CAS CHARGER SC30 | SCANGRIP POWER SUPPLY |
|-----------------------|--|---|----------------------------|----------------------------------|
| Product number | 03.6120 | 03.6121 | 03.6122 | 03.6123 |
| Battery | 12V 4.0Ah Li-ion | 18V 5.2Ah Li-power | - | - |
| Cable | - | - | 1.35m 2x0.75mm2 H03V VH2-F | 5m 2x0.75mm2 H05RN-F |
| Charger input voltage | - | - | 220-240V AC 50/60Hz | 100-240V AC 50/60Hz |
| Output power | - | - | Max 30 W | Max 90 W |
| Charging time, h | 92min@100% with CAS charger 03.6122 | 208min@100% with CAS charger 03.6122 | - | - |
| Protection class | IP20 | IP20 | IP20 | IP65 |
| Impact protection | - | - | - | IK07 |
| Impact resistance | - | - | - | 1 m |
| Temperature | -10° to +40°C | -10° to +40°C | 0° to +40°C | -10° to +40°C |
| Dimensions | 88x75x40mm | 121x80.5x66mm | 150x140x75mm | 124x83x72mm |
| Net weight | 325 g | 670 g | 700 g | 1 kg |
| Compatibility | - | - | 12V-18V CAS battery | 12V-18V SCANGRIP CAS work lights |
| Price | € 69.90 | € 134.90 | € 49.90 | € 69.90 |

SCANGRIP CAS RANGE



| | | | | | |
|-------------|-------------|-------------|-------------|----------------|-------------|
| NOVA 2 CAS | 03.6100 | | | | |
| NOVA 4 CAS | 03.6101 | 03.6130 | 03.6133 | VEGA LITE CAS | 03.6104 |
| NOVA 10 CAS | 03.6102 | 03.6131 | 03.6134 | TOWER LITE CAS | 03.6105 |
| AREA 10 CAS | 03.6103 | 03.6132 | 03.6135 | | |

SCANGRIP PRODUCT LINES




Professional range of work lights with unmatched value for money



Specialized work lights for the painting industry




Explosion proof lights



Lighting solutions for high performance





Portable lights for fast curing



3
years
warranty

Designed by us. Manufactured by us.

PATENT PROTECTED



// SCANGRIP is Europe's leading manufacturer of work lights for professionals providing the strongest and most comprehensive ranges of work lights with the latest LED lighting technology available on the market.

SCANGRIP is innovation from Denmark: All products are designed and developed by SCANGRIP in Denmark and manufactured at our own factories.

SCANGRIP receives strong recognition in the marketplace for its product design, and the products are known for their high quality.

SCANGRIP strives for perfection, and is continuously optimizing and improving light output, battery capacity, design and ergonomics, durability, user-friendliness and functionality. The aim is to set new standards for professional work lights.

SCANGRIP was established in 1906 and has been manufacturing high quality hand tools for the industrial and automotive sectors for 115 years.