








Product Code	Model name	Weight (kg)	L(mm)
552000016600	Trunk-P2 Trunk-Feed in 13-Wire L15-WH	2.88	1437
552000016700	Trunk-P2 Trunk-Feed in 13-Wire L15-BL	2.88	1437
552000016800	Trunk-P2 Trunk-Feed in 7-Wire L15-WH	2.43	1437
552000016900	Trunk-P2 Trunk-Feed in 7-Wire L15-BL	2.43	1437
552001000000	Trunk-P2 Trunk 7-Wire L15	2.47	1437
552001000100	Trunk-P2 Trunk 7-Wire L30	4.94	2874
552001000200	Trunk-P2 Trunk 7-Wire L45	7.41	4311
552001000300	Trunk-P2 Trunk 13-Wire L15	2.92	1437
552001000400	Trunk-P2 Trunk 13-Wire L30	5.84	2874
552001000500	Trunk-P2 Trunk 13-Wire L45	8.76	4311
552001000600	Trunk-P2 Trunk 7-Wire L15	2.47	1437
552001000700	Trunk-P2 Trunk 7-Wire L30	4.94	2874
552001000800	Trunk-P2 Trunk 7-Wire L45	7.41	4311
552001000900	Trunk-P2 Trunk 13-Wire L15	2.92	1437
552001001000	Trunk-P2 Trunk 13-Wire L30	5.84	2874
552001001100	Trunk-P2 Trunk 13-Wire L45	8.76	4311
552001006100	Trunk-P2 Trunk-Feed in 13-Wire L30-WH	5.84	2874
552001006200	Trunk-P2 Trunk-Feed in 13-Wire L30-BL	5.84	2874
552001006300	Trunk-P2 Trunk-Feed in 7-Wire L30-WH	4.94	2874
552001006400	Trunk-P2 Trunk-Feed in 7-Wire L30-BL	4.94	2874
552001011300	Trunk-P2 Trunk 13-Wire L05-WH	0.96	479
552001011400	Trunk-P2 Trunk 13-Wire L05-BL	0.96	479
552001010900	Trunk-P2 Feed-in Module 7-Wire-L03-WH	0.45	298
552001011000	Trunk-P2 Feed-in Module 7-Wire-L03-BL	0.45	298
552001011100	Trunk-P2 Feed-in Module 13-Wire-L03-WH	0.45	298
552001011200	Trunk-P2 Feed-in Module 13-Wire-L03-BL	0.45	298
552001001200	Trunk-P2 Trunk-Ending 7-Wire L15	2.25	1437
552001001300	Trunk-P2 Trunk-Ending 7-Wire L30	4.5	2874
552001001400	Trunk-P2 Trunk-Ending 7-Wire L45	6.75	4311
552001001500	Trunk-P2 Trunk-Ending 13-Wire L15	2.7	1437
552001001600	Trunk-P2 Trunk-Ending 13-Wire L30	5.4	2874
552001001700	Trunk-P2 Trunk-Ending 13-Wire L45	8.1	4311
552001001800	Trunk-P2 Trunk-Ending 7-Wire L15	2.25	1437
552001001900	Trunk-P2 Trunk-Ending 7-Wire L30	4.5	2874
552001002000	Trunk-P2 Trunk-Ending 7-Wire L45	6.75	4311
552001002100	Trunk-P2 Trunk-Ending 13-Wire L15	2.7	1437
552001002200	Trunk-P2 Trunk-Ending 13-Wire L30	5.4	2874
552001002300	Trunk-P2 Trunk-Ending 13-Wire L45	8.1	4311

LED Module



Product Code	Model name	Weight (kg)	L(mm)	CCT	LM	Operating Temperature Min (℃)	Operating Temperature Max (℃)	Beam Angle (°)
552000003900	Trunk-P2 Mod L15-23/35W	1.4	1437	4000K	4140/6300	-20	50	DF
552000004000	Trunk-P2 Mod L15-23/35W	1.4	1437	4000K	4140/6300	-20	50	DF
552000004100	Trunk-P2 Mod L15-23/35W	1.4	1437	3000K	3910/5950	-20	50	DF
552000004200	Trunk-P2 Mod L15-23/35W	1.4	1437	3000K	3910/5950	-20	50	DF
552000004300	Trunk-P2 Mod L15-23/35W	1.4	1437	5700K	4140/6300	-20	50	DF
552000004400	Trunk-P2 Mod L15-23/35W	1.4	1437	5700K	4140/6300	-20	50	DF
552000007500	Trunk-P2 Mod L15-35W-DALI	1.4	1437	4000K	6300	-20	45	DF
552000007600	Trunk-P2 Mod L15-35W-DALI	1.4	1437	4000K	6300	-20	45	DF
552000007700	Trunk-P2 Mod L15-35W-DALI	1.4	1437	3000K	5950	-20	45	DF
552000007800	Trunk-P2 Mod L15-35W-DALI	1.4	1437	3000K	5950	-20	45	DF
552000007900	Trunk-P2 Mod L15-35W-DALI	1.4	1437	5700K	6300	-20	45	DF
552000008000	Trunk-P2 Mod L15-35W-DALI	1.4	1437	5700K	6300	-20	45	DF
552000017600	Trunk-P2 Mod L15-35/48W	1.4	1437	4000K	6300/8640	-20	50	DF
552000017700	Trunk-P2 Mod L15-35/48W	1.4	1437	4000K	6300/8640	-20	50	DF
552000017800	Trunk-P2 Mod L15-35/48W	1.4	1437	3000K	5950/8160	-20	50	DF
552000017900	Trunk-P2 Mod L15-35/48W	1.4	1437	3000K	5950/8160	-20	50	DF
552000018000	Trunk-P2 Mod L15-35/48W	1.4	1437	5700K	6300/8640	-20	50	DF
552000018100	Trunk-P2 Mod L15-35/48W	1.4	1437	5700K	6300/8640	-20	50	DF
552000019700	Trunk-P2 Mod L15-48W-DALI	1.4	1437	4000K	8640	-20	45	DF
552000019800	Trunk-P2 Mod L15-48W-DALI	1.4	1437	4000K	8640	-20	45	DF
552000019900	Trunk-P2 Mod L15-48W-DALI	1.4	1437	3000K	8160	-20	45	DF
552000020000	Trunk-P2 Mod L15-48W-DALI	1.4	1437	3000K	8160	-20	45	DF
552000020100	Trunk-P2 Mod L15-48W-DALI	1.4	1437	5700K	8640	-20	45	DF
552000020200	Trunk-P2 Mod L15-48W-DALI	1.4	1437	5700K	8640	-20	45	DF
552000029500	Trunk-P2 Mod L15-23/35W-IP54	1.4	1437	4000K	3910/5950	-20	50	DF
552000029600	Trunk-P2 Mod L15-23/35W-IP54	1.4	1437	5700K	3910/5950	-20	50	DF
552000029700	Trunk-P2 Mod L15-35/48W-IP54	1.4	1437	4000K	5950/8160	-20	50	DF
552000029800	Trunk-P2 Mod L15-35/48W-IP54	1.4	1437	5700K	5950/8160	-20	50	DF
552000032100	Trunk-P2 Mod L15-35W-DALI-IP54	1.9	1437	4000K	5950	-20	45	DF
552000032200	Trunk-P2 Mod L15-35W-DALI-IP54	1.9	1437	5700K	5950	-20	45	DF
552000038500	Trunk-P2 Mod L15-48W-DALI-IP54	1.4	1437	4000K	8160	-20	45	DF
552000038600	Trunk-P2 Mod L15-48W-DALI-IP54	1.4	1437	5700K	8160	-20	45	DF

LED Module



Product Code	Model name	Weight (kg)	L(mm)	CCT	LM	Operating Temperature Min (°C)	Operating Temperature Max (°C)	Beam Angle (°)
552000000900	Trunk-P2 Mod L15-23/35W	1.9	1437	4000K	4600/7000	-20	50	120
552000001000	Trunk-P2 Mod L15-23/35W	1.9	1437	4000K	4600/7000	-20	50	120
552000001100	Trunk-P2 Mod L15-23/35W	1.9	1437	4000K	4600/7000	-20	50	90
552000001200	Trunk-P2 Mod L15-23/35W	1.9	1437	4000K	4600/7000	-20	50	90
552000001300	Trunk-P2 Mod L15-23/35W	1.9	1437	4000K	4600/7000	-20	50	60
552000001400	Trunk-P2 Mod L15-23/35W	1.9	1437	4000K	4600/7000	-20	50	60
552000001500	Trunk-P2 Mod L15-23/35W	1.9	1437	4000K	4600/7000	-20	50	BW
552000001600	Trunk-P2 Mod L15-23/35W	1.9	1437	4000K	4600/7000	-20	50	BW
552000001700	Trunk-P2 Mod L15-23/35W	1.9	1437	4000K	4600/7000	-20	50	AS
552000001800	Trunk-P2 Mod L15-23/35W	1.9	1437	4000K	4600/7000	-20	50	AS
552000001900	Trunk-P2 Mod L15-23/35W	1.9	1437	3000K	4370/6650	-20	50	120
552000002000	Trunk-P2 Mod L15-23/35W	1.9	1437	3000K	4370/6650	-20	50	120
552000002100	Trunk-P2 Mod L15-23/35W	1.9	1437	3000K	4370/6650	-20	50	90
552000002200	Trunk-P2 Mod L15-23/35W	1.9	1437	3000K	4370/6650	-20	50	90
552000002300	Trunk-P2 Mod L15-23/35W	1.9	1437	3000K	4370/6650	-20	50	60
552000002400	Trunk-P2 Mod L15-23/35W	1.9	1437	3000K	4370/6650	-20	50	60
552000002500	Trunk-P2 Mod L15-23/35W	1.9	1437	3000K	4370/6650	-20	50	BW
552000002600	Trunk-P2 Mod L15-23/35W	1.9	1437	3000K	4370/6650	-20	50	BW
552000002700	Trunk-P2 Mod L15-23/35W	1.9	1437	3000K	4370/6650	-20	50	AS
552000002800	Trunk-P2 Mod L15-23/35W	1.9	1437	3000K	4370/6650	-20	50	AS
552000002900	Trunk-P2 Mod L15-23/35W	1.9	1437	5700K	4600/7000	-20	50	120
552000003000	Trunk-P2 Mod L15-23/35W	1.9	1437	5700K	4600/7000	-20	50	120
552000003100	Trunk-P2 Mod L15-23/35W	1.9	1437	5700K	4600/7000	-20	50	90
552000003200	Trunk-P2 Mod L15-23/35W	1.9	1437	5700K	4600/7000	-20	50	90
552000003300	Trunk-P2 Mod L15-23/35W	1.9	1437	5700K	4600/7000	-20	50	60
552000003400	Trunk-P2 Mod L15-23/35W	1.9	1437	5700K	4600/7000	-20	50	60
552000003500	Trunk-P2 Mod L15-23/35W	1.9	1437	5700K	4600/7000	-20	50	BW
552000003600	Trunk-P2 Mod L15-23/35W	1.9	1437	5700K	4600/7000	-20	50	BW
552000003700	Trunk-P2 Mod L15-23/35W	1.9	1437	5700K	4600/7000	-20	50	AS
552000003800	Trunk-P2 Mod L15-23/35W	1.9	1437	5700K	4600/7000	-20	50	AS
552000004500	Trunk-P2 Mod L15-35W-DALI	1.9	1437	4000K	7000	-20	45	120

Product Code	Model name	Weight (kg)	L(mm)	CCT	LM	Operating Temperature Min (℃)	Operating Temperature Max (℃)	Beam Angle (°)
552000004600	Trunk-P2 Mod L15-35W-DALI	1.9	1437	4000K	7000	-20	45	120
552000004700	Trunk-P2 Mod L15-35W-DALI	1.9	1437	4000K	7000	-20	45	90
552000004800	Trunk-P2 Mod L15-35W-DALI	1.9	1437	4000K	7000	-20	45	90
552000004900	Trunk-P2 Mod L15-35W-DALI	1.9	1437	4000K	7000	-20	45	60
552000005000	Trunk-P2 Mod L15-35W-DALI	1.9	1437	4000K	7000	-20	45	60
552000005100	Trunk-P2 Mod L15-35W-DALI	1.9	1437	4000K	7000	-20	45	BW
552000005200	Trunk-P2 Mod L15-35W-DALI	1.9	1437	4000K	7000	-20	45	BW
552000005300	Trunk-P2 Mod L15-35W-DALI	1.9	1437	4000K	7000	-20	45	AS
552000005400	Trunk-P2 Mod L15-35W-DALI	1.9	1437	4000K	7000	-20	45	AS
552000005500	Trunk-P2 Mod L15-35W-DALI	1.9	1437	3000K	6300	-20	45	120
552000005600	Trunk-P2 Mod L15-35W-DALI	1.9	1437	3000K	6300	-20	45	120
552000005700	Trunk-P2 Mod L15-35W-DALI	1.9	1437	3000K	6300	-20	45	90
552000005800	Trunk-P2 Mod L15-35W-DALI	1.9	1437	3000K	6300	-20	45	90
552000005900	Trunk-P2 Mod L15-35W-DALI	1.9	1437	3000K	6300	-20	45	60
552000006000	Trunk-P2 Mod L15-35W-DALI	1.9	1437	3000K	6300	-20	45	60
552000006100	Trunk-P2 Mod L15-35W-DALI	1.9	1437	3000K	6300	-20	45	BW
552000006200	Trunk-P2 Mod L15-35W-DALI	1.9	1437	3000K	6300	-20	45	BW
552000006300	Trunk-P2 Mod L15-35W-DALI	1.9	1437	3000K	6300	-20	45	AS
552000006400	Trunk-P2 Mod L15-35W-DALI	1.9	1437	3000K	6300	-20	45	AS
552000006500	Trunk-P2 Mod L15-35W-DALI	1.9	1437	5700K	7000	-20	45	120
552000006600	Trunk-P2 Mod L15-35W-DALI	1.9	1437	5700K	7000	-20	45	120
552000006700	Trunk-P2 Mod L15-35W-DALI	1.9	1437	5700K	7000	-20	45	90
552000006800	Trunk-P2 Mod L15-35W-DALI	1.9	1437	5700K	7000	-20	45	90
552000006900	Trunk-P2 Mod L15-35W-DALI	1.9	1437	5700K	7000	-20	45	60
552000007000	Trunk-P2 Mod L15-35W-DALI	1.9	1437	5700K	7000	-20	45	60
552000007100	Trunk-P2 Mod L15-35W-DALI	1.9	1437	5700K	7000	-20	45	BW
552000007200	Trunk-P2 Mod L15-35W-DALI	1.9	1437	5700K	7000	-20	45	BW
552000007300	Trunk-P2 Mod L15-35W-DALI	1.9	1437	5700K	7000	-20	45	AS
552000007400	Trunk-P2 Mod L15-35W-DALI	1.9	1437	5700K	7000	-20	45	AS
552000008100	Trunk-P2 Mod L15-35/48W	1.9	1437	4000K	7000/9600	-20	50	120
552000008200	Trunk-P2 Mod L15-35/48W	1.9	1437	4000K	7000/9600	-20	50	120
552000008300	Trunk-P2 Mod L15-35/48W	1.9	1437	4000K	7000/9600	-20	50	90
552000008400	Trunk-P2 Mod L15-35/48W	1.9	1437	4000K	7000/9600	-20	50	90
552000008500	Trunk-P2 Mod L15-35/48W	1.9	1437	4000K	7000/9600	-20	50	60
552000008600	Trunk-P2 Mod L15-35/48W	1.9	1437	4000K	7000/9600	-20	50	60
552000008700	Trunk-P2 Mod L15-35/48W	1.9	1437	4000K	7000/9600	-20	50	BW
552000008800	Trunk-P2 Mod L15-35/48W	1.9	1437	4000K	7000/9600	-20	50	BW
552000008900	Trunk-P2 Mod L15-35/48W	1.9	1437	4000K	7000/9600	-20	50	AS
552000009000	Trunk-P2 Mod L15-35/48W	1.9	1437	4000K	7000/9600	-20	50	AS
552000009100	Trunk-P2 Mod L15-35/48W	1.9	1437	3000K	6650/9120	-20	50	120
552000009200	Trunk-P2 Mod L15-35/48W	1.9	1437	3000K	6650/9120	-20	50	120
552000009300	Trunk-P2 Mod L15-35/48W	1.9	1437	3000K	6650/9120	-20	50	90
552000009400	Trunk-P2 Mod L15-35/48W	1.9	1437	3000K	6650/9120	-20	50	90
552000009500	Trunk-P2 Mod L15-35/48W	1.9	1437	3000K	6650/9120	-20	50	60
552000009600	Trunk-P2 Mod L15-35/48W	1.9	1437	3000K	6650/9120	-20	50	60
552000009700	Trunk-P2 Mod L15-35/48W	1.9	1437	3000K	6650/9120	-20	50	BW
552000009800	Trunk-P2 Mod L15-35/48W	1.9	1437	3000K	6650/9120	-20	50	BW
552000009900	Trunk-P2 Mod L15-35/48W	1.9	1437	3000K	6650/9120	-20	50	AS
552000010000	Trunk-P2 Mod L15-35/48W	1.9	1437	3000K	6650/9120	-20	50	AS
552000010100	Trunk-P2 Mod L15-35/48W	1.9	1437	5700K	7000/9600	-20	50	120
552000010200	Trunk-P2 Mod L15-35/48W	1.9	1437	5700K	7000/9600	-20	50	120
552000010300	Trunk-P2 Mod L15-35/48W	1.9	1437	5700K	7000/9600	-20	50	90
552000010400	Trunk-P2 Mod L15-35/48W	1.9	1437	5700K	7000/9600	-20	50	90
552000010500	Trunk-P2 Mod L15-35/48W	1.9	1437	5700K	7000/9600	-20	50	60
552000010600	Trunk-P2 Mod L15-35/48W	1.9	1437	5700K	7000/9600	-20	50	60
552000010700	Trunk-P2 Mod L15-35/48W	1.9	1437	5700K	7000/9600	-20	50	BW
552000010800	Trunk-P2 Mod L15-35/48W	1.9	1437	5700K	7000/9600	-20	50	BW
552000010900	Trunk-P2 Mod L15-35/48W	1.9	1437	5700K	7000/9600	-20	50	AS
552000011000	Trunk-P2 Mod L15-35/48W	1.9	1437	5700K	7000/9600	-20	50	AS
552000011100	Trunk-P2 Mod L15-48W-DALI	1.9	1437	4000K	9600	-20	45	120
552000011200	Trunk-P2 Mod L15-48W-DALI	1.9	1437	4000K	9600	-20	45	120
552000011300	Trunk-P2 Mod L15-48W-DALI	1.9	1437	4000K	9600	-20	45	90
552000011400	Trunk-P2 Mod L15-48W-DALI	1.9	1437	4000K	9600	-20	45	90
552000011500	Trunk-P2 Mod L15-48W-DALI	1.9	1437	4000K	9600	-20	45	60
552000011600	Trunk-P2 Mod L15-48W-DALI	1.9	1437	4000K	9600	-20	45	60
552000011700	Trunk-P2 Mod L15-48W-DALI	1.9	1437	4000K	9600	-20	45	BW
552000011800	Trunk-P2 Mod L15-48W-DALI	1.9	1437	4000K	9600	-20	45	BW
552000011900	Trunk-P2 Mod L15-48W-DALI	1.9	1437	4000K	9600	-20	45	AS
552000012000	Trunk-P2 Mod L15-48W-DALI	1.9	1437	4000K	9600	-20	45	AS

Product Code	Model name	Weight (kg)	L(mm)	CCT	LM	Operating Temperature Min (℃)	Operating Temperature Max (℃)	Beam Angle (°)
552000012100	Trunk-P2 Mod L15-48W-DALI	1.9	1437	3000K	9120	-20	45	120
552000012200	Trunk-P2 Mod L15-48W-DALI	1.9	1437	3000K	9120	-20	45	120
552000012300	Trunk-P2 Mod L15-48W-DALI	1.9	1437	3000K	9120	-20	45	90
552000012400	Trunk-P2 Mod L15-48W-DALI	1.9	1437	3000K	9120	-20	45	90
552000012500	Trunk-P2 Mod L15-48W-DALI	1.9	1437	3000K	9120	-20	45	60
552000012600	Trunk-P2 Mod L15-48W-DALI	1.9	1437	3000K	9120	-20	45	60
552000012700	Trunk-P2 Mod L15-48W-DALI	1.9	1437	3000K	9120	-20	45	BW
552000012800	Trunk-P2 Mod L15-48W-DALI	1.9	1437	3000K	9120	-20	45	BW
552000012900	Trunk-P2 Mod L15-48W-DALI	1.9	1437	3000K	9120	-20	45	AS
552000013000	Trunk-P2 Mod L15-48W-DALI	1.9	1437	3000K	9120	-20	45	AS
552000013100	Trunk-P2 Mod L15-48W-DALI	1.9	1437	5700K	9600	-20	45	120
552000013200	Trunk-P2 Mod L15-48W-DALI	1.9	1437	5700K	9600	-20	45	120
552000013300	Trunk-P2 Mod L15-48W-DALI	1.9	1437	5700K	9600	-20	45	90
552000013400	Trunk-P2 Mod L15-48W-DALI	1.9	1437	5700K	9600	-20	45	90
552000013500	Trunk-P2 Mod L15-48W-DALI	1.9	1437	5700K	9600	-20	45	60
552000013600	Trunk-P2 Mod L15-48W-DALI	1.9	1437	5700K	9600	-20	45	60
552000013700	Trunk-P2 Mod L15-48W-DALI	1.9	1437	5700K	9600	-20	45	BW
552000013800	Trunk-P2 Mod L15-48W-DALI	1.9	1437	5700K	9600	-20	45	BW
552000013900	Trunk-P2 Mod L15-48W-DALI	1.9	1437	5700K	9600	-20	45	AS
552000014000	Trunk-P2 Mod L15-48W-DALI	1.9	1437	5700K	9600	-20	45	AS
552000014100	Trunk-P2 Mod L15-48/63W	1.9	1437	4000K	9600/12600	-20	50	120
552000014200	Trunk-P2 Mod L15-48/63W	1.9	1437	4000K	9600/12600	-20	50	90
552000014300	Trunk-P2 Mod L15-48/63W	1.9	1437	4000K	9600/12600	-20	50	60
552000014400	Trunk-P2 Mod L15-48/63W	1.9	1437	4000K	9600/12600	-20	50	BW
552000014500	Trunk-P2 Mod L15-48/63W	1.9	1437	4000K	9600/12600	-20	50	AS
552000014600	Trunk-P2 Mod L15-48/63W	1.9	1437	5700K	9600/12600	-20	50	120
552000014700	Trunk-P2 Mod L15-48/63W	1.9	1437	5700K	9600/12600	-20	50	90
552000014800	Trunk-P2 Mod L15-48/63W	1.9	1437	5700K	9600/12600	-20	50	60
552000014900	Trunk-P2 Mod L15-48/63W	1.9	1437	5700K	9600/12600	-20	50	BW
552000015000	Trunk-P2 Mod L15-48/63W	1.9	1437	5700K	9600/12600	-20	50	AS
552000015100	Trunk-P2 Mod L15-63W-DALI	1.9	1437	4000K	12600	-20	45	120
552000015200	Trunk-P2 Mod L15-63W-DALI	1.9	1437	4000K	12600	-20	45	90
552000015300	Trunk-P2 Mod L15-63W-DALI	1.9	1437	4000K	12600	-20	45	60
552000015400	Trunk-P2 Mod L15-63W-DALI	1.9	1437	4000K	12600	-20	45	BW
552000015500	Trunk-P2 Mod L15-63W-DALI	1.9	1437	4000K	12600	-20	45	AS
552000015600	Trunk-P2 Mod L15-63W-DALI	1.9	1437	5700K	12600	-20	45	120
552000015700	Trunk-P2 Mod L15-63W-DALI	1.9	1437	5700K	12600	-20	45	90
552000015800	Trunk-P2 Mod L15-63W-DALI	1.9	1437	5700K	12600	-20	45	60
552000015900	Trunk-P2 Mod L15-63W-DALI	1.9	1437	5700K	12600	-20	45	BW
552000016000	Trunk-P2 Mod L15-63W-DALI	1.9	1437	5700K	12600	-20	45	AS
552000016100	Trunk-P2 Mod L22-100/120W	2.2	2294	4000K	20800/24960	-20	50	120
552000016200	Trunk-P2 Mod L22-100/120W	2.2	2294	4000K	20800/24960	-20	50	90
552000016300	Trunk-P2 Mod L22-100/120W	2.2	2294	4000K	20800/24960	-20	50	60
552000016400	Trunk-P2 Mod L22-100/120W	2.2	2294	4000K	20800/24960	-20	50	BW
552000016500	Trunk-P2 Mod L22-100/120W	2.2	2294	4000K	20800/24960	-20	50	AS
552000017100	Trunk-P2 Mod L22-100/120W	2.2	2294	5700K	20800/24960	-20	50	120
552000017200	Trunk-P2 Mod L22-100/120W	2.2	2294	5700K	20800/24960	-20	50	90
552000017300	Trunk-P2 Mod L22-100/120W	2.2	2294	5700K	20800/24960	-20	50	60
552000017400	Trunk-P2 Mod L22-100/120W	2.2	2294	5700K	20800/24960	-20	50	BW
552000017500	Trunk-P2 Mod L22-100/120W	2.2	2294	5700K	20800/24960	-20	50	AS
552000018700	Trunk-P2 Mod L22-120W-DALI	2.2	2294	4000K	24960	-20	55	120
552000018800	Trunk-P2 Mod L22-120W-DALI	2.2	2294	4000K	24960	-20	55	90
552000018900	Trunk-P2 Mod L22-120W-DALI	2.2	2294	4000K	24960	-20	55	60
552000019000	Trunk-P2 Mod L22-120W-DALI	2.2	2294	4000K	24960	-20	55	BW
552000019100	Trunk-P2 Mod L22-120W-DALI	2.2	2294	4000K	24960	-20	55	AS
552000019200	Trunk-P2 Mod L22-120W-DALI	2.2	2294	5700K	24960	-20	55	120
552000019300	Trunk-P2 Mod L22-120W-DALI	2.2	2294	5700K	24960	-20	55	90
552000019400	Trunk-P2 Mod L22-120W-DALI	2.2	2294	5700K	24960	-20	55	60
552000019500	Trunk-P2 Mod L22-120W-DALI	2.2	2294	5700K	24960	-20	55	BW
552000019600	Trunk-P2 Mod L22-120W-DALI	2.2	2294	5700K	24960	-20	55	AS
552000020300	Trunk-P2 Mod L22-35/48W	2.2	2294	4000K	7280/9984	-20	50	120
552000020400	Trunk-P2 Mod L22-35/48W	2.2	2294	4000K	7280/9984	-20	50	120
552000020500	Trunk-P2 Mod L22-35/48W	2.2	2294	4000K	7280/9984	-20	50	90
552000020600	Trunk-P2 Mod L22-35/48W	2.2	2294	4000K	7280/9984	-20	50	90
552000020700	Trunk-P2 Mod L22-35/48W	2.2	2294	4000K	7280/9984	-20	50	60
552000020800	Trunk-P2 Mod L22-35/48W	2.2	2294	4000K	7280/9984	-20	50	60
552000020900	Trunk-P2 Mod L22-35/48W	2.2	2294	4000K	7280/9984	-20	50	BW
552000021000	Trunk-P2 Mod L22-35/48W	2.2	2294	4000K	7280/9984	-20	50	BW

Product Code	Model name	Weight (kg)	L(mm)	CCT	LM	Operating Temperature Min (°C)	Operating Temperature Max (°C)	Beam Angle (°)
552000021100	Trunk-P2 Mod L22-35/48W	2.2	2294	4000K	7280/9984	-20	50	AS
552000021200	Trunk-P2 Mod L22-35/48W	2.2	2294	4000K	7280/9984	-20	50	AS
552000021300	Trunk-P2 Mod L22-35/48W	2.2	2294	3000K	7000/9600	-20	50	120
552000021400	Trunk-P2 Mod L22-35/48W	2.2	2294	3000K	7000/9600	-20	50	120
552000021500	Trunk-P2 Mod L22-35/48W	2.2	2294	3000K	7000/9600	-20	50	90
552000021600	Trunk-P2 Mod L22-35/48W	2.2	2294	3000K	7000/9600	-20	50	90
552000021700	Trunk-P2 Mod L22-35/48W	2.2	2294	3000K	7000/9600	-20	50	60
552000021800	Trunk-P2 Mod L22-35/48W	2.2	2294	3000K	7000/9600	-20	50	60
552000021900	Trunk-P2 Mod L22-35/48W	2.2	2294	3000K	7000/9600	-20	50	BW
552000022000	Trunk-P2 Mod L22-35/48W	2.2	2294	3000K	7000/9600	-20	50	BW
552000022100	Trunk-P2 Mod L22-35/48W	2.2	2294	3000K	7000/9600	-20	50	AS
552000022200	Trunk-P2 Mod L22-35/48W	2.2	2294	3000K	7000/9600	-20	50	AS
552000022300	Trunk-P2 Mod L22-35/48W	2.2	2294	5700K	7280/9984	-20	50	120
552000022400	Trunk-P2 Mod L22-35/48W	2.2	2294	5700K	7280/9984	-20	50	120
552000022500	Trunk-P2 Mod L22-35/48W	2.2	2294	5700K	7280/9984	-20	50	90
552000022600	Trunk-P2 Mod L22-35/48W	2.2	2294	5700K	7280/9984	-20	50	90
552000022700	Trunk-P2 Mod L22-35/48W	2.2	2294	5700K	7280/9984	-20	50	60
552000022800	Trunk-P2 Mod L22-35/48W	2.2	2294	5700K	7280/9984	-20	50	60
552000022900	Trunk-P2 Mod L22-35/48W	2.2	2294	5700K	7280/9984	-20	50	AS
552000023000	Trunk-P2 Mod L22-35/48W	2.2	2294	5700K	7280/9984	-20	50	AS
552000023100	Trunk-P2 Mod L22-35/48W	2.2	2294	5700K	7280/9984	-20	50	BW
552000023200	Trunk-P2 Mod L22-35/48W	2.2	2294	5700K	7280/9984	-20	50	BW
552000023300	Trunk-P2 Mod L22-48W-DALI	2.2	2294	4000K	9984	-20	45	120
552000023400	Trunk-P2 Mod L22-48W-DALI	2.2	2294	4000K	9984	-20	45	120
552000023500	Trunk-P2 Mod L22-48W-DALI	2.2	2294	4000K	9984	-20	45	90
552000023600	Trunk-P2 Mod L22-48W-DALI	2.2	2294	4000K	9984	-20	45	90
552000023700	Trunk-P2 Mod L22-48W-DALI	2.2	2294	4000K	9984	-20	45	60
552000023800	Trunk-P2 Mod L22-48W-DALI	2.2	2294	4000K	9984	-20	45	60
552000023900	Trunk-P2 Mod L22-48W-DALI	2.2	2294	4000K	9984	-20	45	BW
552000024000	Trunk-P2 Mod L22-48W-DALI	2.2	2294	4000K	9984	-20	45	BW
552000024100	Trunk-P2 Mod L22-48W-DALI	2.2	2294	4000K	9984	-20	45	AS
552000024200	Trunk-P2 Mod L22-48W-DALI	2.2	2294	4000K	9984	-20	45	AS
552000024300	Trunk-P2 Mod L22-48W-DALI	2.2	2294	3000K	9600	-20	45	120
552000024400	Trunk-P2 Mod L22-48W-DALI	2.2	2294	3000K	9600	-20	45	120
552000024500	Trunk-P2 Mod L22-48W-DALI	2.2	2294	3000K	9600	-20	45	90
552000024600	Trunk-P2 Mod L22-48W-DALI	2.2	2294	3000K	9600	-20	45	90
552000024700	Trunk-P2 Mod L22-48W-DALI	2.2	2294	3000K	9600	-20	45	60
552000024800	Trunk-P2 Mod L22-48W-DALI	2.2	2294	3000K	9600	-20	45	60
552000024900	Trunk-P2 Mod L22-48W-DALI	2.2	2294	3000K	9600	-20	45	BW
552000025000	Trunk-P2 Mod L22-48W-DALI	2.2	2294	3000K	9600	-20	45	BW
552000025100	Trunk-P2 Mod L22-48W-DALI	2.2	2294	3000K	9600	-20	45	AS
552000025200	Trunk-P2 Mod L22-48W-DALI	2.2	2294	3000K	9600	-20	45	AS
552000025300	Trunk-P2 Mod L22-48W-DALI	2.2	2294	5700K	9984	-20	45	120
552000025400	Trunk-P2 Mod L22-48W-DALI	2.2	2294	5700K	9984	-20	45	120
552000025500	Trunk-P2 Mod L22-48W-DALI	2.2	2294	5700K	9984	-20	45	90
552000025600	Trunk-P2 Mod L22-48W-DALI	2.2	2294	5700K	9984	-20	45	90
552000025700	Trunk-P2 Mod L22-48W-DALI	2.2	2294	5700K	9984	-20	45	AS
552000025800	Trunk-P2 Mod L22-48W-DALI	2.2	2294	5700K	9984	-20	45	AS
552000025900	Trunk-P2 Mod L22-48W-DALI	2.2	2294	5700K	9984	-20	45	BW
552000026000	Trunk-P2 Mod L22-48W-DALI	2.2	2294	5700K	9984	-20	45	BW
552000026100	Trunk-P2 Mod L22-48W-DALI	2.2	2294	5700K	9984	-20	45	60
552000026200	Trunk-P2 Mod L22-48W-DALI	2.2	2294	5700K	9984	-20	45	60
552000026300	Trunk-P2 Mod L22-48/63W	2.2	2294	4000K	9984/13104	-20	50	120
552000026400	Trunk-P2 Mod L22-48/63W	2.2	2294	4000K	9984/13104	-20	50	90
552000026500	Trunk-P2 Mod L22-48/63W	2.2	2294	4000K	9984/13104	-20	50	60
552000026600	Trunk-P2 Mod L22-48/63W	2.2	2294	4000K	9984/13104	-20	50	BW
552000026700	Trunk-P2 Mod L22-48/63W	2.2	2294	4000K	9984/13104	-20	50	AS
552000026800	Trunk-P2 Mod L22-48/63W	2.2	2294	5700K	9984/13104	-20	50	120
552000026900	Trunk-P2 Mod L22-48/63W	2.2	2294	5700K	9984/13104	-20	50	90
552000027000	Trunk-P2 Mod L22-48/63W	2.2	2294	5700K	9984/13104	-20	50	60
552000027100	Trunk-P2 Mod L22-63W-DALI	2.2	2294	4000K	13104	-20	45	120
552000027200	Trunk-P2 Mod L22-63W-DALI	2.2	2294	4000K	13104	-20	45	90
552000027300	Trunk-P2 Mod L22-63W-DALI	2.2	2294	4000K	13104	-20	45	60
552000027400	Trunk-P2 Mod L22-63W-DALI	2.2	2294	4000K	13104	-20	45	BW
552000027500	Trunk-P2 Mod L22-63W-DALI	2.2	2294	4000K	13104	-20	45	AS
552000027600	Trunk-P2 Mod L22-63W-DALI	2.2	2294	5700K	13104	-20	45	120
552000027700	Trunk-P2 Mod L22-63W-DALI	2.2	2294	5700K	13104	-20	45	90
552000027800	Trunk-P2 Mod L22-63W-DALI	2.2	2294	5700K	13104	-20	45	60

Product Code	Model name	Weight (kg)	L(mm)	CCT	LM	Operating Temperature Min (℃)	Operating Temperature Max (℃)	Beam Angle (°)
552000027900	Trunk-P2 Mod L22-63/83W	2.2	2294	4000K	13104/17264	-20	50	120
552000028000	Trunk-P2 Mod L22-63/83W	2.2	2294	4000K	13104/17264	-20	50	90
552000028100	Trunk-P2 Mod L22-63/83W	2.2	2294	4000K	13104/17264	-20	50	60
552000028200	Trunk-P2 Mod L22-63/83W	2.2	2294	4000K	13104/17264	-20	50	BW
552000028300	Trunk-P2 Mod L22-63/83W	2.2	2294	4000K	13104/17264	-20	50	AS
552000028400	Trunk-P2 Mod L22-63/83W	2.2	2294	5700K	13104/17264	-20	50	120
552000028500	Trunk-P2 Mod L22-63/83W	2.2	2294	5700K	13104/17264	-20	50	90
552000028600	Trunk-P2 Mod L22-63/83W	2.2	2294	5700K	13104/17264	-20	50	60
552000028700	Trunk-P2 Mod L22-83W-DALI	2.2	2294	4000K	17264	-20	55	120
552000028800	Trunk-P2 Mod L22-83W-DALI	2.2	2294	4000K	17264	-20	55	90
552000028900	Trunk-P2 Mod L22-83W-DALI	2.2	2294	4000K	17264	-20	55	60
552000029000	Trunk-P2 Mod L22-83W-DALI	2.2	2294	4000K	17264	-20	55	BW
552000029100	Trunk-P2 Mod L22-83W-DALI	2.2	2294	4000K	17264	-20	55	AS
552000029200	Trunk-P2 Mod L22-83W-DALI	2.2	2294	5700K	17264	-20	55	120
552000029300	Trunk-P2 Mod L22-83W-DALI	2.2	2294	5700K	17264	-20	55	90
552000029400	Trunk-P2 Mod L22-83W-DALI	2.2	2294	5700K	17264	-20	55	60
552000029900	Trunk-P2 Mod L15-23/35W-IP54	1.9	1437	4000K	4485/6825	-20	50	120
552000030000	Trunk-P2 Mod L15-23/35W-IP54	1.9	1437	4000K	4485/6825	-20	50	90
552000030100	Trunk-P2 Mod L15-23/35W-IP54	1.9	1437	4000K	4485/6825	-20	50	60
552000030200	Trunk-P2 Mod L15-23/35W-IP54	1.9	1437	4000K	4485/6825	-20	50	BW
552000030300	Trunk-P2 Mod L15-23/35W-IP54	1.9	1437	4000K	4485/6825	-20	50	AS
552000030400	Trunk-P2 Mod L15-23/35W-IP54	1.9	1437	5700K	4485/6825	-20	50	120
552000030500	Trunk-P2 Mod L15-23/35W-IP54	1.9	1437	5700K	4485/6825	-20	50	90
552000030600	Trunk-P2 Mod L15-23/35W-IP54	1.9	1437	5700K	4485/6825	-20	50	60
552000030700	Trunk-P2 Mod L15-23/35W-IP54	1.9	1437	5700K	4485/6825	-20	50	BW
552000030800	Trunk-P2 Mod L15-23/35W-IP54	1.9	1437	5700K	4485/6825	-20	50	AS
552000031100	Trunk-P2 Mod L15-35W-DALI-IP54	1.9	1437	4000K	6825	-20	45	120
552000031200	Trunk-P2 Mod L15-35W-DALI-IP54	1.9	1437	4000K	6825	-20	45	90
552000031300	Trunk-P2 Mod L15-35W-DALI-IP54	1.9	1437	4000K	6825	-20	45	60
552000031400	Trunk-P2 Mod L15-35W-DALI-IP54	1.9	1437	4000K	6825	-20	45	BW
552000031500	Trunk-P2 Mod L15-35W-DALI-IP54	1.9	1437	4000K	6825	-20	45	AS
552000031600	Trunk-P2 Mod L15-35W-DALI-IP54	1.9	1437	5700K	6825	-20	45	120
552000031700	Trunk-P2 Mod L15-35W-DALI-IP54	1.9	1437	5700K	6825	-20	45	90
552000031800	Trunk-P2 Mod L15-35W-DALI-IP54	1.9	1437	5700K	6825	-20	45	60
552000031900	Trunk-P2 Mod L15-35W-DALI-IP54	1.9	1437	5700K	6825	-20	45	BW
552000032000	Trunk-P2 Mod L15-35W-DALI-IP54	1.9	1437	5700K	6825	-20	45	AS
552000032300	Trunk-P2 Mod L15-35/48W-IP54	1.9	1437	4000K	6825/9360	-20	50	120
552000032400	Trunk-P2 Mod L15-35/48W-IP54	1.9	1437	4000K	6825/9360	-20	50	90
552000032500	Trunk-P2 Mod L15-35/48W-IP54	1.9	1437	4000K	6825/9360	-20	50	60
552000032600	Trunk-P2 Mod L15-35/48W-IP54	1.9	1437	4000K	6825/9360	-20	50	BW
552000032700	Trunk-P2 Mod L15-35/48W-IP54	1.9	1437	4000K	6825/9360	-20	50	AS
552000032800	Trunk-P2 Mod L15-35/48W-IP54	1.9	1437	5700K	6825/9360	-20	50	120
552000032900	Trunk-P2 Mod L15-35/48W-IP54	1.9	1437	5700K	6825/9360	-20	50	90
552000033000	Trunk-P2 Mod L15-35/48W-IP54	1.9	1437	5700K	6825/9360	-20	50	60
552000033100	Trunk-P2 Mod L15-35/48W-IP54	1.9	1437	5700K	6825/9360	-20	50	BW
552000033200	Trunk-P2 Mod L15-35/48W-IP54	1.9	1437	5700K	6825/9360	-20	50	AS
552000033300	Trunk-P2 Mod L15-48W-DALI-IP54	1.9	1437	4000K	9360	-20	45	120
552000033400	Trunk-P2 Mod L15-48W-DALI-IP54	1.9	1437	4000K	9360	-20	45	90
552000033500	Trunk-P2 Mod L15-48W-DALI-IP54	1.9	1437	4000K	9360	-20	45	60
552000033600	Trunk-P2 Mod L15-48W-DALI-IP54	1.9	1437	4000K	9360	-20	45	BW
552000033700	Trunk-P2 Mod L15-48W-DALI-IP54	1.9	1437	4000K	9360	-20	45	AS
552000033800	Trunk-P2 Mod L15-48W-DALI-IP54	1.9	1437	5700K	9360	-20	45	120
552000033900	Trunk-P2 Mod L15-48W-DALI-IP54	1.9	1437	5700K	9360	-20	45	90
552000034000	Trunk-P2 Mod L15-48W-DALI-IP54	1.9	1437	5700K	9360	-20	45	60
552000034100	Trunk-P2 Mod L15-48W-DALI-IP54	1.9	1437	5700K	9360	-20	45	BW
552000034200	Trunk-P2 Mod L15-48W-DALI-IP54	1.9	1437	5700K	9360	-20	45	AS
552000034300	Trunk-P2 Mod L15-48/63W-IP54	1.9	1437	4000K	9360/12285	-20	50	120
552000034400	Trunk-P2 Mod L15-48/63W-IP54	1.9	1437	4000K	9360/12285	-20	50	90
552000034500	Trunk-P2 Mod L15-48/63W-IP54	1.9	1437	4000K	9360/12285	-20	50	60
552000034600	Trunk-P2 Mod L15-48/63W-IP54	1.9	1437	4000K	9360/12285	-20	50	BW
552000034700	Trunk-P2 Mod L15-48/63W-IP54	1.9	1437	4000K	9360/12285	-20	50	AS
552000034800	Trunk-P2 Mod L15-48/63W-IP54	1.9	1437	5700K	9360/12285	-20	50	120
552000034900	Trunk-P2 Mod L15-48/63W-IP54	1.9	1437	5700K	9360/12285	-20	50	90
552000035000	Trunk-P2 Mod L15-48/63W-IP54	1.9	1437	5700K	9360/12285	-20	50	60
552000035100	Trunk-P2 Mod L15-48/63W-IP54	1.9	1437	5700K	9360/12285	-20	50	BW
552000035200	Trunk-P2 Mod L15-48/63W-IP54	1.9	1437	5700K	9360/12285	-20	50	AS
552000035300	Trunk-P2 Mod L15-63W-DALI-IP54	1.9	1437	4000K	12285	-20	45	120
552000035400	Trunk-P2 Mod L15-63W-DALI-IP54	1.9	1437	4000K	12285	-20	45	90

Product Code	Model name	Weight (kg)	L(mm)	CCT	LM	Operating Temperature Min (°C)	Operating Temperature Max (°C)	Beam Angle (°)
552000035500	Trunk-P2 Mod L15-63W-DALI-IP54	1.9	1437	4000K	12285	-20	45	60
552000035600	Trunk-P2 Mod L15-63W-DALI-IP54	1.9	1437	4000K	12285	-20	45	BW
552000035700	Trunk-P2 Mod L15-63W-DALI-IP54	1.9	1437	4000K	12285	-20	45	AS
552000035800	Trunk-P2 Mod L15-63W-DALI-IP54	1.9	1437	5700K	12285	-20	45	120
552000035900	Trunk-P2 Mod L15-63W-DALI-IP54	1.9	1437	5700K	12285	-20	45	90
552000036000	Trunk-P2 Mod L15-63W-DALI-IP54	1.9	1437	5700K	12285	-20	45	60
552000036100	Trunk-P2 Mod L15-63W-DALI-IP54	1.9	1437	5700K	12285	-20	45	BW
552000036200	Trunk-P2 Mod L15-63W-DALI-IP54	1.9	1437	5700K	12285	-20	45	AS
552000036300	Trunk-P2 Mod L22-100/120W-IP54	2.2	2294	4000K	20000/24000	-20	50	120
552000036400	Trunk-P2 Mod L22-100/120W-IP54	2.2	2294	4000K	20000/24000	-20	50	90
552000036500	Trunk-P2 Mod L22-100/120W-IP54	2.2	2294	4000K	20000/24000	-20	50	60
552000036600	Trunk-P2 Mod L22-100/120W-IP54	2.2	2294	4000K	20000/24000	-20	50	BW
552000036700	Trunk-P2 Mod L22-100/120W-IP54	2.2	2294	4000K	20000/24000	-20	50	AS
552000036800	Trunk-P2 Mod L22-100/120W-IP54	2.2	2294	5700K	20000/24000	-20	50	120
552000036900	Trunk-P2 Mod L22-100/120W-IP54	2.2	2294	5700K	20000/24000	-20	50	90
552000037000	Trunk-P2 Mod L22-100/120W-IP54	2.2	2294	5700K	20000/24000	-20	50	60
552000037100	Trunk-P2 Mod L22-100/120W-IP54	2.2	2294	5700K	20000/24000	-20	50	BW
552000037200	Trunk-P2 Mod L22-100/120W-IP54	2.2	2294	5700K	20000/24000	-20	50	AS
552000037500	Trunk-P2 Mod L22-120W-DALI-IP54	2.2	2294	4000K	20000/24000	-20	55	120
552000037600	Trunk-P2 Mod L22-120W-DALI-IP54	2.2	2294	4000K	20000/24000	-20	55	90
552000037700	Trunk-P2 Mod L22-120W-DALI-IP54	2.2	2294	4000K	24000	-20	55	60
552000037800	Trunk-P2 Mod L22-120W-DALI-IP54	2.2	2294	4000K	24000	-20	55	BW
552000037900	Trunk-P2 Mod L22-120W-DALI-IP54	2.2	2294	4000K	24000	-20	55	AS
552000038000	Trunk-P2 Mod L22-120W-DALI-IP54	2.2	2294	5700K	24000	-20	55	120
552000038100	Trunk-P2 Mod L22-120W-DALI-IP54	2.2	2294	5700K	24000	-20	55	90
552000038200	Trunk-P2 Mod L22-120W-DALI-IP54	2.2	2294	5700K	24000	-20	55	60
552000038300	Trunk-P2 Mod L22-120W-DALI-IP54	2.2	2294	5700K	24000	-20	55	BW
552000038400	Trunk-P2 Mod L22-120W-DALI-IP54	2.2	2294	5700K	24000	-20	55	AS
552000038700	Trunk-P2 Mod L15-35/48W-IP54	2.2	1437	4000K	7000/9600	-20	50	120
552000038800	Trunk-P2 Mod L15-35/48W-IP54	2.2	1437	4000K	7000/9600	-20	50	90
552000038900	Trunk-P2 Mod L15-35/48W-IP54	2.2	1437	4000K	7000/9600	-20	50	60
552000039000	Trunk-P2 Mod L15-35/48W-IP54	2.2	1437	4000K	7000/9600	-20	50	BW
552000039100	Trunk-P2 Mod L15-35/48W-IP54	2.2	1437	4000K	7000/9600	-20	50	AS
552000039200	Trunk-P2 Mod L15-35/48W-IP54	2.2	1437	5700K	7000/9600	-20	50	120
552000039300	Trunk-P2 Mod L15-35/48W-IP54	2.2	1437	5700K	7000/9600	-20	50	90
552000039400	Trunk-P2 Mod L15-35/48W-IP54	2.2	1437	5700K	7000/9600	-20	50	60
552000039500	Trunk-P2 Mod L22-48W-DALI-IP54	2.2	2294	4000K	9600	-20	45	120
552000039600	Trunk-P2 Mod L22-48W-DALI-IP54	2.2	2294	4000K	9600	-20	45	90
552000039700	Trunk-P2 Mod L22-48W-DALI-IP54	2.2	2294	4000K	9600	-20	45	60
552000039800	Trunk-P2 Mod L22-48W-DALI-IP54	2.2	2294	4000K	9600	-20	45	BW
552000039900	Trunk-P2 Mod L22-48W-DALI-IP54	2.2	2294	4000K	9600	-20	45	AS
552000040000	Trunk-P2 Mod L22-48W-DALI-IP54	2.2	2294	5700K	9600	-20	45	120
552000040100	Trunk-P2 Mod L22-48W-DALI-IP54	2.2	2294	5700K	9600	-20	45	90
552000040200	Trunk-P2 Mod L22-48W-DALI-IP54	2.2	2294	5700K	9600	-20	45	BW
552000040300	Trunk-P2 Mod L22-48W-DALI-IP54	2.2	2294	5700K	9600	-20	45	AS
552000040400	Trunk-P2 Mod L22-48W-DALI-IP54	2.2	2294	5700K	9600	-20	45	60
552000040500	Trunk-P2 Mod L22-48/63W-IP54	2.2	2294	4000K	9600/12600	-20	50	120
552000040600	Trunk-P2 Mod L22-48/63W-IP54	2.2	2294	4000K	9600/12600	-20	50	90
552000040700	Trunk-P2 Mod L22-48/63W-IP54	2.2	2294	4000K	9600/12600	-20	50	60
552000040800	Trunk-P2 Mod L22-48/63W-IP54	2.2	2294	4000K	9600/12600	-20	50	BW
552000040900	Trunk-P2 Mod L22-48/63W-IP54	2.2	2294	4000K	9600/12600	-20	50	AS
552000041000	Trunk-P2 Mod L22-48/63W-IP54	2.2	2294	5700K	9600/12600	-20	50	120
552000041100	Trunk-P2 Mod L22-48/63W-IP54	2.2	2294	5700K	9600/12600	-20	50	90
552000041200	Trunk-P2 Mod L22-48/63W-IP54	2.2	2294	5700K	9600/12600	-20	50	60
552000041300	Trunk-P2 Mod L22-63W-DALI-IP54	2.2	2294	4000K	12600	-20	45	120
552000041400	Trunk-P2 Mod L22-63W-DALI-IP54	2.2	2294	4000K	12600	-20	45	90
552000041500	Trunk-P2 Mod L22-63W-DALI-IP54	2.2	2294	4000K	12600	-20	45	60
552000041600	Trunk-P2 Mod L22-63W-DALI-IP54	2.2	2294	4000K	12600	-20	45	BW
552000041700	Trunk-P2 Mod L22-63W-DALI-IP54	2.2	2294	4000K	12600	-20	45	AS
552000041800	Trunk-P2 Mod L22-63W-DALI-IP54	2.2	2294	5700K	12600	-20	45	120
552000041900	Trunk-P2 Mod L22-63W-DALI-IP54	2.2	2294	5700K	12600	-20	45	90
552000042000	Trunk-P2 Mod L22-63W-DALI-IP54	2.2	2294	5700K	12600	-20	45	60
552000042100	Trunk-P2 Mod L22-63/83W-IP54	2.2	2294	4000K	12600/16600	-20	50	120
552000042200	Trunk-P2 Mod L22-63/83W-IP54	2.2	2294	4000K	12600/16600	-20	50	90
552000042300	Trunk-P2 Mod L22-63/83W-IP54	2.2	2294	4000K	12600/16600	-20	50	60
552000042400	Trunk-P2 Mod L22-63/83W-IP54	2.2	2294	4000K	12600/16600	-20	50	BW
552000042500	Trunk-P2 Mod L22-63/83W-IP54	2.2	2294	4000K	12600/16600	-20	50	AS
552000042600	Trunk-P2 Mod L22-63/83W-IP54	2.2	2294	5700K	12600/16600	-20	50	120

Product Code	Model name	Weight (kg)	L(mm)	CCT	LM	Operating Temperature Min (°C)	Operating Temperature Max (°C)	Beam Angle (°)
552000042700	Trunk-P2 Mod L22-63/83W-IP54	2.2	2294	5700K	12600/16600	-20	50	90
552000042800	Trunk-P2 Mod L22-63/83W-IP54	2.2	2294	5700K	12600/16600	-20	50	60
552000042900	Trunk-P2 Mod L22-83W-DALI-IP54	2.2	2294	4000K	16600	-20	55	120
552000043000	Trunk-P2 Mod L22-83W-DALI-IP54	2.2	2294	4000K	16600	-20	55	90
552000043100	Trunk-P2 Mod L22-83W-DALI-IP54	2.2	2294	4000K	16600	-20	55	60
552000043200	Trunk-P2 Mod L22-83W-DALI-IP54	2.2	2294	4000K	16600	-20	55	BW
552000043300	Trunk-P2 Mod L22-83W-DALI-IP54	2.2	2294	4000K	16600	-20	55	AS
552000043400	Trunk-P2 Mod L22-83W-DALI-IP54	2.2	2294	5700K	16600	-20	55	120
552000043500	Trunk-P2 Mod L22-83W-DALI-IP54	2.2	2294	5700K	16600	-20	55	90
552000043600	Trunk-P2 Mod L22-83W-DALI-IP54	2.2	2294	5700K	16600	-20	55	60

Light source

Product Code	Model name	N	Light Source Code	Energy Label	QR Code
552000001900	Trunk-P2 Mod L15-23/35W	1	LS142003512	B	
552000002000	Trunk-P2 Mod L15-23/35W	1			
552000002100	Trunk-P2 Mod L15-23/35W	1			
552000002200	Trunk-P2 Mod L15-23/35W	1			
552000002300	Trunk-P2 Mod L15-23/35W	1			
552000002400	Trunk-P2 Mod L15-23/35W	1			
552000002500	Trunk-P2 Mod L15-23/35W	1			
552000002600	Trunk-P2 Mod L15-23/35W	1			
552000002700	Trunk-P2 Mod L15-23/35W	1			
552000002800	Trunk-P2 Mod L15-23/35W	1			
552000004100	Trunk-P2 Mod L15-23/35W	1			
552000004200	Trunk-P2 Mod L15-23/35W	1			
552000005500	Trunk-P2 Mod L15-35W-DALI	1			
552000005600	Trunk-P2 Mod L15-35W-DALI	1			
552000005700	Trunk-P2 Mod L15-35W-DALI	1			
552000005800	Trunk-P2 Mod L15-35W-DALI	1			
552000005900	Trunk-P2 Mod L15-35W-DALI	1			
552000006000	Trunk-P2 Mod L15-35W-DALI	1			
552000006100	Trunk-P2 Mod L15-35W-DALI	1			
552000006200	Trunk-P2 Mod L15-35W-DALI	1			
552000006300	Trunk-P2 Mod L15-35W-DALI	1			
552000006400	Trunk-P2 Mod L15-35W-DALI	1			
552000007700	Trunk-P2 Mod L15-35W-DALI	1	LS142003515	B	
552000007800	Trunk-P2 Mod L15-35W-DALI	1			
552000000900	Trunk-P2 Mod L15-23/35W	1			
552000001000	Trunk-P2 Mod L15-23/35W	1			
552000001100	Trunk-P2 Mod L15-23/35W	1			
552000001200	Trunk-P2 Mod L15-23/35W	1			
552000001300	Trunk-P2 Mod L15-23/35W	1			
552000001400	Trunk-P2 Mod L15-23/35W	1			
552000001500	Trunk-P2 Mod L15-23/35W	1			
552000001600	Trunk-P2 Mod L15-23/35W	1			
552000001700	Trunk-P2 Mod L15-23/35W	1			
552000001800	Trunk-P2 Mod L15-23/35W	1			
552000003900	Trunk-P2 Mod L15-23/35W	1			
552000004000	Trunk-P2 Mod L15-23/35W	1			
552000004500	Trunk-P2 Mod L15-35W-DALI	1			
552000004600	Trunk-P2 Mod L15-35W-DALI	1			
552000004700	Trunk-P2 Mod L15-35W-DALI	1			
552000004800	Trunk-P2 Mod L15-35W-DALI	1			
552000004900	Trunk-P2 Mod L15-35W-DALI	1			
552000005000	Trunk-P2 Mod L15-35W-DALI	1			
552000005100	Trunk-P2 Mod L15-35W-DALI	1			
552000005200	Trunk-P2 Mod L15-35W-DALI	1			
552000005300	Trunk-P2 Mod L15-35W-DALI	1			
552000005400	Trunk-P2 Mod L15-35W-DALI	1			
552000007500	Trunk-P2 Mod L15-35W-DALI	1			
552000007600	Trunk-P2 Mod L15-35W-DALI	1			
552000029500	Trunk-P2 Mod L15-23/35W-IP54	1			
552000029900	Trunk-P2 Mod L15-23/35W-IP54	1			
552000030000	Trunk-P2 Mod L15-23/35W-IP54	1			
552000030100	Trunk-P2 Mod L15-23/35W-IP54	1			
552000030200	Trunk-P2 Mod L15-23/35W-IP54	1			
552000030300	Trunk-P2 Mod L15-23/35W-IP54	1			

552000031100	Trunk-P2 Mod L15-35W-DALI-IP54	1	LS142003515	B	
552000031200	Trunk-P2 Mod L15-35W-DALI-IP54	1			
552000031300	Trunk-P2 Mod L15-35W-DALI-IP54	1			
552000031400	Trunk-P2 Mod L15-35W-DALI-IP54	1			
552000031500	Trunk-P2 Mod L15-35W-DALI-IP54	1			
552000032100	Trunk-P2 Mod L15-35W-DALI-IP54	1	LS142004812-08	B	
552000009100	Trunk-P2 Mod L15-35/48W	1			
552000009200	Trunk-P2 Mod L15-35/48W	1			
552000009300	Trunk-P2 Mod L15-35/48W	1			
552000009400	Trunk-P2 Mod L15-35/48W	1			
552000009500	Trunk-P2 Mod L15-35/48W	1			
552000009600	Trunk-P2 Mod L15-35/48W	1			
552000009700	Trunk-P2 Mod L15-35/48W	1			
552000009800	Trunk-P2 Mod L15-35/48W	1			
552000009900	Trunk-P2 Mod L15-35/48W	1			
552000010000	Trunk-P2 Mod L15-35/48W	1			
552000012100	Trunk-P2 Mod L15-48W-DALI	1			
552000012200	Trunk-P2 Mod L15-48W-DALI	1			
552000012300	Trunk-P2 Mod L15-48W-DALI	1			
552000012400	Trunk-P2 Mod L15-48W-DALI	1			
552000012500	Trunk-P2 Mod L15-48W-DALI	1			
552000012600	Trunk-P2 Mod L15-48W-DALI	1			
552000012700	Trunk-P2 Mod L15-48W-DALI	1			
552000012800	Trunk-P2 Mod L15-48W-DALI	1			
552000012900	Trunk-P2 Mod L15-48W-DALI	1			
552000013000	Trunk-P2 Mod L15-48W-DALI	1			
552000017800	Trunk-P2 Mod L15-35/48W	1			
552000017900	Trunk-P2 Mod L15-35/48W	1			
552000019900	Trunk-P2 Mod L15-48W-DALI	1			
552000020000	Trunk-P2 Mod L15-48W-DALI	1	LS142004812-09	B	
552000021300	Trunk-P2 Mod L22-35/48W	1			
552000021400	Trunk-P2 Mod L22-35/48W	1			
552000021500	Trunk-P2 Mod L22-35/48W	1			
552000021600	Trunk-P2 Mod L22-35/48W	1			
552000021700	Trunk-P2 Mod L22-35/48W	1			
552000021800	Trunk-P2 Mod L22-35/48W	1			
552000021900	Trunk-P2 Mod L22-35/48W	1			
552000022000	Trunk-P2 Mod L22-35/48W	1			
552000022100	Trunk-P2 Mod L22-35/48W	1			
552000022200	Trunk-P2 Mod L22-35/48W	1			
552000024300	Trunk-P2 Mod L22-48W-DALI	1			
552000024400	Trunk-P2 Mod L22-48W-DALI	1			
552000024500	Trunk-P2 Mod L22-48W-DALI	1			
552000024600	Trunk-P2 Mod L22-48W-DALI	1			
552000024700	Trunk-P2 Mod L22-48W-DALI	1			
552000024800	Trunk-P2 Mod L22-48W-DALI	1			
552000024900	Trunk-P2 Mod L22-48W-DALI	1			
552000025000	Trunk-P2 Mod L22-48W-DALI	1			
552000025100	Trunk-P2 Mod L22-48W-DALI	1			
552000025200	Trunk-P2 Mod L22-48W-DALI	1			
552000008100	Trunk-P2 Mod L15-35/48W	1	LS142004815-08	B	
552000008200	Trunk-P2 Mod L15-35/48W	1			
552000008300	Trunk-P2 Mod L15-35/48W	1			
552000008400	Trunk-P2 Mod L15-35/48W	1			
552000008500	Trunk-P2 Mod L15-35/48W	1			
552000008600	Trunk-P2 Mod L15-35/48W	1			
552000008700	Trunk-P2 Mod L15-35/48W	1			
552000008800	Trunk-P2 Mod L15-35/48W	1			
552000008900	Trunk-P2 Mod L15-35/48W	1			
552000009000	Trunk-P2 Mod L15-35/48W	1			
552000011100	Trunk-P2 Mod L15-48W-DALI	1			
552000011200	Trunk-P2 Mod L15-48W-DALI	1			
552000011300	Trunk-P2 Mod L15-48W-DALI	1			
552000011400	Trunk-P2 Mod L15-48W-DALI	1			
552000011500	Trunk-P2 Mod L15-48W-DALI	1			
552000011600	Trunk-P2 Mod L15-48W-DALI	1			
552000011700	Trunk-P2 Mod L15-48W-DALI	1			
552000011800	Trunk-P2 Mod L15-48W-DALI	1			
552000011900	Trunk-P2 Mod L15-48W-DALI	1			
552000012000	Trunk-P2 Mod L15-48W-DALI	1			
552000019700	Trunk-P2 Mod L15-48W-DALI	1			

552000029700	Trunk-P2 Mod L15-35/48W-IP54	1			
552000032300	Trunk-P2 Mod L15-35/48W-IP54	1			
552000032400	Trunk-P2 Mod L15-35/48W-IP54	1			
552000032500	Trunk-P2 Mod L15-35/48W-IP54	1			
552000032600	Trunk-P2 Mod L15-35/48W-IP54	1			
552000032700	Trunk-P2 Mod L15-35/48W-IP54	1			
552000033300	Trunk-P2 Mod L15-48W-DALI-IP54	1			
552000033400	Trunk-P2 Mod L15-48W-DALI-IP54	1			
552000033500	Trunk-P2 Mod L15-48W-DALI-IP54	1			
552000033600	Trunk-P2 Mod L15-48W-DALI-IP54	1			
552000033700	Trunk-P2 Mod L15-48W-DALI-IP54	1			
552000038500	Trunk-P2 Mod L15-48W-DALI-IP54	1			
552000038700	Trunk-P2 Mod L15-35/48W-IP54	1			
552000038800	Trunk-P2 Mod L15-35/48W-IP54	1			
552000038900	Trunk-P2 Mod L15-35/48W-IP54	1			
552000039000	Trunk-P2 Mod L15-35/48W-IP54	1			
552000039100	Trunk-P2 Mod L15-35/48W-IP54	1			
552000017600	Trunk-P2 Mod L15-35/48W	1			
552000017700	Trunk-P2 Mod L15-35/48W	1			
552000019800	Trunk-P2 Mod L15-48W-DALI	1			
552000020300	Trunk-P2 Mod L22-35/48W	1			
552000020400	Trunk-P2 Mod L22-35/48W	1			
552000020500	Trunk-P2 Mod L22-35/48W	1			
552000020600	Trunk-P2 Mod L22-35/48W	1			
552000020700	Trunk-P2 Mod L22-35/48W	1			
552000020800	Trunk-P2 Mod L22-35/48W	1			
552000020900	Trunk-P2 Mod L22-35/48W	1			
552000021000	Trunk-P2 Mod L22-35/48W	1			
552000021100	Trunk-P2 Mod L22-35/48W	1			
552000021200	Trunk-P2 Mod L22-35/48W	1			
552000023300	Trunk-P2 Mod L22-48W-DALI	1			
552000023400	Trunk-P2 Mod L22-48W-DALI	1	LS142004815-09	B	
552000023500	Trunk-P2 Mod L22-48W-DALI	1			
552000023600	Trunk-P2 Mod L22-48W-DALI	1			
552000023700	Trunk-P2 Mod L22-48W-DALI	1			
552000023800	Trunk-P2 Mod L22-48W-DALI	1			
552000023900	Trunk-P2 Mod L22-48W-DALI	1			
552000024000	Trunk-P2 Mod L22-48W-DALI	1			
552000024100	Trunk-P2 Mod L22-48W-DALI	1			
552000024200	Trunk-P2 Mod L22-48W-DALI	1			
552000039500	Trunk-P2 Mod L22-48W-DALI-IP54	1			
552000039600	Trunk-P2 Mod L22-48W-DALI-IP54	1			
552000039700	Trunk-P2 Mod L22-48W-DALI-IP54	1			
552000039800	Trunk-P2 Mod L22-48W-DALI-IP54	1			
552000039900	Trunk-P2 Mod L22-48W-DALI-IP54	1			
552000010100	Trunk-P2 Mod L15-35/48W	1			
552000010200	Trunk-P2 Mod L15-35/48W	1			
552000010300	Trunk-P2 Mod L15-35/48W	1			
552000010400	Trunk-P2 Mod L15-35/48W	1			
552000010500	Trunk-P2 Mod L15-35/48W	1			
552000010600	Trunk-P2 Mod L15-35/48W	1			
552000010700	Trunk-P2 Mod L15-35/48W	1			
552000010800	Trunk-P2 Mod L15-35/48W	1			
552000010900	Trunk-P2 Mod L15-35/48W	1			
552000011000	Trunk-P2 Mod L15-35/48W	1			
552000013100	Trunk-P2 Mod L15-48W-DALI	1			
552000013200	Trunk-P2 Mod L15-48W-DALI	1			
552000013300	Trunk-P2 Mod L15-48W-DALI	1			
552000013400	Trunk-P2 Mod L15-48W-DALI	1			
552000013500	Trunk-P2 Mod L15-48W-DALI	1			
552000013600	Trunk-P2 Mod L15-48W-DALI	1			
552000013700	Trunk-P2 Mod L15-48W-DALI	1			
552000013800	Trunk-P2 Mod L15-48W-DALI	1			
552000013900	Trunk-P2 Mod L15-48W-DALI	1	LS142004818-08	B	
552000014000	Trunk-P2 Mod L15-48W-DALI	1			
552000020100	Trunk-P2 Mod L15-48W-DALI	1			
552000020200	Trunk-P2 Mod L15-48W-DALI	1			
552000029800	Trunk-P2 Mod L15-35/48W-IP54	1			
552000032800	Trunk-P2 Mod L15-35/48W-IP54	1			
552000032900	Trunk-P2 Mod L15-35/48W-IP54	1			
552000033000	Trunk-P2 Mod L15-35/48W-IP54	1			

552000033100	Trunk-P2 Mod L15-35/48W-IP54	1			
552000033200	Trunk-P2 Mod L15-35/48W-IP54	1			
552000033800	Trunk-P2 Mod L15-48W-DALI-IP54	1			
552000033900	Trunk-P2 Mod L15-48W-DALI-IP54	1			
552000034000	Trunk-P2 Mod L15-48W-DALI-IP54	1			
552000034100	Trunk-P2 Mod L15-48W-DALI-IP54	1			
552000034200	Trunk-P2 Mod L15-48W-DALI-IP54	1			
552000038600	Trunk-P2 Mod L15-48W-DALI-IP54	1			
552000039200	Trunk-P2 Mod L15-35/48W-IP54	1			
552000039300	Trunk-P2 Mod L15-35/48W-IP54	1			
552000039400	Trunk-P2 Mod L15-35/48W-IP54	1			
552000018000	Trunk-P2 Mod L15-35/48W	1			
552000018100	Trunk-P2 Mod L15-35/48W	1			
552000022300	Trunk-P2 Mod L22-35/48W	1			
552000022400	Trunk-P2 Mod L22-35/48W	1			
552000022500	Trunk-P2 Mod L22-35/48W	1			
552000022600	Trunk-P2 Mod L22-35/48W	1			
552000022700	Trunk-P2 Mod L22-35/48W	1			
552000022800	Trunk-P2 Mod L22-35/48W	1			
552000022900	Trunk-P2 Mod L22-35/48W	1			
552000023000	Trunk-P2 Mod L22-35/48W	1			
552000023100	Trunk-P2 Mod L22-35/48W	1			
552000023200	Trunk-P2 Mod L22-35/48W	1			
552000025300	Trunk-P2 Mod L22-48W-DALI	1			
552000025400	Trunk-P2 Mod L22-48W-DALI	1			
552000025500	Trunk-P2 Mod L22-48W-DALI	1	LS142004818-09	B	
552000025600	Trunk-P2 Mod L22-48W-DALI	1			
552000025700	Trunk-P2 Mod L22-48W-DALI	1			
552000025800	Trunk-P2 Mod L22-48W-DALI	1			
552000025900	Trunk-P2 Mod L22-48W-DALI	1			
552000026000	Trunk-P2 Mod L22-48W-DALI	1			
552000026100	Trunk-P2 Mod L22-48W-DALI	1			
552000026200	Trunk-P2 Mod L22-48W-DALI	1			
552000040000	Trunk-P2 Mod L22-48W-DALI-IP54	1			
552000040100	Trunk-P2 Mod L22-48W-DALI-IP54	1			
552000040200	Trunk-P2 Mod L22-48W-DALI-IP54	1			
552000040300	Trunk-P2 Mod L22-48W-DALI-IP54	1			
552000040400	Trunk-P2 Mod L22-48W-DALI-IP54	1			
552000014100	Trunk-P2 Mod L15-48/63W	1			
552000014200	Trunk-P2 Mod L15-48/63W	1			
552000014300	Trunk-P2 Mod L15-48/63W	1			
552000014400	Trunk-P2 Mod L15-48/63W	1			
552000014500	Trunk-P2 Mod L15-48/63W	1			
552000015100	Trunk-P2 Mod L15-63W-DALI	1			
552000015200	Trunk-P2 Mod L15-63W-DALI	1			
552000015300	Trunk-P2 Mod L15-63W-DALI	1			
552000015400	Trunk-P2 Mod L15-63W-DALI	1			
552000015500	Trunk-P2 Mod L15-63W-DALI	1			
552000034300	Trunk-P2 Mod L15-48/63W-IP54	1	LS142006315-08	B	
552000034400	Trunk-P2 Mod L15-48/63W-IP54	1			
552000034500	Trunk-P2 Mod L15-48/63W-IP54	1			
552000034600	Trunk-P2 Mod L15-48/63W-IP54	1			
552000034700	Trunk-P2 Mod L15-48/63W-IP54	1			
552000035300	Trunk-P2 Mod L15-63W-DALI-IP54	1			
552000035400	Trunk-P2 Mod L15-63W-DALI-IP54	1			
552000035500	Trunk-P2 Mod L15-63W-DALI-IP54	1			
552000035600	Trunk-P2 Mod L15-63W-DALI-IP54	1			
552000035700	Trunk-P2 Mod L15-63W-DALI-IP54	1			
552000026300	Trunk-P2 Mod L22-48/63W	1			
552000026400	Trunk-P2 Mod L22-48/63W	1			
552000026500	Trunk-P2 Mod L22-48/63W	1			
552000026600	Trunk-P2 Mod L22-48/63W	1			
552000026700	Trunk-P2 Mod L22-48/63W	1	LS142006315-09	B	
552000027100	Trunk-P2 Mod L22-63W-DALI	1			
552000027200	Trunk-P2 Mod L22-63W-DALI	1			
552000027300	Trunk-P2 Mod L22-63W-DALI	1			
552000027400	Trunk-P2 Mod L22-63W-DALI	1			
552000027500	Trunk-P2 Mod L22-63W-DALI	1			
552000040500	Trunk-P2 Mod L22-48/63W-IP54	1			
552000040600	Trunk-P2 Mod L22-48/63W-IP54	1			
552000040700	Trunk-P2 Mod L22-48/63W-IP54	1			


552000040800	Trunk-P2 Mod L22-48/63W-IP54	1			
552000040900	Trunk-P2 Mod L22-48/63W-IP54	1			
552000041300	Trunk-P2 Mod L22-63W-DALI-IP54	1			
552000041400	Trunk-P2 Mod L22-63W-DALI-IP54	1			
552000041500	Trunk-P2 Mod L22-63W-DALI-IP54	1			
552000041600	Trunk-P2 Mod L22-63W-DALI-IP54	1			
552000041700	Trunk-P2 Mod L22-63W-DALI-IP54	1			
552000014600	Trunk-P2 Mod L15-48/63W	1			
552000014700	Trunk-P2 Mod L15-48/63W	1			
552000014800	Trunk-P2 Mod L15-48/63W	1			
552000014900	Trunk-P2 Mod L15-48/63W	1			
552000015000	Trunk-P2 Mod L15-48/63W	1			
552000015600	Trunk-P2 Mod L15-63W-DALI	1			
552000015700	Trunk-P2 Mod L15-63W-DALI	1			
552000015800	Trunk-P2 Mod L15-63W-DALI	1			
552000015900	Trunk-P2 Mod L15-63W-DALI	1			
552000016000	Trunk-P2 Mod L15-63W-DALI	1			
552000034800	Trunk-P2 Mod L15-48/63W-IP54	1	LS142006318-08	B	
552000034900	Trunk-P2 Mod L15-48/63W-IP54	1			
552000035000	Trunk-P2 Mod L15-48/63W-IP54	1			
552000035100	Trunk-P2 Mod L15-48/63W-IP54	1			
552000035200	Trunk-P2 Mod L15-48/63W-IP54	1			
552000035800	Trunk-P2 Mod L15-63W-DALI-IP54	1			
552000035900	Trunk-P2 Mod L15-63W-DALI-IP54	1			
552000036000	Trunk-P2 Mod L15-63W-DALI-IP54	1			
552000036100	Trunk-P2 Mod L15-63W-DALI-IP54	1			
552000036200	Trunk-P2 Mod L15-63W-DALI-IP54	1			
552000026800	Trunk-P2 Mod L22-48/63W	1			
552000026900	Trunk-P2 Mod L22-48/63W	1			
552000027000	Trunk-P2 Mod L22-48/63W	1			
552000027600	Trunk-P2 Mod L22-63W-DALI	1			
552000027700	Trunk-P2 Mod L22-63W-DALI	1			
552000027800	Trunk-P2 Mod L22-63W-DALI	1	LS142006318-09	B	
552000041000	Trunk-P2 Mod L22-48/63W-IP54	1			
552000041100	Trunk-P2 Mod L22-48/63W-IP54	1			
552000041200	Trunk-P2 Mod L22-48/63W-IP54	1			
552000041800	Trunk-P2 Mod L22-63W-DALI-IP54	1			
552000041900	Trunk-P2 Mod L22-63W-DALI-IP54	1			
552000042000	Trunk-P2 Mod L22-63W-DALI-IP54	1			
552000027900	Trunk-P2 Mod L22-63/83W	1			
552000028000	Trunk-P2 Mod L22-63/83W	1			
552000028100	Trunk-P2 Mod L22-63/83W	1			
552000028200	Trunk-P2 Mod L22-63/83W	1			
552000028300	Trunk-P2 Mod L22-63/83W	1			
552000028700	Trunk-P2 Mod L22-83W-DALI	1			
552000028800	Trunk-P2 Mod L22-83W-DALI	1			
552000028900	Trunk-P2 Mod L22-83W-DALI	1			
552000029000	Trunk-P2 Mod L22-83W-DALI	1			
552000029100	Trunk-P2 Mod L22-83W-DALI	1			
552000042100	Trunk-P2 Mod L22-63/83W-IP54	1	LS142008315	B	
552000042200	Trunk-P2 Mod L22-63/83W-IP54	1			
552000042300	Trunk-P2 Mod L22-63/83W-IP54	1			
552000042400	Trunk-P2 Mod L22-63/83W-IP54	1			
552000042500	Trunk-P2 Mod L22-63/83W-IP54	1			
552000042900	Trunk-P2 Mod L22-83W-DALI-IP54	1			
552000043000	Trunk-P2 Mod L22-83W-DALI-IP54	1			
552000043100	Trunk-P2 Mod L22-83W-DALI-IP54	1			
552000043200	Trunk-P2 Mod L22-83W-DALI-IP54	1			
552000043300	Trunk-P2 Mod L22-83W-DALI-IP54	1			
552000028400	Trunk-P2 Mod L22-63/83W	1			
552000028500	Trunk-P2 Mod L22-63/83W	1			
552000028600	Trunk-P2 Mod L22-63/83W	1			
552000029200	Trunk-P2 Mod L22-83W-DALI	1			
552000029300	Trunk-P2 Mod L22-83W-DALI	1			
552000029400	Trunk-P2 Mod L22-83W-DALI	1			
552000042600	Trunk-P2 Mod L22-63/83W-IP54	1	LS142008318	B	
552000042700	Trunk-P2 Mod L22-63/83W-IP54	1			
552000042800	Trunk-P2 Mod L22-63/83W-IP54	1			
552000043400	Trunk-P2 Mod L22-83W-DALI-IP54	1			
552000043500	Trunk-P2 Mod L22-83W-DALI-IP54	1			
552000043600	Trunk-P2 Mod L22-83W-DALI-IP54	1			


552000016100	Trunk-P2 Mod L22-100/120W	1	LS142012015	B	
552000016200	Trunk-P2 Mod L22-100/120W	1			
552000016300	Trunk-P2 Mod L22-100/120W	1			
552000016400	Trunk-P2 Mod L22-100/120W	1			
552000016500	Trunk-P2 Mod L22-100/120W	1			
552000018700	Trunk-P2 Mod L22-120W-DALI	1			
552000018800	Trunk-P2 Mod L22-120W-DALI	1			
552000018900	Trunk-P2 Mod L22-120W-DALI	1			
552000019000	Trunk-P2 Mod L22-120W-DALI	1			
552000019100	Trunk-P2 Mod L22-120W-DALI	1			
552000036300	Trunk-P2 Mod L22-100/120W-IP54	1			
552000036400	Trunk-P2 Mod L22-100/120W-IP54	1			
552000036500	Trunk-P2 Mod L22-100/120W-IP54	1			
552000036600	Trunk-P2 Mod L22-100/120W-IP54	1			
552000036700	Trunk-P2 Mod L22-100/120W-IP54	1			
552000037500	Trunk-P2 Mod L22-120W-DALI-IP54	1			
552000037600	Trunk-P2 Mod L22-120W-DALI-IP54	1			
552000037700	Trunk-P2 Mod L22-120W-DALI-IP54	1			
552000037800	Trunk-P2 Mod L22-120W-DALI-IP54	1			
552000037900	Trunk-P2 Mod L22-120W-DALI-IP54	1			
552000017100	Trunk-P2 Mod L22-100/120W	1	LS142012018	B	
552000017200	Trunk-P2 Mod L22-100/120W	1			
552000017300	Trunk-P2 Mod L22-100/120W	1			
552000017400	Trunk-P2 Mod L22-100/120W	1			
552000017500	Trunk-P2 Mod L22-100/120W	1			
552000019200	Trunk-P2 Mod L22-120W-DALI	1			
552000019300	Trunk-P2 Mod L22-120W-DALI	1			
552000019400	Trunk-P2 Mod L22-120W-DALI	1			
552000019500	Trunk-P2 Mod L22-120W-DALI	1			
552000019600	Trunk-P2 Mod L22-120W-DALI	1			
552000036800	Trunk-P2 Mod L22-100/120W-IP54	1			
552000036900	Trunk-P2 Mod L22-100/120W-IP54	1			
552000037000	Trunk-P2 Mod L22-100/120W-IP54	1			
552000037100	Trunk-P2 Mod L22-100/120W-IP54	1			
552000037200	Trunk-P2 Mod L22-100/120W-IP54	1			
552000038000	Trunk-P2 Mod L22-120W-DALI-IP54	1			
552000038100	Trunk-P2 Mod L22-120W-DALI-IP54	1			
552000038200	Trunk-P2 Mod L22-120W-DALI-IP54	1			
552000038300	Trunk-P2 Mod L22-120W-DALI-IP54	1			
552000038400	Trunk-P2 Mod L22-120W-DALI-IP54	1			
552000002900	Trunk-P2 Mod L15-23/35W	1	LS142003518	B	
552000003000	Trunk-P2 Mod L15-23/35W	1			
552000003100	Trunk-P2 Mod L15-23/35W	1			
552000003200	Trunk-P2 Mod L15-23/35W	1			
552000003300	Trunk-P2 Mod L15-23/35W	1			
552000003400	Trunk-P2 Mod L15-23/35W	1			
552000003500	Trunk-P2 Mod L15-23/35W	1			
552000003600	Trunk-P2 Mod L15-23/35W	1			
552000003700	Trunk-P2 Mod L15-23/35W	1			
552000003800	Trunk-P2 Mod L15-23/35W	1			
552000004300	Trunk-P2 Mod L15-23/35W	1			
552000004400	Trunk-P2 Mod L15-23/35W	1			
552000006500	Trunk-P2 Mod L15-35W-DALI	1			
552000006600	Trunk-P2 Mod L15-35W-DALI	1			
552000006700	Trunk-P2 Mod L15-35W-DALI	1			
552000006800	Trunk-P2 Mod L15-35W-DALI	1			
552000006900	Trunk-P2 Mod L15-35W-DALI	1			
552000007000	Trunk-P2 Mod L15-35W-DALI	1			
552000007100	Trunk-P2 Mod L15-35W-DALI	1			
552000007200	Trunk-P2 Mod L15-35W-DALI	1			
552000007300	Trunk-P2 Mod L15-35W-DALI	1			
552000007400	Trunk-P2 Mod L15-35W-DALI	1			
552000007900	Trunk-P2 Mod L15-35W-DALI	1			
552000008000	Trunk-P2 Mod L15-35W-DALI	1			
552000029600	Trunk-P2 Mod L15-23/35W-IP54	1			
552000030400	Trunk-P2 Mod L15-23/35W-IP54	1			
552000030500	Trunk-P2 Mod L15-23/35W-IP54	1			
552000030600	Trunk-P2 Mod L15-23/35W-IP54	1			
552000030700	Trunk-P2 Mod L15-23/35W-IP54	1			
552000030800	Trunk-P2 Mod L15-23/35W-IP54	1			
552000031600	Trunk-P2 Mod L15-35W-DALI-IP54	1			

552000031700	Trunk-P2 Mod L15-35W-DALI-IP54	1			
552000031800	Trunk-P2 Mod L15-35W-DALI-IP54	1			
552000031900	Trunk-P2 Mod L15-35W-DALI-IP54	1			
552000032000	Trunk-P2 Mod L15-35W-DALI-IP54	1			
552000032200	Trunk-P2 Mod L15-35W-DALI-IP54	1			

Note: This product contains a light source of energy efficiency class (B)


Blind Cover






Product Code	Model name	Weight (kg)	L(mm)
552001003800	Trunk-P2 Blind-Cover L037	0.09	359
552001003900	Trunk-P2 Blind-Cover L075	0.17	720
552001004000	Trunk-P2 Blind-Cover L15	0.35	1437
552001004100	Trunk-P2 Blind-Cover L22	0.55	2295
552001004200	Trunk-P2 Blind-Cover L037	0.09	359
552001004300	Trunk-P2 Blind-Cover L075	0.17	720
552001004400	Trunk-P2 Blind-Cover L15	0.35	1437
552001004500	Trunk-P2 Blind-Cover L22	0.55	2295


Schuko Socket / Blind Module






Product Code	Model name	Operating Temperature Min (°C)	Operating Temperature Max (°C)	Weight (kg)	L(mm)
552001008500	Trunk-P2 230V-Schuko-Socket L037	-20	50	0.35	359
552001008600	Trunk-P2 230V-Schuko-Socket L037	-20	50	0.35	359
552000037300	Trunk-P2 Blind-Module 13 L037-WH	-20	50	0.34	359
552001002700	Trunk-P2 Blind-Module 13 L037-BL	-20	50	0.34	359
552001012300	Trunk-P2 Blind-Module 7 L037-WH	-20	50	0.34	359
552001012400	Trunk-P2 Blind-Module 7 L037-BL	-20	50	0.34	359


Sensor Module



PIR Sensor Dali / DALI input








PIR Sensor Relay






Product Code	Model name	Operating Temperature Min (°C)	Operating Temperature Max (°C)	Weight (kg)	L(mm)
552001006900	Trunk-P2 PIR-Sensor-Relay-L-A-L037-WH	-20	50	0.534	359
552001007000	Trunk-P2 PIR-Sensor DALI-I-L-A--L037-WH	-20	50	0.686	359
552001007100	Trunk-P2 PIR-Sensor DALI-B-L-A-L037-WH	-20	50	0.686	359
552001007200	Trunk-P2 PIR-Sensor-Relay-L-A-L037-BL	-20	50	0.534	359
552001007300	Trunk-P2 PIR-Sensor DALI-I-L-A--L037-BL	-20	50	0.686	359
552001007400	Trunk-P2 PIR-Sensor-Relay-L-R-L037-BL	-20	50	0.534	359
552001007500	Trunk-P2 PIR-Sensor DALI-I-L-R-L037-BL	-20	50	0.686	359
552001007600	Trunk-P2 PIR-Sensor DALI-B-L-R-L037-BL	-20	50	0.686	359
552001007700	Trunk-P2 PIR-Sensor-Relay-L-R-L037-WH	-20	50	0.55	359
552001007800	Trunk-P2 PIR-Sensor DALI-I-L-R-L037-WH	-20	50	0.686	359
552001007900	Trunk-P2 PIR-Sensor DALI-B-L-R-L037-WH	-20	50	0.686	359
552001008000	Trunk-P2 PIR-Sensor DALI-B-L-A-L037-BL	-20	50	0.686	359
552001008100	Trunk-P2 PIR-Sensor-Relay-H-L037-WH	-20	50	0.55	359
552001008200	Trunk-P2 PIR-Sensor DALI-I-H-L037	-20	50	0.686	359
552001008300	Trunk-P2 PIR-Sensor DALI-B-H-L037	-20	50	0.686	359

Couplers









Product Code	Model name	Weight (kg)	L(mm)
552001002800	Trunk-P2 L-Coupler 13	1.5	298
552001002900	Trunk-P2 L-Coupler 13	1.7	298
552001003000	Trunk-P2 L-Coupler 7	1.5	298
552001003100	Trunk-P2 L-Coupler 7	1.7	298
552001003200	Trunk-P2 T-Coupler-Left 13	2.2	498
552001003300	Trunk-P2 T-Coupler-Left 7	1.98	498
552001003400	Trunk-P2 T-Coupler-Right 13	2.2	498
552001003500	Trunk-P2 T-Coupler-Right 7	1.98	498
552001003600	Trunk-P2 X-Coupler 13	3.4	498
552001003700	Trunk-P2 X-Coupler 7	3	498
552001011700	LEDTrunk-P2 T-Coupler-Left BL 13	2.2	498
552001011800	LEDTrunk-P2 T-Coupler-Left BL 7	1.98	498
552001011900	LEDTrunk-P2 T-Coupler-Right BL 13	2.2	498
552001012000	LEDTrunk-P2 T-Coupler-Right BL 7	1.98	498
552001012100	LEDTrunk-P2 X-Coupler BL 13	3.4	498
552001012200	LEDTrunk-P2 X-Coupler BL 7	3	498

Installation



Spacing of suspended mounting points





LED Module Power	Driver Model	Max quantity of B16	Max quantity of C16	Max quantity of Trunk(2.5mm²)
35W	ON/OFF	28pcs	47pcs	100pcs
35W	Dali	12pcs	23pcs	100pcs
48W	ON/OFF	30pcs	44pcs	70pcs
48W	Dali	12pcs	23pcs	70pcs
63W	ON/OFF	15pcs	25pcs	50pcs
63W	Dali	12pcs	23pcs	50pcs
83W	ON/OFF	15pcs	25pcs	40pcs
83W	Dali	24pcs	33pcs	40pcs
120W	ON/OFF	15pcs	18pcs	30pcs
120W	Dali	12pcs	18pcs	30pcs


LED Trunking System





Connecting Power Supply



The maximum diameter allowed for input cable is 14mm from the top of trunk




The maximum diameter allowed for input cable is 12mm from the side of trunk




Wire No.	1	2	3	4	5	6	7	8	9	10	11	12	13
7-Core	L1	/	L2	/	DA-	/	DA+	/	PE	/	L3	/	N
13-Core	L1	EL1	L2	EN1	DA-	EN2	DA+	S2	PE	EL2	L3	S1	N


How to unmount the Trunks








Installation should be performed only by qualified electrician .
Disconnect the mains supply before installation.
Connect cable wires according to wire labeling
Max current should not exceed 16A in one phase in circuit





Track Silicone



Trunk Module





Module Wiring Schematic




Installation should be performed only by qualified electrician .
 Disconnect the mains supply before installation.
 Connect cable wires according to wire labeling
 Max current should not exceed 16A in one phase in circuit

Module Wiring Schematic






Installation should be performed only by qualified electrician .
Disconnect the mains supply before installation.
Connect cable wires according to wire labeling
Max current should not exceed 16A in one phase in circuit

Blind Cover




Cable Duct











Caution: Any operation on LED module is forbidden while power-on.
Zur Vermeidung von Risiken müssen defekte Leitungen ausschließlich vom Hersteller,
Inverkehrbringer oder Fachmann ausgetauscht werden.
Achtung: In Betrieb ist keine Arbeit am LED-Modul erlaubt.



For non-user replaceable light sources:
The light source contained in this luminaire shall only be replaced by the manufacturer or
his service agent or a similar qualified person.
Das Leuchtmittel dieser Leuchte ist nicht austauschbar.
Wenn das Leuchtmittel das Ende seiner Lebensdauer erreicht hat, muss die gesamte Leuchte ersetzt werden.



For use in environments where normal non-conductive/conductive dust accumulation may be expected,
not for use in environments with expected high/unusual dust accumulation.



Data subject to change
Les données sont sujettes à modifications
Änderungen vorbehalten
Opple Lighting Electronic (Zhongshan) Co.,Ltd.
Building A, No.275 Donggan Bei Road, Haizhou District,
Guzhen Town, Zhongshan City, Guangdong Province, P.R.China

Opple Lighting B.V.
Meerenakkerweg 1-07
5652 AR Eindhoven
The Netherlands
service@opple.com
www.opple.com