


MANROSE®

Manufacturers of Ventilation Fans and Equipment

Manrose Product Range: Heating, Cooling & Hygiene



MANROSE®



CONTENTS

Hygiene Range

	Compact Round Hand Dryer	4
	Essential Auto Dryer	5
	Smart Hand Dryer	6
	Jet Slim Dryer	7
	Nozzle Dryer	8
	Fast Dry Hand Dryers	9
	ABS Hand Dryer	10
	LED Insect Killers	11

Cooling Range

	Ceiling Sweep Fan	12
---	-------------------	----

Heating Range

	Heated Towel Rails with Thermostatic Controller	13
	Heated Towel Rails	14
	Panel Heater with 24/7 timer options	15

Smarter Comfort. Healthier Spaces. Effortless Compliance.

Solving practical heating, cooling and hygiene challenges across real-world environments.


Modern washrooms, commercial spaces and residential bathrooms demand more than basic fixtures — they need reliable hygiene, comfortable warmth and effective air movement. Whether you're reducing queues in busy washrooms with fast hand drying, keeping towels warm and dry in family bathrooms, improving comfort in staff areas, or maintaining insect-free food preparation zones, Manrose delivers targeted, high-performance solutions designed for straightforward installation and long-term reliability.

Our specialist Heating, Cooling & Hygiene range is built around everyday application needs. From touch-free, high-speed hand dryers and LED insect killers, to quiet ceiling sweep fans and efficient heated towel rails, we provide the products to create cleaner, more comfortable indoor spaces with minimal maintenance.



Proven Reliability

Engineered for long operational lifespan and hassle-free fitments.



Hygiene & Safety

Supports cleaner, safer environments with touch-free operation and IP-rated protection.



Practical Comfort

Reliable everyday performance across hand drying, towel warming, air movement and insect control.

Compact Round Hand Dryer

Hygiene Range

MAN/T950



The Round ABS High Speed Hand Dryer combines a slim, modern design with hygienic performance, using an antibacterial HEPA filter to clean the air before it reaches the user's hands. A high-velocity 95 m/s airflow delivers fast 10–15 second drying time at a comfortable 20–40°C, supported by a clear green/red status indicator. Touchless infrared sensing detects hands within a 9–15 cm range, while built-in safety features—including a 30-second auto shut-off, heating element cut-out above 25°C ambient temperature, and IPX3 moisture protection—ensure reliable operation in demanding washroom environments.

Key Features

- 10-15 second drying time
- With HEPA filter
- Smart auto temperature adjustment
- Comfortable airflow: 20–40°C
- Touch-free operation
- Automatic 30-second shut-off

Technical Specification

- Power: 950W at 230V
- Sound: 72 dB(A)
- Brushed motor
- High airspeed: 95 m/s
- ADA compliant
- CE, UKCA and RoHS approved
- IPX3 rated

Dimensions

- Height - 250 mm
- Width - 255 mm
- Depth - 100 mm
- Weight 3.0 kg

Cat. No.	Cover
MAN/T950RW	ABS - White
MAN/T950RDS	ABS - Dark Silver
MAN/T950RB	ABS - Black

COMING
SOON!



Essential Auto Dryer

Hygiene Range

MAN/T1500EW



Key Features

- Low-noise operation at 65 dB(A) at 1 metre, helping keep washroom noise to a minimum
- Automatic touch-free operation for convenient and hygienic hand drying
- Durable ABS plastic construction that is easy to clean and maintain
- Compact, lightweight design suitable for everyday commercial washrooms
- 60-second automatic cut-off for added safety

Technical Spec

- Drying Time: 30 seconds
- Air Speed: 15 m/s
- Noise Level: 65 dB(A) at 1 m
- Air Temperature: 75°C at 10 cm (21°C ambient)
- Rated Power: 1500W
- Power Supply: 220–240V, 50/60Hz
- Rated Current: 6.6A
- Motor Speed: 2700 rpm
- Casing Material: ABS
- Insulation Class: Class II (Double Insulated)
- IP Rating: IPX1
- Operation: Automatic touch-free sensor
- Automatic Cut-Off: 60 seconds

Dimensions

- Height - 282 mm
- Width - 225 mm
- Depth - 157 mm
- Net Weight: 2.2 kg

Cat. No.	Cover	Power
MAN/T1500EW	ABS - White	1.5kW

Smart Hand Dryer Hygiene Range

MAN/H1000



Designed to deliver exceptional hygiene, performance and ease of maintenance, this advanced hand dryer combines high-efficiency air filtration, antibacterial protection and intelligent operation. With adjustable power settings, low-noise performance and a user-friendly maintenance system, it provides a cleaner, quieter and more efficient hand-drying solution for modern washroom environments.

Key Features

- **HEPA Air Filtration** – Removes over 99.9% of dirt, dust and pollen for cleaner, more hygienic hand drying.
- **Antibacterial Protection** – Silver-ion ABS cover provides proven >99.9% antibacterial efficacy.
- **Low Noise Operation** – Patented air inlet design reduces noise levels to as low as 70 dB(A).
- **Adjustable Performance** – Variable power and air speed settings from 700–1000W to suit different environments.
- **LED Status Indicator** – Colour-coded display provides clear operating and maintenance alerts.
- **Easy Maintenance** – Quick-release backplate allows fast access for servicing.
- **Simple Installation** – Plug-in wall-mounted design enables easy removal and refitting without an electrician.

Technical Specification

- 10–15 second drying time
- Adjustable airspeed: 63–91 m/s
- With HEPA filter
- Sound: 70–76 dB(A) at 1 m
- Adjustable power: 700–1000W
- Motor speed: 29,000 rpm
- IP24 Rated
- Touch free operation
- Sensing distance: 15–19 cm
- Standby power consumption: ≤0.4W
- Automatic 60-second shut-off
- Heater protection: automatic cut-out at 95°C
- Class I

Dimensions

- Height - 296 mm
- Width - 184 mm
- Depth - 130 mm
- Weight - 3.8 kg

Cat. No.	Cover
MAN/H1000W	ABS - White
MAN/H1000S	ABS - Silver
MAN/H1000B	ABS - Black



Jet Slim Dryer Hygiene Range

MAN/JETSHD



The Fast Dry with intelligent eco-heating as standard.

Key Features


- Lightweight 5.8 kg build with a slim 175 mm profile for easy installation
- 90 m/s high-speed airflow delivers dry hands in just 8–10 seconds
- Removes 99.9% of airborne particles for cleaner, purified airflow
- Automatically activates heating below 25°C to optimize comfort and energy efficiency
- Operates at a comfortable 70 dB(A), suitable for commercial environments
- Clear LED countdown timer enhances the user experience
- Removable drip tray helps maintain dry, slip-free floors
- IP24-rated with a durable, impact-resistant ABS polycarbonate casing

Technical Specification

- Drying Time: 8–10 seconds
- Air Speed: 90 m/s
- Sound Level: 70 dB(A) @ 1m
- Filtration: 99.9% HEPA filter
- User Interface: Intuitive LED countdown timer
- Climate Control: Intelligent heating (Auto-activates below 25°C)
- Hygiene: Integrated removable drip tray
- Operating Voltage: 220-240VAC / 50-60Hz
- Rated Power: 1400-1750W (adjustable)
- Motor Type: 750W Brushed motor
- IP Rating: IP24
- CE, UKCA and RoHS approved

Dimensions

- Height - 556 mm
- Width - 296 mm
- Depth - 175 mm
- Weight - 5.8 kg



Indicator Light



Air Outlet



Water Level
Indicator Window



Floodlight



Drip Tray &
HEPA Filter

Cat. No.	Cover	Power
MAN/JETSHD	ABS - Silver	1.53kW

Nozzle Dryer Hygiene Range

MAN/K2300



High quality robust hand and face dryers ideal for use in many applications.

Key Features

- Approximately 23-second dry time
- Infrared touch-free activation
- Blue LED dry zone indicator
- Rotating nozzle for hand or face drying
- Steel construction with chrome plated nozzles for added durability
- Anti-tamper fixing screws

Technical Specification

- Air speed: 30 m/s
- Rated power: 2.3 kW
- Sound level 70 dB(A) at 1 metre
- 6,000 rpm Brushed Motor
- Insulation Earthed Class 1
- Supply: 220–240 V, 50/60 Hz
- Air temperature: 45°C
- IP23 rated
- 360° revolving air nozzle
- 304 stainless steel cover
- Switchable heating element

Dimensions

- Height - 237 mm
- Width - 270 mm
- Depth - 208 mm
- Weight - 4.8 kg

Cat. No.	Cover
MAN/K2300W	Stainless Steel with glossy white coating
MAN/K2300PS	Stainless Steel Polished

Fast Dry Hygiene Range

MAN/500



The Fast Dry with intelligent eco-heating as standard.

Key Features

- 10 – 12 seconds drying time
- Automatic operation
- Low noise
- Internal UV protection
- Available in stainless satin, polished and ceramic white

Technical Specification

- Air speed: 60 m/s
- Rated power: 1.3 kW
- Sound level 72 dB(A) at 1 metre
- 500W Brushed Motor
- Insulation Earthed Class 1
- Supply: 220–240 V, 50/60 Hz
- Air temperature: 20-40°C
- IP13 rated
- Steel / 304 stainless-steel cover
- Automatic Cut-Off: 45 seconds

Dimensions

- Height - 260 mm
- Width - 180 mm
- Depth - 152 mm
- Weight - 3.0 kg

Cat. No.	Cover
MAN/500W	White Enamelled Steel
MAN/500SS	Stainless Steel Satin
MAN/500PS	Stainless Steel Polished

ABS Hand Dryer Hygiene Range

MAN/M



This is a 'touch-free' hand dryer with ABS cover. Ideal for applications where economy, hygiene, convenience and safety are of prime concern.

Key Features

- Approximately 30 seconds drying time
- Finish white gloss ABS cover
- Quiet operation
- Hygienic

Technical Specification

- Power options: 1.25 or 2.0 kW
- Sound level: 54 dB(A) at 1 metre
- 2,500–4,200 rpm Brushed Motor
- Insulation Earthed Class 1
- Supply: 220–240 V, 50/60 Hz
- GS approved
- IP22 rated
- Bottom-right cable entry

Dimensions

- Height - 275 mm
- Width - 225 mm
- Depth - 160 mm
- Weight 3.3 kg (3.65 kg packed)

Cat. No.	Cover	Power
MAN/M-88A	ABS - White	1.25kW
MAN/M-89A	ABS - White	2.0kW

LED Insect Killers

Hygiene Range



Powerful Performance

High-voltage 4000V zapper ensures effective killing of flying insects.



Eco-Friendly LED Tech

Long-lasting LED tubes use up to 70% less energy than traditional fluorescent tubes, with a lifespan of up to 20,000 hours.



Robust and Stylish

Fire-proof aluminium housing and ABS side panels ensure safety, durability, and modern design.



Simple Maintenance

Large removable collection tray makes cleaning quick and easy.

Features

- Effective attraction of flying insects with dual-wavelength
- Eco-friendly LED tubes with long lifespan
- Durable and safe fire-proof aluminium housing
- Removable collection tray for easy cleaning
- UKCA, CE and RoHS certificated

Why this LED Insect Killer?

Keep your spaces insect-free the smart way – without chemicals, sprays, or hassle. Our advanced LED Insect Killer uses UV-A dual-wavelength LED technology (365+395nm) to attract and eliminate light-sensitive flying insects such as flies, moths, mosquitoes, and gnats efficiently and silently.

Ideal for:

- Hospitality: Hotels, restaurants, and cafés.
- Food Industry: Butcher shops, bakeries, and food processing areas.
- Commercial and Public Spaces: Offices, schools, supermarkets, and hospitals.

Specifications

Materials	Aluminium alloy and ABS fire-proof plastic
Power supply	AC220V - 240V/50Hz
Zapper voltage	4000V magnetic (av.3200-3800V)
Lamp type	Dual-wavelength (365+395nm) UV-A LED tubes
Lamp lifespan	20,000 hours of continuous use
Installation options	Wall-mounted, suspended, or freestanding
Compliance	UKCA, CE, RoHS, REACH, EN60335-2-59
Plug Type	UK Plug (Type G)
Cable length	1.5 m
Accessories	Suspension chain, Wall mount screws and anchors



Coverage	50 m ²	80 m ²	150 m ²
Power rating	8W	10W	18W
Lamp watts	2x 4W	2x 5W	2x 9W
Weight	1.83 kg	2.6 kg	3.6 kg
Dimensions	L39 × W11 × H28 cm	L44 × W11 × H33 cm	L70 × W11 × H38 cm
Cat. No.	MANLFK50	MANLFK80	MANLFK150
UV LED tube replacements			
Cat. No.	MANLEDT4W	MANLEDT5W	MANLEDT9W

Ceiling Sweep Fans

Cooling Range

MANSPF



Our ceiling fans can be used in offices, stores, shops, foyers, schools, hospitals, kitchens, restaurants and many industrial applications such as warehouses, factories, tanneries, and workshops. Our ceiling fans will provide effective and positive air movement to improve the working environment particularly during Summer months. In addition, our ceiling fans can be used during the Winter to recirculate hot air from under ceilings and roofs down to living and working areas thus helping to conserve energy.

A variable speed controller is available for use with one or a combination of models up to 3 units. Alternatively, our ceiling fans may be wired directly to a normal On/Off switch. For maximum benefit, good ventilation is vital, we advise that our ceiling fans are used in conjunction with supplementary ventilation units.

Our ceiling fan blades are produced from sheet steel and individually weighed to produce matched sets.

Key Features

- Suitable for winter De-stratification applications or summer cooling
- Three sweep diameters: 900 mm, 1200 mm, and 1400 mm
- Two down rod lengths included
- Easy to install
- Quiet running
- Can be installed for either upward or downward airflow
- Reversible electronic controller available

Technical Specification

- Colour White
- Max. Watts Amps @ 240V 0.27

Cat. No.	Product type	Air displacement m³/hr
MANSPF90	900 mm diameter sweep	8,100
MANSPF120	1200 mm diameter sweep	12,600
MANSPF140	1400 mm diameter sweep	15,000
499301	Ceiling Sweep Controller	-

Heated Towel Rails with Thermostatic Controller Heating Range

MANF150/250/400-WIFI



Range Options

The Manrose thermostatic controller included heated towel rail range provides a practical and stylish heating solution for modern bathrooms. Available in 150W, 250W and 400W models, the range combines efficient towel warming, intelligent temperature control and Wi-Fi app functionality for convenient everyday use.

Advantages of Towel Rails

Designed to warm and dry towels while adding gentle background heat, the range helps improve bathroom comfort and supports the reduction of condensation and moisture build-up.

Style and Comfort

Featuring a slim chrome finish and built-in thermostatic controller, the range offers simple manual operation as well as Wi-Fi app control, allowing users to manage heating settings, timer functions and comfort levels more conveniently.

Thermostat Controller

Each heated towel rail comes with a white thermostatic controller, giving users simple and convenient control of heat output.

Key features include:

- LED temperature display
- Easy dial adjustment for quick temperature control
- ECO mode and timer mode
- Wi-Fi app control for remote operation
- ERP compliant (EU 2024/1103)



Cat. No.

Description

Dimensions (mm)



MANF150TRC-WIFI

Flat Chrome Ladder Towel Rail
with White Thermostat - 150 Watts

400 W × 700 H



MANF250TRC-WIFI

Flat Chrome Ladder Towel Rail
with White Thermostat - 250 Watts

500 W × 1100 H



MANF400TRC-WIFI

Flat Chrome Ladder Towel Rail
with White Thermostat - 400 Watts

500 W × 1500 H

Heated Towel Rails

Heating Range

MANF150/250/400



- Improved IP55 rated
- Plug kit can be handed left or right
- Five year leakage warranty
- Heating element included
- Stylish designs
- Steel construction with high quality chrome finishes
- Production is carried out using latest technology resulting in absolute consistency in quality
- Complete fitting set supplied

Range Options
 Manrose Heated Towel Rails quickly warm and dry towels. Their presence on the wall also adds to the overall style, temperature and comfort of the room.

This comprehensive range of chrome towel rails offers sizes from 400 x 700 mm to 500 x 1500 mm available in three heat outputs of 150, 250 and 400W matched to the size of the rail.

Advantages of Towel Rails
 Adequately heating your bathroom using a Manrose towel rail not only leaves your towels warm and dry, but helps regulate temperature to the rest of the room decreasing the chances of mould and condensation.

Style and Comfort
 With the Manrose range of towel rails you will find a towel rail to suit all applications and sizes. Every towel rail uses thermally regulated heating elements and a mixture of high inertia fluid in order to maintain even heat distribution around the entire rail.

Technical Details

Cat. No.	Description	Dimensions (mm)
	MANF400TRC Flat Chrome Ladder Towel Rail 400 Watts	500 W × 1500 H
	MANF250TRC Flat Chrome Ladder Towel Rail 250 Watts	500 W × 1100 H
	MANF150TRC Flat Chrome Ladder Towel Rail 150 Watts	400 W × 700 H

Panel Heater with 24/7 timer options Heating Range

HP24TIMPH100T/150T/200T



The Manrose 24/7 Panel Heaters connect directly to the permanent electricity supply offering two heat output settings depending on your heating needs. The timer option allows user to select one of 12 pre-set programmes or create a customised 'DIY' heating programme. Wall fixtures are included.

- Silent in operation
- High efficiency of airflow with over 95% of used energy creating heat
- User friendly LCD display screen
- 12 pre-set programmes available
- 1 user defined programme available
- Program and real-time clock memory function
- Thermostat for temperature setting (5°C-30°C)
- Adjustable temperature in Normal and Economic modes
- 24 hour On/Off Timer
- Anti-frosting function
- Ionizer function
- Child safety lock
- Over-heat safety protection
- IP24 Rated

Model	HP24TIMPH100T	HP24TIMPH150T	HP24TIMPH200T
Power	1000W	1500W	2000W
Colour	White	White	White
Heating setting	1000W	1500W	2000W
Heating area	10-13m ²	15-18m ²	20-23m ²
Voltage	230-240V 50Hz	230-240V 50Hz	230-240V 50Hz
Approval	CE, EMC, LVD, RoHS, ERP	CE, EMC, LVD, RoHS, ERP	CE, EMC, LVD, RoHS, ERP
Product size (HxWxD)	440x455 x125mm	440x615 x125mm	440x775 x125mm
Packaged size (HxWxD)	505x520 x155mm	505x680 x155mm	505x840 x155mm
Heater weight	4kg	5.1kg	6.55kg
Gross weight	5.1kg	6.3kg	7.88kg

MANROSE®

Manrose
Unit 23, Suttons Park Avenue
Earley, Reading, RG6 1AZ

Telephone: 01753 691399
Facsimile: 01753 692294
Email: sales@manrose.com
www.manrose.co.uk

For further information on any product, please
contact our Technical Department
Telephone: 01753 876941
Email: technical@manrose.com

412440/0426



ISO 9001 accredited

