

Name:	Vent-Axia
Model ID (Stock Ref.) :	RMH35514
Declared as: RVU or NRVU/UVU or BVU	NRVU/UVU
Speed Drive	Variable Speed
Type HRS (Recuperative, Regenerative, None)	None
Thermal Eff: [(%), NA(if none)]	N/A
Nominal Flow Rate (m3/s)	0.51
Effective Elec. Power Input (kW): (@Nom.Flow Rate&Ext. Pressure)	0.31
SFPint [W/(m3/s)]	N/A
Face Velocity (m/s) @ Design Flow Rate	N/A
Nominal External Pressure: ($\Delta p_{s,ext}$) in Pa	150
Internal Pressure Drop of Ventilation Components ($\Delta p_{s,int}$) in Pa;	N/A
Additional Internal Press. Drop of Non-Ventilation Comp.: $\Delta p_{s,add}$ (Pa)	N/A
Static Eff. of fans used in accordance with Regulation (EU) No 327/2011;	TBC
Declared: -Max Internal & External Leakage Rates(%) for BVUs or carry over (for regenerative heat exchangers only), -&Ext. Leakage Rates (%) for Ducted UVUs;	N/A
Energy Performance, preferably energy classification, of the Filters (declared information about the calculated AEC)	N/A
Position and description of visual filter warning for RVUs intended for use with filters, including text pointing out the importance of regular filter changes for performance and energy efficiency of the unit	No
For UVUs (Instructions Install Grilles Façade)	In F&W
Internet Address (for Disassembly Instructions)	www.vent-axia.com

Vent-Axia	Vent-Axia	Vent-Axia	Vent-Axia
RMH40014	RMH40034	RMH45014	RMH45034
NRVU/UVU	NRVU/UVU	NRVU/UVU	NRVU/UVU
Variable Speed	Variable Speed	Variable Speed	Variable Speed
None	None	None	None
N/A	N/A	N/A	N/A
0.80	0.80	1.26	1.26
0.52	0.54	0.96	0.89
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
200	200	250	250
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
TBC	TBC	TBC	TBC
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
No	No	No	No
In F&W	In F&W	In F&W	In F&W
www.vent-axia.com	www.vent-axia.com	www.vent-axia.com	www.vent-axia.com

Vent-Axia	Vent-Axia	Vent-Axia	Vent-Axia
RMH50014	RMH50034	RMH56034	RMH56036
NRVU/UVU	NRVU/UVU	NRVU/UVU	NRVU/UVU
Variable Speed	Variable Speed	Variable Speed	Variable Speed
None	None	None	None
N/A	N/A	N/A	N/A
1.44	1.22	2.24	1.54
1.45	1.35	2.40	0.67
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
300	300	400	200
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
TBC	TBC	TBC	TBC
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
No	No	No	No
In F&W	In F&W	In F&W	In F&W
www.vent-axia.com	www.vent-axia.com	www.vent-axia.com	www.vent-axia.com