



Madrid Wall Light

Exterior Recessed Lighting



Data Sheet

Product Information

The Madrid LED recessed wall lights are ideal for low level recessed wall lighting for illuminating paths, patios, decking, etc. Comes with a 2 year warranty for your peace of mind.

Product Features

- 2 year warranty
- IP44
- Instant on
- 3000K or 4000K LED
- Plain Frame - 158 Lumens
- Grille Frame – 84 Lumens
- Non dimmable
- Integral driver

Product Specification

Product Code	Product Description	Wattage (W)	CCT (K)	Lumens (lm)	Energy Efficiency Class	Protection Class
KSR1350	Madrid 6W LED Wall Light with Black Plain Frame	6	3000	158	A	I
KSR1351	Madrid 6W LED Wall Light with Black Plain Frame	6	4000	158	A	I
KSR1352	Madrid 6W LED Wall Light with Stainless Steel Plain Frame	6	3000	158	A	I
KSR1353	Madrid 6W LED Wall Light with Stainless Steel Plain Frame	6	4000	158	A	I
KSR1354	Madrid Black Grille Frame	N/A	N/A	84	N/A	N/A
KSR1355	Madrid Stainless Steel Grille Frame	N/A	N/A	84	N/A	N/A

Nominal voltage	220~240VAC
Operating frequency	50-60Hz
Ambient temperature range	-20°C~+40°C
Start time	< 0.5 sec
IP rating	44

Construction

Body: Aluminium
Lens: Glass


Standards

BSEN60598-1:2015 Luminaires – Part 1: General requirements and tests


In Conformity with

LVD Low voltage directive 2014/35/EU
EMC Electromagnetic compatibility directive 2014/30/EU
ERP Energy related products directive 2009/125/EC
RoHS Restriction of hazardous substances 2011/65/EU

Product Dimensions



KSR1350-1353



KSR1354-1355

KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.