SIEMENS

Data sheet 5TE6800



SCHUKO socket outlet 16 A according to DIN VDE 0620 for installation in distribution boards

Model	
product brand name	SENTRON
product designation	SCHUKO socket outlet
design of the special power supply unit	Without special power supply
General technical data	
mounting type	Latching mounting
material	Thermoplastic
Supply voltage	
type of voltage	AC
operating frequency	50/60 Hz
supply voltage frequency rated value	50 Hz
Protection class	
protection class IP	IP20
Main circuit	
operating frequency	
• minimum	50 Hz
• maximum	50 Hz
operational current rated value	16 A
Appearance	
appearance	Matt
RAL color number	RAL7035
color	grey
Product details	
product component	
 increased touch protection 	No
• integrated light source	No
hinged lid	No
product feature halogen-free	Yes
Number	
number of terminals with cross-head screw	1
number of sockets	1
Connections	
stripped length	10 mm
arrangement of contacts diagonal	No
connectable conductor cross-section for rigid conductor	
• minimum	1.5 mm²
• maximum	6 mm ²
connectable conductor cross-section finely stranded with core end processing minimum	0.5 mm²
tightening torque with screw-type terminals maximum	1.2 N·m

type of electrical connection	Screw terminal
Mechanical Design	
height	58 mm
width	44 mm
depth	75 mm
number of modular width units	2.5
fastening method	Built-in installation
net weight	81 g
material of the enclosure	plastic
Environmental conditions	
ambient temperature	
• minimum	-10 °C
• maximum	55 °C
Certificates	
reference code	
according to EN 61346-2	X
according to IEC 81346-2	XD
General Product Approval	Declaration of Conformity other

Confirmation









Miscellaneous

other Environment

<u>Confirmation</u> <u>Environmental Con</u>

<u>firmations</u>

Further information

Siemens has decided to exit the Russian market (see here).

https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

https://support.industry.siemens.com/cs/ww/en/view/109813875

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/lowvoltage/catalogs

Industry Mall (Online ordering system)

https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TE6800

 $Service \& Support \ (Manuals, \ Certificates, \ Characteristics, \ FAQs, ...)$

https://support.industry.siemens.com/cs/ww/en/ps/5TE6800

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TE6800


CAx-Online-Generator


http://www.siemens.com/cax

Tender specifications

http://www.siemens.com/specifications







last modified: 3/12/2021 🖸

